

Discount Code(s): 038 Sch 40 PVC Clear Pipe _____
039 Sch 40 PVC Clear Molded Fittings thru 8" _____

Item prices may have changed from those shown in this sheet.

See Spears® On-line Catalog for most current pricing, updated daily.



PVC Clear Schedule 40 Pipe & Fittings



Quality Systems Certificate No. 293
Corporate Facilities, Sylmar, CA
Assessed to ISO 9001: 2008

Visit our web site:
www.spearsmfg.com

PRICE SCHEDULE 40L-1-0910
Effective September 26, 2010
Supersedes 40L-1-1009



PVC Clear Schedule 40 Pipe & Fittings

PIPE SPECIFICATIONS

Standard Length of pipe is 10 Feet. Custom lengths and sizes are available on special order from the pipe manufacturer. All pipe is packed in poly bags and boxed. This material complies with the provisions of Title 21 of the United States FDA Code of Federal Regulations, and is safe for use in food contact applications. Pipe has a UL 94 V-0 rating. Standard threading or grooving of Schedule 40 Clear pipe is not recommended due to insufficient wall thickness. Use specialty clear transition fittings for threaded assemblies or standard PVC transition fittings where applicable.

Part Number	Size	Avg. O.D.	Avg. I.D.	Min. Wall	Max. W.P. psi*	Lbs./Ft.	Feet Per Carton
PL-002	1/4	.540	.354	.088	390	.081	100
PL-003	3/8	.675	.483	.091	310	.109	100
PL-005	1/2	.840	.608	.109	300	.161	350
PL-007	3/4	1.050	.810	.113	240	.214	250
PL-010	1	1.315	1.033	.133	220	.315	250
PL-012	1-1/4	1.660	1.364	.140	180	.426	200
PL-015	1-1/2	1.900	1.592	.145	170	.509	160
PL-020	2	2.375	2.049	.154	140	.682	120
PL-025	2-1/2	2.875	2.445	.203	150	1.076	80
PL-030	3	3.500	3.042	.216	130	1.409	60
PL-040	4	4.500	3.998	.237	110	2.006	50
PL-060	6	6.625	6.031	.280	90	3.535	10
PL-080	8	8.625	7.943	.322	80	5.305	10

* For water at 73.4°F with solvent welded joints.


Prices subject to change without notice. Possession of this price schedule shall not be construed as an offer to sell the products listed. Product drawings are representative and may not fully reflect product configurations.

PVC Clear Schedule 40 Pipe & Fittings



Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

PVC Clear Schedule 40 Pipe 10' Lengths, Price Per Foot




List Price Per Foot

PL-002	1/4	10	0	038	1.04
PL-003	3/8	10	100	038	1.39
PL-005	1/2	350	0	038	2.07
PL-007	3/4	250	0	038	2.77
PL-010	1	250	0	038	4.11
PL-012	1-1/4	200	0	038	5.55
PL-015	1-1/2	160	0	038	6.67
PL-020	2	120	0	038	8.98
PL-025	2-1/2	80	0	038	14.16
PL-030	3	60	0	038	18.51
PL-040	4	40	0	038	27.87
PL-060	6	10	0	038	51.13
PL-080	8	10	0	038	76.41


See Pipe Specifications section for additional information.

Tee Soc



401-002L	1/4	25	150	039	10.73
401-003L	3/8	50	200	039	6.91
401-005L	1/2	50	300	039	8.09
401-007L	3/4	50	0	039	9.22
401-010L	1	50	0	039	17.26
401-012L	1-1/4	25	0	039	27.13
401-015L	1-1/2	25	0	039	32.90
401-020L	2	10	0	039	47.81
401-025L	2-1/2	10	0	039	157.60
401-030L	3	10	0	039	206.70
401-040L	4	6	0	039	374.19
401-060L	6	4	0	039	673.56
401-080L	8	2	0	039	1212.39

90° EII Soc



406-002L	1/4	25	150	039	8.73
406-003L	3/8	50	300	039	8.73
406-005L	1/2	50	200	039	6.59
406-007L	3/4	50	300	039	7.21
406-010L	1	50	0	039	13.09
406-012L	1-1/4	25	0	039	23.05


Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

90° EII (continued)

Soc


406-015L	1-1/2	25	0	039	24.48
406-020L	2	25	0	039	38.80
406-025L	2-1/2	10	0	039	117.72
406-030L	3	10	0	039	140.85
406-040L	4	8	0	039	252.20
406-060L	6	5	0	039	453.97
406-080L	8	2	0	039	817.14

90° Street EII Spig x Soc




409-005L	1/2	50	400	039	6.59
409-007L	3/4	50	0	039	7.21
409-010L	1	50	0	039	13.09
409-012L	1-1/4	25	0	039	23.05
409-015L	1-1/2	25	0	039	24.48
409-020L	2	10	0	039	38.80
409-025L	2-1/2	10	0	039	117.72

45° EII Soc



417-002L	1/4	25	150	039	14.01
417-003L	3/8	25	150	039	14.01
417-005L	1/2	50	400	039	10.64
417-007L	3/4	50	300	039	16.43
417-010L	1	50	0	039	19.73
417-012L	1-1/4	25	0	039	27.90
417-015L	1-1/2	25	0	039	34.80
417-020L	2	10	0	039	45.36
417-025L	2-1/2	10	0	039	117.89
417-030L	3	10	0	039	183.01
417-040L	4	5	0	039	328.71
417-060L	6	8	0	039	591.67
417-080L	8	3	0	039	1065.01

45° Street EII Spig x Soc



427-005L	1/2	50	400	039	10.64
427-007L	3/4	50	0	039	16.43
427-010L	1	50	0	039	19.73
427-012L	1-1/4	25	0	039	27.90



PVC Clear Schedule 40 Pipe & Fittings


Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

45° Street Ell (continued)

Spig x Soc


427-015L	1-1/2	25	0	039	34.80
427-020L	2	25	0	039	45.36
427-025L	2-1/2	10	0	039	117.89
427-030L	3	10	0	039	183.01
427-040L	4	5	0	039	328.71

Coupling Soc




429-002L	1/4	25	150	039	5.86
429-003L	3/8	50	300	039	5.86
429-005L	1/2	50	300	039	4.36
429-007L	3/4	50	200	039	5.87
429-010L	1	50	0	039	10.20
429-012L	1-1/4	25	150	039	13.89
429-015L	1-1/2	25	0	039	14.95
429-020L	2	10	60	039	23.30
429-025L	2-1/2	10	0	039	51.06
429-030L	3	10	0	039	80.11
429-040L	4	6	0	039	115.65
429-060L	6	5	0	039	208.19
429-080L	8	6	0	039	374.72

Female Adapter Soc x SR Fipt



435-002SRL	1/4	25	450	039	12.30
435-003SRL	3/8	25	300	039	12.30
435-005SRL	1/2	25	300	039	7.29
435-007SRL	3/4	25	300	039	9.12
435-010SRL	1	25	200	039	10.54
435-012SRL	1-1/4	10	80	039	16.19
435-015SRL	1-1/2	10	80	039	18.99
435-020SRL	2	10	0	039	25.57
435-025SRL	2-1/2	5	0	039	53.15
435-030SRL	3	10	0	039	86.76
435-040SRL	4	6	0	039	143.51

Male Adapter Mipt x Soc



436-003L	3/8	50	300	039	7.87
436-005L	1/2	50	300	039	5.87


Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

Male Adapter (continued)

Mipt x Soc


436-007L	3/4	50	400	039	6.59
436-010L	1	50	300	039	11.57
436-012L	1-1/4	25	0	039	13.97
436-015L	1-1/2	25	0	039	18.97
436-020L	2	25	0	039	24.74
436-025L	2-1/2	10	0	039	73.38
436-030L	3	10	0	039	107.20
436-040L	4	5	0	039	136.71

Reducer Bushing Spig x Soc



437-101L	3/4X1/2	50	300	039	6.78
437-131L	1X3/4	50	200	039	12.47
437-168L	1-1/4X1	25	150	039	16.43
437-211L	1-1/2X1	25	100	039	17.35
437-212L	1-1/2X1-1/4	25	100	039	17.35
437-251L	2X1-1/2	10	80	039	28.73
437-292L	2-1/2X2	10	40	039	46.21
437-338L	3X2	10	0	039	68.56
437-339L	3X2-1/2	10	0	039	68.56
437-422L	4X3	6	0	039	153.19
437-532L	6X4	5	0	039	308.28
437-585L	8X6	4	0	039	496.35

Cap Soc




447-002L	1/4	25	150	039	7.87
447-003L	3/8	50	300	039	7.87
447-005L	1/2	50	300	039	5.87
447-007L	3/4	50	300	039	6.78
447-010L	1	50	200	039	10.74
447-012L	1-1/4	25	100	039	14.95
447-015L	1-1/2	25	0	039	16.43
447-020L	2	10	80	039	19.80
447-025L	2-1/2	10	0	039	63.35
447-030L	3	10	0	039	62.37
447-040L	4	6	0	039	141.84
447-060L	6	4	0	039	255.32
447-080L	8	3	0	039	459.56

PVC Clear Schedule 40 Pipe & Fittings



Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

Wyes & Reducing Wyes Soc



475-015L	1-1/2	20	0	039	43.39
475-020L	2	10	0	039	63.87
475-030L	3	4	0	039	266.03
475-040L	4	4	0	039	484.36
475-060L	6	3	0	039	828.04
475-532L	6X4	5	0	039	828.04



PVC Clear Schedule 40 Pipe & Fittings

CONTENT

CATALOG INFORMATION	
PIPE SPECIFICATIONS	1
PRODUCTS	
PVC Clear Schedule 40 Pipe 10' Lengths, Price Per Foot	2
Tee Soc	2
90° Ell Soc	2
90° Street Ell Spig x Soc	2
45° Ell Soc	2
45° Street Ell Spig x Soc	2
Coupling Soc	3
Female Adapter Soc x SR Fipt	3
Male Adapter Mipt x Soc	3
Reducer Bushing Spig x Soc	3
Cap Soc	3
Wyes & Reducing Wyes Soc	4

NOTES

The Spears® Quality Policy

It is the policy and objective of Spears® Manufacturing Company to produce a superior quality product suitable for its intended use, with regard to functionality, structural integrity, and conformance to established industry standards and practices. It is the commitment of this Company to do so in a manner which provides consistency of product quality, optimum availability, and superior customer service, while maintaining efficiency of operations and profitability necessary to perpetuate product improvement and customer satisfaction. Furthermore, it is recognized that the attainment of these objectives is the responsibility of all Company operations and personnel according to their respective functions.



SPEARS® MANUFACTURING COMPANY • CORPORATE OFFICE

15853 Olden St., Sylmar, CA 91342 • PO Box 9203, Sylmar, CA 91392
(818) 364-1611 • www.spearsmfg.com



PACIFIC SOUTHWEST

15860 Olden St.
Sylmar (Los Angeles), CA 91342
(818) 364-1611 • (800) 862-1499
Fax (818) 367-3014

ROCKY MOUNTAIN

4880 Florence St.
Denver, CO 80238
(303) 371-9430 • (800) 777-4154
Fax (303) 375-9546

UTAH

5395 West 1520 South
Salt Lake City, UT 84104
(303) 371-9430 • (800) 777-4154
Fax (303) 375-9546

SOUTHEAST

4205 Newpoint Pl., Suite 100
Lawrenceville (Atlanta), GA 30043
(678) 985-1263 • (800) 662-6326
Fax (678) 985-5642

MIDWEST

1 Gateway Ct., Suite A
Bolingbrook (Chicago), IL 60440
(630) 759-7529 • (800) 662-6330
Fax (630) 759-7515

NORTHWEST

4103 C St. NE Suite 200
Auburn (Seattle), WA 98002
(253) 939-4433 • (800) 347-7327
Fax (253) 939-7557

SOUTH CENTRAL

1000 Lakeside Parkway
Flower Mound, TX 75028
(469) 528-3000 • (800) 441-1437
Fax (469) 528-3001

NORTHEAST

590 Industrial Dr., Suite 100
Lewisberry (Harrisburg), PA 17339-9532
(717) 938-8844 • (800) 233-0275
Fax (717) 938-6547

FLORIDA

9563 Parksouth Court
Orlando, FL 32837
(407) 843-1960 • (800) 327-6390
Fax (407) 425-3563

INTERNATIONAL SALES

15853 Olden St.
Sylmar (Los Angeles), CA 91342
(818) 364-1611 • Fax (818) 898-3774