

Discount Code(s): 038 Sch 40 PVC Clear Pipe \_\_\_\_\_  
039 Sch 40 PVC Clear Molded Fittings thru 8" \_\_\_\_\_

*Item prices may have changed from those shown in this sheet. See Spears® On-line Catalog for most current pricing, updated daily.*



# PVC Clear Schedule 40 Pipe & Fittings



Quality Systems Certificate No. 293  
Corporate Facilities, Sylmar, CA  
Assessed to ISO 9001: 2008

Visit our web site:  
[www.spearsmfg.com](http://www.spearsmfg.com)

PRICE SCHEDULE 40L-1-1009  
Effective October 26, 2009  
Supersedes 40L-1-0708



# PVC Clear Schedule 40 Pipe & Fittings

## PIPE SPECIFICATIONS

Standard Length of pipe is 10 Feet. Custom lengths and sizes are available on special order from the pipe manufacturer. All pipe is packed in poly bags and boxed. This material complies with the provisions of Title 21 of the United States FDA Code of Federal Regulations, and is safe for use in food contact applications. Pipe has a UL 94 V-0 rating. Standard threading or grooving of Schedule 40 Clear pipe is not recommended due to insufficient wall thickness. Use specialty clear transition fittings for threaded assemblies or standard PVC transition fittings where applicable.

Part Number	Size	Avg. O.D.	Avg. I.D.	Min. Wall	Max. W.P. psi*	Lbs./Ft.	Feet Per Carton
PL-002	1/4	.540	.354	.088	390	.081	100
PL-003	3/8	.675	.483	.091	310	.109	100
PL-005	1/2	.840	.608	.109	300	.161	350
PL-007	3/4	1.050	.810	.113	240	.214	250
PL-010	1	1.315	1.033	.133	220	.315	250
PL-012	1-1/4	1.660	1.364	.140	180	.426	200
PL-015	1-1/2	1.900	1.592	.145	170	.509	160
PL-020	2	2.375	2.049	.154	140	.682	120
PL-025	2-1/2	2.875	2.445	.203	150	1.076	80
PL-030	3	3.500	3.042	.216	130	1.409	60
PL-040	4	4.500	3.998	.237	110	2.006	50
PL-060	6	6.625	6.031	.280	90	3.535	10
PL-080	8	8.625	7.943	.322	80	5.305	10

\* For water at 73.4°F with solvent welded joints.


Prices subject to change without notice. Possession of this price schedule shall not be construed as an offer to sell the products listed. Product drawings are representative and may not fully reflect product configurations.

# PVC Clear Schedule 40 Pipe & Fittings



Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

## PVC Clear Schedule 40 Pipe 10' Lengths, Price Per Foot




List Price Per Foot

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
PL-002	1/4	10	0	038	.98
PL-003	3/8	10	100	038	1.31
PL-005	1/2	350	0	038	1.95
PL-007	3/4	250	0	038	2.60
PL-010	1	250	0	038	3.86
PL-012	1-1/4	200	0	038	5.22
PL-015	1-1/2	160	0	038	6.27
PL-020	2	120	0	038	8.44
PL-025	2-1/2	80	0	038	13.31
PL-030	3	60	0	038	17.40
PL-040	4	40	0	038	26.20
PL-060	6	10	0	038	48.06
PL-080	8	10	0	038	71.83


See Pipe Specifications section for additional information.

## Tee Soc



Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
401-002L	1/4	25	150	039	10.09
401-003L	3/8	50	200	039	10.09
401-005L	1/2	50	300	039	7.60
401-007L	3/4	50	0	039	8.67
401-010L	1	50	0	039	16.22
401-012L	1-1/4	25	0	039	25.50
401-015L	1-1/2	25	0	039	30.93
401-020L	2	10	0	039	44.94
401-025L	2-1/2	10	0	039	148.14
401-030L	3	10	0	039	194.30
401-040L	4	6	0	039	351.74
401-060L	6	4	0	039	633.15
401-080L	8	2	0	039	1139.65

## 90° EII Soc



Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
406-002L	1/4	25	150	039	8.21
406-003L	3/8	50	300	039	8.21
406-005L	1/2	50	200	039	6.19
406-007L	3/4	50	300	039	6.78
406-010L	1	50	0	039	12.30
406-012L	1-1/4	25	0	039	21.67


Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

## 90° EII (continued)

### Soc


406-015L	1-1/2	25	0	039	23.01
406-020L	2	25	0	039	36.47
406-025L	2-1/2	10	0	039	110.66
406-030L	3	10	0	039	132.40
406-040L	4	8	0	039	237.07
406-060L	6	5	0	039	426.73
406-080L	8	2	0	039	768.11

## 90° Street EII Spig x Soc




409-005L	1/2	50	400	039	6.19
409-007L	3/4	50	0	039	6.78
409-010L	1	50	0	039	12.30
409-012L	1-1/4	25	0	039	21.67
409-015L	1-1/2	25	0	039	23.01
409-020L	2	10	0	039	36.47
409-025L	2-1/2	10	0	039	110.66

## 45° EII Soc



417-002L	1/4	25	150	039	13.17
417-003L	3/8	25	150	039	13.17
417-005L	1/2	50	400	039	10.00
417-007L	3/4	50	300	039	15.44
417-010L	1	50	0	039	18.55
417-012L	1-1/4	25	0	039	26.23
417-015L	1-1/2	25	0	039	32.71
417-020L	2	10	0	039	42.64
417-025L	2-1/2	10	0	039	110.82
417-030L	3	10	0	039	172.03
417-040L	4	5	0	039	308.99
417-060L	6	8	0	039	556.17
417-080L	8	3	0	039	1001.11

## 45° Street EII Spig x Soc



427-005L	1/2	50	400	039	10.00
427-007L	3/4	50	0	039	15.44
427-010L	1	50	0	039	18.55
427-012L	1-1/4	25	0	039	26.23



# PVC Clear Schedule 40 Pipe & Fittings


Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

### 45° Street Ell (continued)

#### Spig x Soc


427-015L	1-1/2	25	0	039	32.71
427-020L	2	25	0	039	42.64
427-025L	2-1/2	10	0	039	110.82
427-030L	3	10	0	039	172.03
427-040L	4	5	0	039	308.99

### Coupling Soc




429-002L	1/4	25	150	039	5.51
429-003L	3/8	50	300	039	5.51
429-005L	1/2	50	300	039	4.10
429-007L	3/4	50	200	039	5.52
429-010L	1	50	0	039	9.59
429-012L	1-1/4	25	150	039	13.06
429-015L	1-1/2	25	0	039	14.05
429-020L	2	10	60	039	21.90
429-025L	2-1/2	10	0	039	48.00
429-030L	3	10	0	039	75.30
429-040L	4	6	0	039	108.71
429-060L	6	5	0	039	195.70
429-080L	8	6	0	039	352.24

### Female Adapter Soc x SR Fipt



435-002SRL	1/4	25	450	039	11.56
435-003SRL	3/8	25	300	039	11.56
435-005SRL	1/2	25	300	039	6.85
435-007SRL	3/4	25	300	039	8.57
435-010SRL	1	25	200	039	9.91
435-012SRL	1-1/4	10	80	039	15.22
435-015SRL	1-1/2	10	80	039	17.85
435-020SRL	2	10	0	039	24.04
435-025SRL	2-1/2	5	0	039	49.96
435-030SRL	3	10	0	039	81.55
435-040SRL	4	6	0	039	134.90

### Male Adapter Mipt x Soc



436-003L	3/8	50	300	039	7.40
436-005L	1/2	50	300	039	5.52


Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

### Male Adapter (continued)

#### Mipt x Soc

436-007L	3/4	50	400	039	6.19
436-010L	1	50	300	039	10.88
436-012L	1-1/4	25	0	039	13.13
436-015L	1-1/2	25	0	039	17.83
436-020L	2	25	0	039	23.26
436-025L	2-1/2	10	0	039	68.98
436-030L	3	10	0	039	100.77
436-040L	4	5	0	039	128.51

### Reducer Bushing Spig x Soc



437-101L	3/4X1/2	50	300	039	6.37
437-131L	1X3/4	50	200	039	11.72
437-168L	1-1/4X1	25	150	039	15.44
437-211L	1-1/2X1	25	100	039	16.31
437-212L	1-1/2X1-1/4	25	100	039	16.31
437-251L	2X1-1/2	10	80	039	27.01
437-292L	2-1/2X2	10	40	039	43.44
437-338L	3X2	10	0	039	64.45
437-339L	3X2-1/2	10	0	039	64.45
437-422L	4X3	6	0	039	144.00
437-532L	6X4	5	0	039	289.78
437-585L	8X6	4	0	039	466.57

### Cap Soc




447-002L	1/4	25	150	039	7.40
447-003L	3/8	50	300	039	7.40
447-005L	1/2	50	300	039	5.52
447-007L	3/4	50	300	039	6.37
447-010L	1	50	200	039	10.10
447-012L	1-1/4	25	100	039	14.05
447-015L	1-1/2	25	0	039	15.44
447-020L	2	10	80	039	18.61
447-025L	2-1/2	10	0	039	59.55
447-030L	3	10	0	039	58.63
447-040L	4	6	0	039	133.33
447-060L	6	4	0	039	240.00
447-080L	8	3	0	039	431.99

# PVC Clear Schedule 40 Pipe & Fittings



Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

**Wyes & Reducing Wyes Soc**



475-015L	1-1/2	20	0	039	40.79
475-020L	2	10	0	039	60.04
475-030L	3	4	0	039	250.07
475-040L	4	4	0	039	455.30
475-060L	6	3	0	039	778.36
475-532L	6X4	5	0	039	778.36



## PVC Clear Schedule 40 Pipe & Fittings

### CONTENT

<b>CATALOG INFORMATION</b>	
PIPE SPECIFICATIONS	1
<b>PRODUCTS</b>	
PVC Clear Schedule 40 Pipe 10' Lengths, Price Per Foot	2
Tee Soc	2
90° Ell Soc	2
90° Street Ell Spig x Soc	2
45° Ell Soc	2
45° Street Ell Spig x Soc	2
Coupling Soc	3
Female Adapter Soc x SR Fipt	3
Male Adapter Mipt x Soc	3
Reducer Bushing Spig x Soc	3
Cap Soc	3
Wyes & Reducing Wyes Soc	4

# NOTES

## The Spears® Quality Policy

It is the policy and objective of Spears® Manufacturing Company to produce a superior quality product suitable for its intended use, with regard to functionality, structural integrity, and conformance to established industry standards and practices. It is the commitment of this Company to do so in a manner which provides consistency of product quality, optimum availability, and superior customer service, while maintaining efficiency of operations and profitability necessary to perpetuate product improvement and customer satisfaction. Furthermore, it is recognized that the attainment of these objectives is the responsibility of all Company operations and personnel according to their respective functions.



### SPEARS® MANUFACTURING COMPANY • CORPORATE OFFICE

15853 Olden St., Sylmar, CA 91342 • PO Box 9203, Sylmar, CA 91392  
(818) 364-1611 • [www.spearsmfg.com](http://www.spearsmfg.com)



#### PACIFIC SOUTHWEST

15860 Olden St.  
Sylmar (Los Angeles), CA 91342  
(818) 364-1611 • (800) 862-1499  
Fax (818) 367-3014

#### ROCKY MOUNTAIN

4880 Florence St.  
Denver, CO 80238  
(303) 371-9430 • (800) 777-4154  
Fax (303) 375-9546

#### UTAH

5395 West 1520 South  
Salt Lake City, UT 84104  
(303) 371-9430 • (800) 777-4154  
Fax (303) 375-9546

#### SOUTHEAST

4205 Newpoint Pl., Suite 100  
Lawrenceville (Atlanta), GA 30043  
(678) 985-1263 • (800) 662-6326  
Fax (678) 985-5642

#### MIDWEST

1 Gateway Ct., Suite A  
Bolingbrook (Chicago), IL 60440  
(630) 759-7529 • (800) 662-6330  
Fax (630) 759-7515

#### NORTHWEST

4103 C St. NE Suite 200  
Auburn (Seattle), WA 98002  
(253) 939-4433 • (800) 347-7327  
Fax (253) 939-7557

#### SOUTH CENTRAL

1000 Lakeside Parkway  
Flower Mound, TX 75028  
(469) 528-3000 • (800) 441-1437  
Fax (469) 528-3001

#### NORTHEAST

590 Industrial Dr., Suite 100  
Lewisberry (Harrisburg), PA 17339-9532  
(717) 938-8844 • (800) 233-0275  
Fax (717) 938-6547

#### FLORIDA

9563 Parksouth Court  
Orlando, FL 32837  
(407) 843-1960 • (800) 327-6390  
Fax (407) 425-3563

#### INTERNATIONAL SALES

15853 Olden St.  
Sylmar (Los Angeles), CA 91342  
(818) 364-1611 • Fax (818) 898-3774