

### Discount Codes

046	PVC Schedule 40 Molded Reinforced Fittings	
049	PVC Hot-Tap Saddles	
050	CPVC Hot-Tap Saddles	
086	PVC Schedule 80 Molded Reinforced Fittings	
096	CPVC Schedule 80 Molded Reinforced Fittings	

*Item prices may have changed from those shown in this sheet.  
See Spears® On-line Catalog for most current pricing, updated daily.*

# PVC & CPVC Hot-Tap Saddles and Clamp Saddles



**Visit our web site:**  
**[www.spearsmfg.com](http://www.spearsmfg.com)**

*See Spears® On-line Catalog for most current pricing, updated daily.*

**PRICE SCHEDULE SDL-1-0910**  
**Effective September 26, 2010**  
**Supersedes: SDL-1-1009**



Quality Systems Certificate No. 293  
Corporate Facilities, Sylmar, CA  
Assessed to ISO 9001: 2008

**2010 EDITION**



# PVC/CPVC Clamp-On & Hot-Tap Saddles

## HOW TO USE THIS CATALOG

Spears® PVC & CPVC Hot-Tap Saddles and Clamp Saddles catalog has been arranged for easy use in selection of desired products according to part number, size, packaging and pricing information. A complete listing of content is located at the end of this catalog. Additional information on individual product dimensions can be found in Spears® publications 80-4, PVC Schedule 80 Fittings, Unions, Class 150 Flanges, Tank Adapters, Expansion Joints & Saddles Weights & Dimensions and select data sheets for special products.

## COLUMN HEADER INFORMATION

Each product column header label identifies the following product particulars:

Part Number	The number used to order the part.
Size	Nominal diameter of pipe with which the fitting is to be used. NOTE: Fittings may be same size (only one size designation) or reducing (multiple sizes designated).
Hole Saw Dia.	Standard hole saw designation to cut required hole in pipe.
Standard Pack (Std Pk)	The quantity of parts packaged in an individual box or bag.
Master Carton (Mstr Ctn)	The total quantity of parts contained in individual boxes or bags which are packaged together.
Discount Code (Disc Code)	Identification code for applicable discount to the list price of the product. NOTE: This is a Product Group code and is not a calculation of discount. Discount codes are not the same for all products contained in this price schedule.
Price Each	The designated list price of the product.

## PRODUCT CONFIGURATION

Each group of saddle configuration types is headed by the product's name, an abbreviated configuration description of the fitting outlet connections, followed by O-ring elastomer and hardware material designations. Configuration descriptions are defined at the end of this catalog. Line drawing illustrations are general representations of the saddles in the group, but may not be an exact depiction of all configurations listed. The size designation always indicates size of pipe for mounting saddle x saddle branch outlet.

## CONFIGURATION DESCRIPTIONS & PART INFORMATION

Definitions of abbreviated configuration descriptions and letters contained in part numbers that denote special information are indicated below:


Soc	Solvent Weld Socket (IPS)
Spig	Spigot End (IPS Pipe O.D)
SR	Special Reinforced Plastic Female Iron Pipe Thread
Soc (Spigot)	Dual connection functions as indicated socket size and spigot size in parenthesis ( )
IPS	Iron Pipe Size
C	CPVC
E	EPDM O-ring
V	Viton® O-ring
S	Stainless Steel Hardware
W	PVC White

# PVC/CPVC Clamp-On & Hot-Tap Saddles




## Spears® Two-Piece Clamp-On Saddle Design Clamps onto Pipe for Quick and Easy Installation

O-ring seal provides positive, trouble-free sealing to pipe.




Special pilot engages with hole in pipe to prevent saddle dislocation.



### Clamp-On Saddle Installation Instructions


1. Using a standard industrial grade hole-saw, cut specified hole in desired position on pipe according to recommended hole saw size engraved on the saddle. Note: Care must be taken to deburr hole and remove all residue from hole area to assure tight fit and avoid leakage.
2. Fully seat O-ring in groove on underside of saddle outlet component. Position over hole and fully seat saddle onto pipe. Note: Certain saddle outlets are piloted. Be sure pilot lip fully engages with hole in pipe.



3. Place strap component opposite outlet and secure with bolts (4), nuts (4) and washers (8). Important: Washers MUST be placed under each bolt head (1) and under each nut (1) to avoid damage to saddle.
4. Tighten bolts to specified torque.

Saddle Size	2	3	4	6 & up
Recommended Bolt-Torque - ft/lb	8	8	8	10

For Double Outlet Saddle Installation — Determine second outlet hole position as shown.



## Spears® Hot-Tap Saddles Designed for Adding Branch Connections to Piping Systems Under Live (“Hot”) Pressure


Hot-Tap Saddle branch outlets are either 3/4" socket (with 1" Spigot O.D.) or 1-1/2" socket (with 2" Spigot O.D.) in saddle sizes 2" through 6" to fit IPS pipe using a built-in O-ring seal. Internal cutter is operated using conventional ratchet and drive extension and permanently retains coupon cut from pipe. Maximum operating pressure at 73°F (23°C) is 235 psi for saddle sizes 2" - 4", 200 psi for 6" saddles and 150 psi for 8" saddles. See packaged Installation Instructions for details.



# PVC/CPVC Clamp-On & Hot-Tap Saddles

Part Number	Size	Hole Saw Dia	Std PK	Mstr Ctn	Disc Code	Price Each
-------------	------	--------------	--------	----------	-----------	------------

**PVC White Clamp-On Saddle x Soc Single Outlet with Buna-N O-ring Seal & Zinc-Plated Hardware**




2"-4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

466-247	2X1/2	3/4	1	10	046	27.01
466-248	2X3/4	7/8	1	10	046	27.01
466-249	2X1	1-1/8	1	10	046	27.01
466-250	2X1-1/4	1-1/2	1	10	046	27.01
466-251	2X1-1/2	1-1/2	1	10	046	27.01
466-291	2-1/2X1-1/2	1-3/4	1	10	046	36.64
466-333 <sup>1</sup>	3X1/2	7/8	1	10	046	36.64
466-334	3X3/4	7/8	1	10	046	36.64
466-335	3X1	1-1/8	1	10	046	36.64
466-336 <sup>1</sup>	3X1-1/4	2-1/4	1	10	046	36.64
466-337 <sup>1</sup>	3X1-1/2	2-1/4	1	10	046	36.64
466-338	3X2	2-1/4	1	10	046	36.64
466-415 <sup>1</sup>	4X1/2	1-1/8	1	10	046	46.95
466-416 <sup>1</sup>	4X3/4	1-1/8	1	10	046	46.95
466-417	4X1	1-1/8	1	8	046	46.95
466-418 <sup>1</sup>	4X1-1/4	1-3/4	1	8	046	46.95
466-419	4X1-1/2	1-3/4	1	8	046	46.95
466-420	4X2	2-1/4	1	8	046	46.95
466-421 <sup>1</sup>	4X2-1/2	3	1	4	046	53.12
466-422	4X3	3	1	4	046	58.35
466-523 <sup>1</sup>	6X1/2	1-1/8	1	4	046	80.78
466-524 <sup>1</sup>	6X3/4	1-1/8	1	4	046	80.78
466-525	6X1	1-1/8	1	4	046	80.78
466-526 <sup>1</sup>	6X1-1/4	2-1/4	1	4	046	80.78
466-527 <sup>1</sup>	6X1-1/2	2-1/4	1	4	046	80.78
466-528	6X2	2-1/4	1	4	046	80.78
466-529 <sup>1</sup>	6X2-1/2	3	1	4	046	88.81
466-530	6X3	3	1	4	046	92.53
466-532	6X4	4	1	4	046	97.41
466-573 <sup>1</sup>	8X1/2	4	1	0	046	125.59
466-574 <sup>1</sup>	8X3/4	4	1	0	046	125.59
466-575 <sup>1</sup>	8X1	4	1	1	046	125.59
466-576 <sup>1</sup>	8X1-1/4	4	1	0	046	125.59
466-577 <sup>1</sup>	8X1-1/2	4	1	0	046	125.59
466-578 <sup>1</sup>	8 X 2	4	1	1	046	125.59
466-579 <sup>1</sup>	8X2-1/2	4	1	0	046	138.09
466-580 <sup>1</sup>	8X3	4	1	0	046	146.43
466-582	8X4	4	1	1	046	155.07
466-585	8X6	6	1	1	046	172.22
466-620 <sup>1</sup>	10X1-1/2	4	1	0	046	204.93
466-624	10X4	4	1	1	046	204.93
466-626	10X6	6	1	0	046	235.64
466-660 <sup>1</sup>	12X1-1/2	4	1	1	046	256.89
466-664	12X4	4	1	1	046	256.89
466-666	12X6	6	1	1	046	297.90

<sup>1</sup>Outlet-sized with Bushing

Part Number	Size	Hole Saw Dia	Std PK	Mstr Ctn	Disc Code	Price Each
-------------	------	--------------	--------	----------	-----------	------------

**PVC White Clamp-On Saddle x Soc Single Outlet with Buna-N O-ring Seal & SS Hardware**



2"-4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

466S-247	2X1/2	3/4	1	10	046	44.40
466S-248	2X3/4	7/8	1	10	046	44.40
466S-249	2X1	1-1/8	1	10	046	44.40
466S-250	2X1-1/4	1-1/2	1	10	046	44.40
466S-251	2X1-1/2	1-1/2	1	10	046	44.40
466S-291	2-1/2 X1-1/2	1-3/4	1	10	046	59.74
466S-333 <sup>1</sup>	3X1/2	7/8	1	10	046	59.74
466S-334	3X3/4	7/8	1	10	046	59.74
466S-335	3X1	1-1/8	1	10	046	59.74
466S-336 <sup>1</sup>	3X1-1/4	2-1/4	1	10	046	59.74
466S-337 <sup>1</sup>	3X1-1/2	2-1/4	1	10	046	59.74
466S-338	3X2	2-1/4	1	10	046	59.74
466S-415 <sup>1</sup>	4X1/2	1-1/8	1	10	046	75.16
466S-416 <sup>1</sup>	4X3/4	1-1/8	1	10	046	75.16
466S-417	4X1	1-1/8	1	10	046	75.16
466S-418 <sup>1</sup>	4X1-1/4	1-3/4	1	8	046	75.16
466S-419	4X1-1/2	1-3/4	1	8	046	75.16
466S-420	4X2	2-1/4	1	8	046	75.16
466S-421 <sup>1</sup>	4X2-1/2	3	1	4	046	82.13
466S-422	4X3	3	1	4	046	85.43
466S-523 <sup>1</sup>	6X1/2	1-1/8	1	4	046	123.11
466S-524 <sup>1</sup>	6X3/4	1-1/8	1	4	046	123.11
466S-525	6X1	1-1/8	1	4	046	123.11
466S-526 <sup>1</sup>	6X1-1/4	2-1/4	1	4	046	123.11
466S-527 <sup>1</sup>	6X1-1/2	2-1/4	1	4	046	123.11
466S-528	6X2	2-1/4	1	4	046	123.11
466S-529 <sup>1</sup>	6X2-1/2	3	1	4	046	127.16
466S-530	6X3	3	1	4	046	129.78
466S-532	6X4	4	1	4	046	135.56
466S-573 <sup>1</sup>	8X1/2	4	1	0	046	179.74
466S-574 <sup>1</sup>	8X3/4	4	1	0	046	179.74
466S-575 <sup>1</sup>	8X1	4	1	0	046	179.74
466S-576 <sup>1</sup>	8X1-1/4	4	1	0	046	179.74
466S-577 <sup>1</sup>	8X1-1/2	4	1	0	046	179.74
466S-578 <sup>1</sup>	8 X 2	4	1	0	046	179.74
466S-579 <sup>1</sup>	8X2-1/2	4	1	0	046	197.72
466S-580 <sup>1</sup>	8X3	4	1	0	046	207.63
466S-582	8X4	4	1	1	046	220.14
466S-585	8X6	6	1	1	046	244.31
466S-620 <sup>1</sup>	10X1-1/2	4	1	0	046	290.72
466S-624	10X4	4	1	0	046	290.72
466S-626	10X6	6	1	1	046	334.34
466S-664	12X4	4	1	1	046	364.41
466S-666	12X6	6	1	1	046	422.74


<sup>1</sup>Outlet-sized with Bushing

# PVC/CPVC Clamp-On & Hot-Tap Saddles



Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------------	--------	----------	-----------	------------

**PVC White Clamp-On Saddle x Soc Single Outlet with EPDM O-ring Seal & Zinc-Plated Hardware**




2"-4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

466E-247	2X1/2	3/4	1	10	046	29.10
466E-248	2X3/4	7/8	1	10	046	29.10
466E-249	2X1	1-1/8	1	10	046	29.10
466E-250	2X1-1/4	1-1/2	1	10	046	29.10
466E-251	2X1-1/2	1-1/2	1	10	046	29.10
466E-291	2-1/2X1-1/2	1-3/4	1	10	046	37.60
466E-333 <sup>1</sup>	3X1/2	7/8	1	10	046	37.60
466E-334	3X3/4	7/8	1	10	046	37.60
466E-335	3X1	1-1/8	1	10	046	37.60
466E-336 <sup>1</sup>	3X1-1/4	2-1/4	1	10	046	37.60
466E-337 <sup>1</sup>	3X1-1/2	2-1/4	1	10	046	37.60
466E-338	3X2	2-1/4	1	10	046	37.60
466E-415 <sup>1</sup>	4X1/2	1-1/8	1	10	046	48.15
466E-416 <sup>1</sup>	4X3/4	1-1/8	1	10	046	48.15
466E-417	4X1	1-1/8	1	8	046	48.15
466E-418 <sup>1</sup>	4X1-1/4	1-3/4	1	8	046	48.15
466E-419	4X1-1/2	1-3/4	1	8	046	48.15
466E-420	4X2	2-1/4	1	8	046	48.15
466E-421 <sup>1</sup>	4X2-1/2	3	1	4	046	58.59
466E-422	4X3	3	1	4	046	65.54
466E-523 <sup>1</sup>	6X1/2	1-1/8	1	4	046	86.38
466E-524 <sup>1</sup>	6X3/4	1-1/8	1	4	046	86.38
466E-525	6X1	1-1/8	1	4	046	86.38
466E-526 <sup>1</sup>	6X1-1/4	2-1/4	1	4	046	86.38
466E-527 <sup>1</sup>	6X1-1/2	1-1/8	1	4	046	86.38
466E-528	6X2	2-1/4	1	4	046	86.38
466E-529 <sup>1</sup>	6X2-1/2	3	1	4	046	96.06
466E-530	6X3	3	1	4	046	101.48
466E-532	6X4	4	1	4	046	106.93
466E-573	8X1/2	4	1	0	046	132.78
466E-574	8X3/4	4	1	0	046	132.78
466E-575	8X1	4	1	1	046	132.78
466E-576 <sup>1</sup>	8X1-1/4	4	1	0	046	132.78
466E-577 <sup>1</sup>	8X1-1/2	4	1	0	046	132.78
466E-578 <sup>1</sup>	8 X 2	4	1	1	046	132.78
466E-579	8X2-1/2	4	1	0	046	146.10
466E-580 <sup>1</sup>	8X3	4	1	0	046	153.29
466E-582	8X4	4	1	1	046	162.61
466E-585	8X6	6	1	1	046	180.43
466E-624	10X4	4	1	0	046	214.72
466E-626	10X6	6	1	1	046	246.94
466E-664	12X4	4	1	1	046	269.14
466E-666	12X6	6	1	1	046	318.01

<sup>1</sup>Outlet-sized with Bushing

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------------	--------	----------	-----------	------------

**PVC White Clamp-On Saddle x Soc Single Outlet with EPDM O-ring & Seal & SS Hardware**



2"-4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

466SE-247	2X1/2	3/4	1	10	046	45.80
466SE-248	2X3/4	7/8	1	10	046	45.80
466SE-249	2X1	1-1/8	1	10	046	45.80
466SE-250	2X1-1/4	1-1/2	1	10	046	45.80
466SE-251	2X1-1/2	1-1/2	1	10	046	45.80
466SE-291	2-1/2X1-1/2	1-3/4	1	10	046	61.60
466SE-333 <sup>1</sup>	3X1/2	7/8	1	10	046	61.60
466SE-334	3X3/4	7/8	1	10	046	61.60
466SE-335	3X1	1-1/8	1	10	046	61.60
466SE-336 <sup>1</sup>	3X1-1/4	2-1/4	1	10	046	61.60
466SE-337 <sup>1</sup>	3X1-1/2	2-1/4	1	10	046	61.60
466SE-338	3X2	2-1/4	1	10	046	61.60
466SE-415 <sup>1</sup>	4X1/2	1-1/8	1	10	046	76.05
466SE-416 <sup>1</sup>	4X3/4	1-1/8	1	10	046	76.05
466SE-417	4X1	1-1/8	1	8	046	76.05
466SE-418 <sup>1</sup>	4X1-1/4	1-3/4	1	8	046	76.05
466SE-419	4X1-1/2	1-3/4	1	8	046	76.05
466SE-420	4X2	2-1/4	1	8	046	76.05
466SE-421 <sup>1</sup>	4X2-1/2	3	1	4	046	82.23
466SE-422	4X3	3	1	4	046	91.10
466SE-523 <sup>1</sup>	6X1/2	1-1/8	1	4	046	129.39
466SE-524 <sup>1</sup>	6X3/4	1-1/8	1	4	046	129.39
466SE-525	6X1	1-1/8	1	4	046	129.39
466SE-526 <sup>1</sup>	6X1-1/4	2-1/4	1	4	046	129.39
466SE-527 <sup>1</sup>	6X1-1/2	2-1/4	1	4	046	129.39
466SE-528	6X2	2-1/4	1	4	046	129.39
466SE-529 <sup>1</sup>	6X2-1/2	3	1	4	046	135.91
466SE-530	6X3	3	1	4	046	140.18
466SE-532	6X4	4	1	4	046	147.02
466SE-573	8X1/2	4	1	0	046	187.95
466SE-574 <sup>1</sup>	8X3/4	4	1	0	046	187.95
466SE-575 <sup>1</sup>	8X1	4	1	0	046	187.95
466SE-576	8X1-1/4	4	1	0	046	187.95
466SE-577 <sup>1</sup>	8X1-1/2	4	1	1	046	187.95
466SE-578 <sup>1</sup>	8X2	4	1	0	046	187.95
466SE-579 <sup>1</sup>	8X2-1/2	4	1	0	046	206.73
466SE-580 <sup>1</sup>	8X3	4	1	0	046	217.03
466SE-582	8X4	4	1	0	046	230.00
466SE-585	8X6	6	1	0	046	255.34
466SE-624	10X4	4	1	0	046	303.79
466SE-626	10X6	6	1	1	046	349.37
466SE-664	12X4	4	1	1	046	380.76
466SE-666	12X6	4	1	1	046	441.71


<sup>1</sup>Outlet-sized with Bushing



# PVC/CPVC Clamp-On & Hot-Tap Saddles

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------------	--------	----------	-----------	------------

**PVC White Clamp-On Saddle x SR Thread Single Outlet with Buna-N O-ring Seal & Zinc-Plated Hardware**




2"-4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

467-247SR	2X1/2	3/4	1	10	046	30.18
467-248SR	2X3/4	7/8	1	10	046	30.18
467-249SR	2X1	1-1/8	1	10	046	30.18
467-250SR	2X1-1/4	1-1/2	1	10	046	30.18
467-251SR	2X1-1/2	1-1/2	1	10	046	30.18
467-291SR	2-1/2X1-1/2	1-3/4	1	10	046	41.28
467-333SR <sup>1</sup>	3X1/2	7/8	1	10	046	41.28
467-334SR	3X3/4	7/8	1	10	046	41.28
467-335SR	3X1	1-1/8	1	10	046	41.28
467-336SR <sup>1</sup>	3X1-1/4	2-1/4	1	10	046	41.28
467-337SR <sup>1</sup>	3X1-1/2	2-1/4	1	10	046	41.28
467-338SR	3X2	2-1/4	1	10	046	41.28
467-415SR <sup>1</sup>	4X1/2	1-1/8	1	10	046	51.97
467-416SR <sup>1</sup>	4X3/4	1-1/8	1	10	046	51.97
467-417SR	4X1	1-1/8	1	8	046	51.97
467-418SR <sup>1</sup>	4X1-1/4	1-3/4	1	8	046	51.97
467-419SR	4X1-1/2	1-3/4	1	8	046	51.97
467-420SR	4X2	2-1/4	1	8	046	51.97
467-421SR <sup>1</sup>	4X2-1/2	3	1	4	046	56.22
467-422SR	4X3	3	1	4	046	61.30
467-523SR <sup>1</sup>	6X1/2	1-1/8	1	4	046	90.76
467-524SR <sup>1</sup>	6X3/4	1-1/8	1	4	046	90.76
467-525SR	6X1	1-1/8	1	4	046	90.76
467-526SR <sup>1</sup>	6X1-1/4	2-1/4	1	4	046	90.76
467-527SR <sup>1</sup>	6X1-1/2	2-1/4	1	4	046	90.76
467-528SR	6X2	2-1/4	1	4	046	90.76
467-529SR <sup>1</sup>	6X2-1/2	3	1	4	046	107.10
467-530SR	6X3	3	1	4	046	113.95
467-532SR	6X4	4	1	4	046	118.63
467-573SR <sup>1</sup>	8X1/2	4	1	0	046	138.33
467-574SR <sup>1</sup>	8X3/4	4	1	0	046	138.33
467-575SR <sup>1</sup>	8X1	4	1	0	046	138.33
467-576SR <sup>1</sup>	8X1-1/4	4	1	0	046	138.33
467-577SR <sup>1</sup>	8X1-1/2	4	1	0	046	138.33
467-578SR <sup>1</sup>	8X2	4	1	0	046	138.33
467-579SR <sup>1</sup>	8X2-1/2	4	1	0	046	152.13
467-580SR <sup>1</sup>	8X3	4	1	0	046	159.82
467-582SR	8X4	4	1	1	046	169.38
467-585SR	8X6	6	1	0	046	186.31
467-624SR	10X4	4	1	1	046	221.78
467-626SR	10X6	6	1	1	046	254.91
467-664SR	12X4	4	1	1	046	277.81
467-666SR	12X6	6	1	1	046	322.24

<sup>1</sup> Outlet-sized with Bushing

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------------	--------	----------	-----------	------------

**PVC White Clamp-On Saddle x SR Thread Single Outlet with Buna-N O-ring Seal & SS Hardware**



2"-4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

467S-247SR	2X1/2	3/4	1	10	046	49.36
467S-248SR	2X3/4	7/8	1	10	046	49.36
467S-249SR	2X1	1-1/8	1	10	046	49.36
467S-250SR	2X1-1/4	1-1/2	1	10	046	49.36
467S-251SR	2X1-1/2	1-1/2	1	10	046	49.36
467S-291SR	2-1/2X1-1/2	1-3/4	1	10	046	66.38
467S-333SR <sup>1</sup>	3X1/2	7/8	1	10	046	66.38
467S-334SR	3X3/4	7/8	1	10	046	66.38
467S-335SR	3X1	1-1/8	1	10	046	66.38
467S-336SR <sup>1</sup>	3X1-1/4	2-1/4	1	10	046	66.38
467S-337SR <sup>1</sup>	3X1-1/2	2-1/4	1	10	046	66.38
467S-338SR	3X2	2-1/4	1	10	046	66.38
467S-415SR <sup>1</sup>	4X1/2	1-1/8	1	10	046	83.51
467S-416SR <sup>1</sup>	4X3/4	1-1/8	1	10	046	83.51
467S-417SR	4X1	1-1/8	1	8	046	83.51
467S-418SR <sup>1</sup>	4X1-1/4	1-3/4	1	8	046	83.51
467S-419SR	4X1-1/2	1-3/4	1	8	046	83.51
467S-420SR	4X2	2-1/4	1	8	046	83.51
467S-421SR <sup>1</sup>	4X2-1/2	3	1	4	046	88.81
467S-422SR	4X3	3	1	4	046	93.79
467S-523SR <sup>1</sup>	6X1/2	1-1/8	1	4	046	139.17
467S-524SR <sup>1</sup>	6X3/4	1-1/8	1	4	046	139.17
467S-525SR	6X1	1-1/8	1	4	046	139.17
467S-526SR <sup>1</sup>	6X1-1/4	2-1/4	1	4	046	139.17
467S-527SR <sup>1</sup>	6X1-1/2	2-1/4	1	4	046	139.17
467S-528SR	6X2	2-1/4	1	4	046	139.17
467S-529SR <sup>1</sup>	6X2-1/2	3	1	4	046	149.77
467S-530SR	6X3	3	1	4	046	154.15
467S-532SR	6X4	4	1	4	046	160.12
467S-573SR <sup>1</sup>	8X1/2	4	1	0	046	200.43
467S-574SR <sup>1</sup>	8X3/4	4	1	0	046	200.43
467S-575SR <sup>1</sup>	8X1	4	1	0	046	200.43
467S-576SR <sup>1</sup>	8X1-1/4	4	1	0	046	200.43
467S-577SR <sup>1</sup>	8X1-1/2	4	1	0	046	200.43
467S-578SR <sup>1</sup>	8X2	4	1	0	046	200.43
467S-579SR <sup>1</sup>	8X2-1/2	4	1	0	046	217.67
467S-580SR <sup>1</sup>	8X3	4	1	0	046	228.53
467S-582SR	8X4	4	1	1	046	242.27
467S-585SR	8X6	6	1	0	046	266.36
467S-624SR	10X4	4	1	1	046	317.03
467S-626SR	10X6	6	1	1	046	364.57
467S-664SR	12X4	4	1	1	046	397.41
467S-666SR	12X6	6	1	1	046	460.83


<sup>1</sup> Outlet-sized with Bushing

# PVC/CPVC Clamp-On & Hot-Tap Saddles



Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------------	--------	----------	-----------	------------

**PVC White Clamp-On Saddle x SR Thread Single Outlet with EPDM O-ring Seal & Zinc-Plated Hardware**




2"-4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

467E-247SR	2X1/2	3/4	1	10	046	32.48
467E-248SR	2X3/4	7/8	1	10	046	32.48
467E-249SR	2X1	1-1/8	1	10	046	32.48
467E-250SR	2X1-1/4	1-1/2	1	10	046	32.48
467E-251SR	2X1-1/2	1-1/2	1	10	046	32.48
467E-291SR	2-1/2X1-1/2	1-3/4	1	10	046	45.29
467E-333SR <sup>1</sup>	3X1/2	7/8	1	10	046	45.29
467E-334SR	3X3/4	7/8	1	10	046	45.29
467E-335SR	3X1	1-1/8	1	10	046	45.29
467E-336SR <sup>1</sup>	3X1-1/4	2-1/4	1	10	046	45.29
467E-337SR <sup>1</sup>	3X1-1/2	2-1/4	1	10	046	45.29
467E-338SR	3X2	2-1/4	1	10	046	45.29
467E-415SR <sup>1</sup>	4X1/2	1-1/8	1	10	046	56.62
467E-416SR <sup>1</sup>	4X3/4	1-1/8	1	10	046	56.62
467E-417SR	4X1	1-1/8	1	8	046	56.62
467E-418SR <sup>1</sup>	4X1-1/4	1-3/4	1	8	046	56.62
467E-419SR	4X1-1/2	1-3/4	1	8	046	56.62
467E-420SR	4X2	2-1/4	1	8	046	56.62
467E-421SR <sup>1</sup>	4X2-1/2	3	1	4	046	60.68
467E-422SR	4X3	3	1	4	046	65.05
467E-523SR <sup>1</sup>	6X1/2	1-1/8	1	4	046	94.48
467E-524SR <sup>1</sup>	6X3/4	1-1/8	1	4	046	94.48
467E-525SR	6X1	1-1/8	1	4	046	94.48
467E-526SR <sup>1</sup>	6X1-1/4	2-1/4	1	4	046	94.48
467E-527SR <sup>1</sup>	6X1-1/2	2-1/4	1	4	046	94.48
467E-528SR	6X2	2-1/4	1	4	046	94.48
467E-529SR <sup>1</sup>	6X2-1/2	3	1	4	046	117.03
467E-530SR	6X3	3	1	4	046	123.12
467E-532SR	6X4	4	1	4	046	129.32
467E-573SR <sup>1</sup>	8X1/2	4	1	0	046	143.14
467E-574SR <sup>1</sup>	8X3/4	4	1	0	046	143.14
467E-575SR <sup>1</sup>	8X1	4	1	0	046	143.14
467E-576SR <sup>1</sup>	8X1-1/4	4	1	0	046	143.14
467E-577SR <sup>1</sup>	8X1-1/2	4	1	0	046	143.14
467E-578SR <sup>1</sup>	8X2	4	1	0	046	143.14
467E-579SR <sup>1</sup>	8X2-1/2	4	1	0	046	157.45
467E-580SR <sup>1</sup>	8X3	4	1	0	046	165.37
467E-582SR	8X4	4	1	1	046	175.28
467E-585SR	8X6	6	1	0	046	194.46
467E-624SR	10X4	4	1	1	046	231.39
467E-626SR	10X6	6	1	1	046	266.05
467E-664SR	12X4	4	1	1	046	290.06
467E-666SR	12X6	6	1	1	046	336.48

<sup>1</sup>Outlet-sized with Bushing

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------------	--------	----------	-----------	------------

**PVC White Clamp-On Saddle x SR Thread Single Outlet with EPDM O-ring Seal & SS Hardware**



2"-4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

467SE-247SR	2X1/2	3/4	1	10	046	50.84
467SE-248SR	2X3/4	7/8	1	10	046	50.84
467SE-249SR	2X1	1-1/8	1	10	046	50.84
467SE-250SR	2X1-1/4	1-1/2	1	10	046	50.84
467SE-251SR	2X1-1/2	1-1/2	1	10	046	50.84
467SE-291SR	2-1/2X1-1/2	1-3/4	1	10	046	68.23
467SE-333SR <sup>1</sup>	3X1/2	7/8	1	10	046	68.23
467SE-334SR	3X3/4	7/8	1	10	046	68.23
467SE-335SR	3X1	1-1/8	1	10	046	68.23
467SE-336SR <sup>1</sup>	3X1-1/4	2-1/4	1	10	046	68.23
467SE-337SR <sup>1</sup>	3X1-1/2	2-1/4	1	10	046	68.23
467SE-338SR	3X2	2-1/4	1	10	046	68.23
467SE-415SR <sup>1</sup>	4X1/2	1-1/8	1	10	046	85.61
467SE-416SR <sup>1</sup>	4X3/4	1-1/8	1	10	046	85.61
467SE-417SR	4X1	1-1/8	1	8	046	85.61
467SE-418SR <sup>1</sup>	4X1-1/4	1-3/4	1	8	046	85.61
467SE-419SR	4X1-1/2	1-3/4	1	8	046	85.61
467SE-420SR	4X2	2-1/4	1	8	046	85.61
467SE-421SR <sup>1</sup>	4X2-1/2	3	1	4	046	89.26
467SE-422SR	4X3	3	1	4	046	94.22
467SE-523SR <sup>1</sup>	6X1/2	1-1/8	1	4	046	143.86
467SE-524SR <sup>1</sup>	6X3/4	1-1/8	1	4	046	143.86
467SE-525SR	6X1	1-1/8	1	4	046	143.86
467SE-526SR <sup>1</sup>	6X1-1/4	2-1/4	1	4	046	143.86
467SE-527SR <sup>1</sup>	6X1-1/2	2-1/4	1	4	046	143.86
467SE-528SR	6X2	2-1/4	1	4	046	143.86
467SE-529SR <sup>1</sup>	6X2-1/2	3	1	4	046	156.15
467SE-530SR	6X3	3	1	4	046	161.98
467SE-532SR	6X4	4	1	4	046	164.90
467SE-573SR <sup>1</sup>	8X1/2	4	1	0	046	206.39
467SE-574SR <sup>1</sup>	8X3/4	4	1	0	046	206.39
467SE-575SR <sup>1</sup>	8X1	4	1	0	046	206.39
467SE-576SR <sup>1</sup>	8X1-1/4	4	1	0	046	206.39
467SE-577SR <sup>1</sup>	8X1-1/2	4	1	0	046	206.39
467SE-578SR <sup>1</sup>	8X2	4	1	0	046	206.39
467SE-579SR <sup>1</sup>	8X2-1/2	4	1	0	046	227.14
467SE-580SR <sup>1</sup>	8X3	4	1	0	046	238.43
467SE-582SR	8X4	4	1	1	046	252.81
467SE-585SR	8X6	6	1	0	046	278.05
467SE-624SR	10X4	4	1	1	046	330.76
467SE-626SR	10X6	6	1	1	046	380.61
467SE-666SR	12X6	6	1	1	046	481.10


<sup>1</sup>Outlet-sized with Bushing



# PVC/CPVC Clamp-On & Hot-Tap Saddles

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------------	--------	----------	-----------	------------

**PVC White Clamp-On Saddle x Soc Double Outlet with Buna-N O-ring Seal & Zinc-Plated Hardware**




2"-4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

468-247	2X1/2	3/4	1	10	046	32.62
468-248	2X3/4	7/8	1	10	046	32.62
468-249	2X1	1-1/8	1	10	046	32.62
468-250	2X1-1/4	1-1/2	1	10	046	32.62
468-251	2X1-1/2	1-1/2	1	10	046	32.62
468-291	2-1/2X1-1/2	1-3/4	1	10	046	43.55
468-333 <sup>1</sup>	3X1/2	7/8	1	10	046	43.55
468-334	3X3/4	7/8	1	10	046	43.55
468-335	3X1	1-1/8	1	10	046	43.55
468-336 <sup>1</sup>	3X1-1/4	2-1/4	1	10	046	43.55
468-337 <sup>1</sup>	3X1-1/2	2-1/4	1	10	046	43.55
468-338	3X2	2-1/4	1	10	046	43.55
468-415 <sup>1</sup>	4X1/2	1-1/8	1	10	046	55.18
468-416 <sup>1</sup>	4X3/4	1-1/8	1	10	046	55.18
468-417	4X1	1-1/8	1	8	046	55.18
468-418 <sup>1</sup>	4X1-1/4	1-3/4	1	8	046	55.18
468-419	4X1-1/2	1-3/4	1	8	046	55.18
468-420	4X2	2-1/4	1	8	046	55.18
468-421 <sup>1</sup>	4X2-1/2	3	1	4	046	57.76
468-422	4X3	3	1	4	046	65.21
468-523 <sup>1</sup>	6X1/2	1-1/8	1	4	046	90.86
468-524 <sup>1</sup>	6X3/4	1-1/8	1	4	046	90.86
468-525	6X1	1-1/8	1	4	046	90.86
468-526 <sup>1</sup>	6X1-1/4	2-1/4	1	4	046	90.86
468-527 <sup>1</sup>	6X1-1/2	2-1/4	1	4	046	90.86
468-528	6X2	2-1/4	1	4	046	90.86
468-529 <sup>1</sup>	6X2-1/2	3	1	4	046	103.41
468-530	6X3	3	1	4	046	108.11
468-532	6X4	4	1	4	046	116.21
468-573 <sup>1</sup>	8X1/2	4	1	0	046	130.41
468-574 <sup>1</sup>	8X3/4	4	1	0	046	130.41
468-575 <sup>1</sup>	8X1	4	1	1	046	130.41
468-576 <sup>1</sup>	8X1-1/4	4	1	0	046	130.41
468-577 <sup>1</sup>	8X1-1/2	4	1	0	046	130.41
468-578 <sup>1</sup>	8X2	4	1	0	046	130.41
468-579 <sup>1</sup>	8X2-1/2	4	1	0	046	143.39
468-580 <sup>1</sup>	8X3	4	1	0	046	150.60
468-582	8X4	4	1	1	046	159.67
468-585	8X6	6	1	1	046	177.14
468-624	10X4	4	1	1	046	210.80
468-626	10X6	6	1	1	046	242.34
468-664	12X4	4	1	0	046	264.24
468-666	12X6	6	1	1	046	306.56

<sup>1</sup>Outlet-sized with Bushing

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------------	--------	----------	-----------	------------

**PVC White Clamp-On Saddle x Soc Double Outlet with Buna-N O-ring Seal & SS Hardware**



2"-4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

468S-247	2X1/2	3/4	1	10	046	52.35
468S-248	2X3/4	7/8	1	10	046	52.35
468S-249	2X1	1-1/8	1	10	046	52.35
468S-250	2X1-1/4	1-1/2	1	10	046	52.35
468S-251	2X1-1/2	1-1/2	1	10	046	52.35
468S-291	2-1/2X1-1/2	1-3/4	1	10	046	69.89
468S-333 <sup>1</sup>	3X1/2	7/8	1	10	046	69.89
468S-334	3X3/4	7/8	1	10	046	69.89
468S-335	3X1	1-1/8	1	10	046	69.89
468S-336 <sup>1</sup>	3X1-1/4	2-1/4	1	10	046	69.89
468S-337 <sup>1</sup>	3X1-1/2	2-1/4	1	10	046	69.89
468S-338	3X2	2-1/4	1	10	046	69.89
468S-415 <sup>1</sup>	4X1/2	1-1/8	1	10	046	87.23
468S-416 <sup>1</sup>	4X3/4	1-1/8	1	10	046	87.23
468S-417	4X1	1-1/8	1	8	046	87.23
468S-418 <sup>1</sup>	4X1-1/4	1-3/4	1	8	046	87.23
468S-419	4X1-1/2	1-3/4	1	8	046	87.23
468S-420	4X2	2-1/4	1	8	046	87.23
468S-421 <sup>1</sup>	4X2-1/2	3	1	4	046	91.67
468S-422	4X3	3	1	4	046	100.59
468S-523 <sup>1</sup>	6X1/2	1-1/8	1	4	046	144.09
468S-524 <sup>1</sup>	6X3/4	1-1/8	1	4	046	144.09
468S-525	6X1	1-1/8	1	4	046	144.09
468S-526 <sup>1</sup>	6X1-1/4	2-1/4	1	4	046	144.09
468S-527 <sup>1</sup>	6X1-1/2	2-1/4	1	4	046	144.09
468S-528	6X2	2-1/4	1	4	046	144.09
468S-529 <sup>1</sup>	6X2-1/2	3	1	4	046	150.55
468S-530	6X3	3	1	4	046	153.14
468S-532	6X4	4	1	4	046	158.11
468S-573 <sup>1</sup>	8X1/2	4	1	0	046	193.82
468S-574 <sup>1</sup>	8X3/4	4	1	0	046	193.82
468S-575 <sup>1</sup>	8X1	4	1	1	046	193.82
468S-576 <sup>1</sup>	8X1-1/4	4	1	0	046	193.82
468S-577 <sup>1</sup>	8X1-1/2	4	1	0	046	193.82
468S-578 <sup>1</sup>	8X2	4	1	0	046	193.82
468S-579 <sup>1</sup>	8X2-1/2	4	1	0	046	213.17
468S-580 <sup>1</sup>	8X3	4	1	0	046	223.96
468S-582	8X4	4	1	1	046	237.28
468S-585	8X6	6	1	1	046	260.97
468S-624	10X4	4	1	1	046	310.48
468S-626	10X6	6	1	1	046	357.14
468S-664	12X4	4	1	0	046	389.27
468S-666	12X6	6	1	1	046	451.53

<sup>1</sup>Outlet-sized with Bushing.




# PVC/CPVC Clamp-On & Hot-Tap Saddles



Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------------	--------	----------	-----------	------------

**PVC White Clamp-On Saddle x Soc Double Outlet with EPDM O-ring Seal & Zinc-Plated Hardware**




2"-4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

468E-247	2X1/2	3/4	1	10	046	34.30
468E-248	2X3/4	7/8	1	10	046	34.30
468E-249	2X1	1-1/8	1	10	046	34.30
468E-250	2X1-1/4	1-1/2	1	10	046	34.30
468E-251	2X1-1/2	1-1/2	1	10	046	34.30
468E-291	2-1/2X1-1/2	1-3/4	1	10	046	47.38
468E-333 <sup>1</sup>	3X1/2	7/8	1	10	046	47.38
468E-334	3X3/4	7/8	1	10	046	47.38
468E-335	3X1	1-1/8	1	10	046	47.38
468E-336 <sup>1</sup>	3X1-1/4	2-1/4	1	10	046	47.38
468E-337 <sup>1</sup>	3X1-1/2	2-1/4	1	10	046	47.38
468E-338	3X2	2-1/4	1	10	046	47.38
468E-415 <sup>1</sup>	4X1/2	1-1/8	1	10	046	57.61
468E-416 <sup>1</sup>	4X3/4	1-1/8	1	10	046	57.61
468E-417	4X1	1-1/8	1	8	046	57.61
468E-418 <sup>1</sup>	4X1-1/4	1-3/4	1	8	046	57.61
468E-419	4X1-1/2	1-3/4	1	8	046	57.61
468E-420	4X2	2-1/4	1	8	046	57.61
468E-421 <sup>1</sup>	4X2-1/2	3	1	4	046	61.78
468E-422	4X3	3	4	0	046	68.85
468E-523 <sup>1</sup>	6X1/2	1-1/8	1	4	046	96.71
468E-524 <sup>1</sup>	6X3/4	1-1/8	1	4	046	96.71
468E-525	6X1	1-1/8	1	4	046	96.71
468E-526 <sup>1</sup>	6X1-1/4	2-1/4	1	4	046	96.71
468E-527 <sup>1</sup>	6X1-1/2	2-1/4	1	4	046	96.71
468E-528	6X2	2-1/4	1	4	046	96.71
468E-529 <sup>1</sup>	6X2-1/2	3	1	4	046	108.16
468E-530	6X3	3	1	4	046	116.36
468E-532	6X4	4	1	4	046	122.60
468E-573 <sup>1</sup>	8X1/2	4	1	0	046	145.91
468E-574 <sup>1</sup>	8X3/4	4	1	0	046	145.91
468E-575 <sup>1</sup>	8X1	4	1	1	046	145.91
468E-576 <sup>1</sup>	8X1-1/4	4	1	0	046	145.91
468E-577 <sup>1</sup>	8X1-1/2	4	1	0	046	145.91
468E-578 <sup>1</sup>	8X2	4	1	0	046	145.91
468E-579 <sup>1</sup>	8X2-1/2	4	1	0	046	160.57
468E-580 <sup>1</sup>	8X3	4	1	0	046	168.65
468E-582	8X4	4	1	1	046	178.79
468E-585	8X6	6	1	1	046	196.60
468E-624	10X4	4	1	1	046	234.01
468E-626	10X6	6	1	1	046	268.99
468E-664	12X4	4	1	0	046	293.33
468E-666	12X6	6	1	1	046	340.15

<sup>1</sup>Outlet-sized with Bushing

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------------	--------	----------	-----------	------------

**PVC White Clamp-On Saddle x Soc Double Outlet with EPDM O-ring Seal & SS Hardware**



2"-4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

468SE-247	2X1/2	3/4	1	10	046	55.98
468SE-248	2X3/4	7/8	1	10	046	55.98
468SE-249	2X1	1-1/8	1	10	046	55.98
468SE-250	2X1-1/4	1-1/2	1	10	046	55.98
468SE-251	2X1-1/2	1-1/2	1	10	046	55.98
468SE-291	2-1/2X1-1/2	1-3/4	1	10	046	74.03
468SE-333 <sup>1</sup>	3X1/2	7/8	1	10	046	74.03
468SE-334	3X3/4	7/8	1	10	046	74.03
468SE-335	3X1	1-1/8	1	10	046	74.03
468SE-336 <sup>1</sup>	3X1-1/4	2-1/4	1	10	046	74.03
468SE-337 <sup>1</sup>	3X1-1/2	2-1/4	1	10	046	74.03
468SE-338	3X2	2-1/4	1	10	046	74.03
468SE-415 <sup>1</sup>	4X1/2	1-1/8	1	10	046	92.41
468SE-416 <sup>1</sup>	4X3/4	1-1/8	1	10	046	92.41
468SE-417	4X1	1-1/8	1	8	046	92.41
468SE-418 <sup>1</sup>	4X1-1/4	1-3/4	1	8	046	92.41
468SE-419	4X1-1/2	1-3/4	1	8	046	92.41
468SE-420	4X2	2-1/4	1	8	046	92.41
468SE-421 <sup>1</sup>	4X2-1/2	3	1	4	046	100.87
468SE-422	4X3	3	4	0	046	107.52
468SE-523 <sup>1</sup>	6X1/2	1-1/8	1	4	046	154.04
468SE-524 <sup>1</sup>	6X3/4	1-1/8	1	4	046	154.04
468SE-525	6X1	1-1/8	1	4	046	154.04
468SE-526 <sup>1</sup>	6X1-1/4	2-1/4	1	4	046	154.04
468SE-527 <sup>1</sup>	6X1-1/2	2-1/4	1	4	046	154.04
468SE-528	6X2	2-1/4	1	4	046	154.04
468SE-529 <sup>1</sup>	6X2-1/2	3	1	4	046	158.20
468SE-530	6X3	3	1	4	046	163.69
468SE-532	6X4	4	1	4	046	173.13
468SE-573 <sup>1</sup>	8X1/2	4	1	0	046	219.46
468SE-574 <sup>1</sup>	8X3/4	4	1	0	046	219.46
468SE-575 <sup>1</sup>	8X1	4	1	1	046	219.46
468SE-576 <sup>1</sup>	8X1-1/4	4	1	0	046	219.46
468SE-577 <sup>1</sup>	8X1-1/2	4	1	0	046	219.46
468SE-578 <sup>1</sup>	8X2	4	1	0	046	219.46
468SE-579 <sup>1</sup>	8X2-1/2	4	1	0	046	241.45
468SE-580 <sup>1</sup>	8X3	4	1	0	046	249.70
468SE-582	8X4	4	1	1	046	269.05
468SE-585	8X6	6	1	1	046	298.23
468SE-624	10X4	4	1	1	046	354.86
468SE-626	10X6	6	1	1	046	408.03
468SE-664	12X4	4	1	1	046	444.99
468SE-666	12X6	6	1	1	046	516.07


<sup>1</sup>Outlet-sized with Bushing



# PVC/CPVC Clamp-On & Hot-Tap Saddles

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------------	--------	----------	-----------	------------

**PVC White Clamp-On Saddle x SR Thread Double Outlet with Buna-N O-ring Seal & Zinc-Plated Hardware**




2"-4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

469-247SR	2X1/2	3/4	1	10	046	36.88
469-248SR	2X3/4	7/8	1	10	046	36.88
469-249SR	2X1	1-1/8	1	10	046	36.88
469-250SR	2X1-1/4	1-1/2	1	10	046	36.88
469-251SR	2X1-1/2	1-1/2	1	10	046	36.88
469-291SR	2-1/2X1-1/2	1-3/4	1	10	046	48.97
469-333SR <sup>1</sup>	3X1/2	7/8	1	10	046	48.97
469-334SR	3X3/4	7/8	1	10	046	48.97
469-335SR	3X1	1-1/8	1	10	046	48.97
469-336SR <sup>1</sup>	3X1-1/4	2-1/4	1	10	046	48.97
469-337SR <sup>1</sup>	3X1-1/2	2-1/4	1	10	046	48.97
469-338SR	3X2	2-1/4	1	10	046	48.97
469-415SR <sup>1</sup>	4X1/2	1-1/8	1	10	046	73.52
469-416SR <sup>1</sup>	4X3/4	1-1/8	1	10	046	73.52
469-417SR	4X1	1-1/8	1	8	046	73.52
469-418SR <sup>1</sup>	4X1-1/4	1-3/4	1	8	046	73.52
469-419SR	4X1-1/2	1-3/4	1	8	046	73.52
469-420SR	4X2	2-1/4	1	8	046	73.52
469-421SR <sup>1</sup>	4X2-1/2	3	1	4	046	78.98
469-422SR	4X3	3	1	4	046	188.43
469-523SR <sup>1</sup>	6X1/2	1-1/8	1	4	046	119.85
469-524SR <sup>1</sup>	6X3/4	1-1/8	1	4	046	119.85
469-525SR	6X1	1-1/8	1	4	046	119.85
469-526SR <sup>1</sup>	6X1-1/4	2-1/4	1	4	046	119.85
469-527SR <sup>1</sup>	6X1-1/2	2-1/4	1	4	046	119.85
469-528SR	6X2	2-1/4	1	4	046	119.85
469-529SR <sup>1</sup>	6X2-1/2	3	1	4	046	143.74
469-530SR	6X3	3	1	4	046	150.90
469-532SR	6X4	4	1	4	046	158.01
469-573SR <sup>1</sup>	8X1/2	4	1	0	046	175.67
469-574SR <sup>1</sup>	8X3/4	4	1	0	046	175.67
469-575SR <sup>1</sup>	8X1	4	1	0	046	175.67
469-576SR <sup>1</sup>	8X1-1/4	4	1	0	046	175.67
469-577SR <sup>1</sup>	8X1-1/2	4	1	0	046	175.67
469-578SR <sup>1</sup>	8X2	4	1	0	046	175.67
469-579SR <sup>1</sup>	8X2-1/2	4	1	0	046	194.46
469-580SR <sup>1</sup>	8X3	4	1	0	046	203.86
469-582SR	8X4	4	1	1	046	216.19
469-585SR	8X6	6	1	0	046	237.78
469-624SR	10X4	4	1	1	046	282.96
469-626SR	10X6	6	1	1	046	325.19
469-666SR	12X6	6	1	1	046	411.39

<sup>1</sup>Outlet-sized with Bushing

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------------	--------	----------	-----------	------------

**PVC White Clamp-On Saddle x SR Thread Double Outlet with Buna-N O-ring Seal & SS Hardware**



2"-4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

469S-247SR	2X1/2	3/4	1	10	046	58.19
469S-248SR	2X3/4	7/8	1	10	046	58.19
469S-249SR	2X1	1-1/8	1	10	046	58.19
469S-250SR	2X1-1/4	1-1/2	1	10	046	58.19
469S-251SR	2X1-1/2	1-1/2	1	10	046	58.19
469S-291SR	2-1/2X1-1/2	1-3/4	1	10	046	77.64
469S-333SR <sup>1</sup>	3X1/2	7/8	1	10	046	77.64
469S-334SR	3X3/4	7/8	1	10	046	77.64
469S-335SR	3X1	1-1/8	1	10	046	77.64
469S-336SR <sup>1</sup>	3X1-1/4	2-1/4	1	10	046	77.64
469S-337SR <sup>1</sup>	3X1-1/2	2-1/4	1	10	046	77.64
469S-338SR	3X2	2-1/4	1	10	046	77.64
469S-415SR <sup>1</sup>	4X1/2	1-1/8	1	10	046	98.66
469S-416SR <sup>1</sup>	4X3/4	1-1/8	1	10	046	98.66
469S-417SR	4X1	1-1/8	1	8	046	98.66
469S-418SR <sup>1</sup>	4X1-1/4	1-3/4	1	8	046	98.66
469S-419SR	4X1-1/2	1-3/4	1	8	046	98.66
469S-420SR	4X2	2-1/4	1	8	046	98.66
469S-421SR <sup>1</sup>	4X2-1/2	3	1	4	046	104.07
469S-422SR	4X3	3	4	0	046	113.95
469S-523SR <sup>1</sup>	6X1/2	1-1/8	1	4	046	162.09
469S-524SR <sup>1</sup>	6X3/4	1-1/8	1	4	046	162.09
469S-525SR	6X1	1-1/8	1	4	046	162.09
469S-526SR <sup>1</sup>	6X1-1/4	2-1/4	1	4	046	162.09
469S-527SR <sup>1</sup>	6X1-1/2	2-1/4	1	4	046	162.09
469S-528SR	6X2	2-1/4	1	4	046	162.09
469S-529SR <sup>1</sup>	6X2-1/2	3	1	4	046	169.67
469S-530SR	6X3	3	1	4	046	179.47
469S-532SR	6X4	4	1	4	046	187.41
469S-573SR <sup>1</sup>	8X1/2	4	1	0	046	229.85
469S-574SR <sup>1</sup>	8X3/4	4	1	0	046	229.85
469S-575SR <sup>1</sup>	8X1	4	1	0	046	229.85
469S-576SR <sup>1</sup>	8X1-1/4	4	1	0	046	229.85
469S-577SR <sup>1</sup>	8X1-1/2	4	1	0	046	229.85
469S-578SR <sup>1</sup>	8X2	4	1	0	046	229.85
469S-579SR <sup>1</sup>	8X2-1/2	4	1	0	046	252.81
469S-580SR <sup>1</sup>	8X3	4	1	0	046	265.38
469S-582SR	8X4	4	1	1	046	281.07
469S-585SR	8X6	6	1	0	046	312.12
469S-624SR	10X4	4	1	1	046	371.45
469S-626SR	10X6	6	1	1	046	427.16
469S-664SR	12X4	4	1	1	046	465.57
469S-666SR	12X6	6	1	1	046	539.93


<sup>1</sup>Outlet-sized with Bushing

# PVC/CPVC Clamp-On & Hot-Tap Saddles



Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------------	--------	----------	-----------	------------

**PVC White Clamp-On Saddle x SR Thread Double Outlet with EPDM O-ring Seal & Zinc-Plated Hardware**




2"-4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

469E-247SR	2X1/2	3/4	1	10	046	40.54
469E-248SR	2X3/4	7/8	1	10	046	40.54
469E-249SR	2X1	1-1/8	1	10	046	40.54
469E-250SR	2X1-1/4	1-1/2	1	10	046	40.54
469E-251SR	2X1-1/2	1-1/2	1	10	046	40.54
469E-291SR	2-1/2X1-1/2	1-3/4	1	10	046	54.97
469E-333SR <sup>1</sup>	3X1/2	7/8	1	10	046	54.97
469E-334SR	3X3/4	7/8	1	10	046	54.97
469E-335SR	3X1	1-1/8	1	10	046	54.97
469E-336SR <sup>1</sup>	3X1-1/4	2-1/4	1	10	046	54.97
469E-337SR <sup>1</sup>	3X1-1/2	2-1/4	1	10	046	54.97
469E-338SR	3X2	2-1/4	1	16	046	54.97
469E-415SR <sup>1</sup>	4X1/2	1-1/8	1	10	046	85.68
469E-416SR <sup>1</sup>	4X3/4	1-1/8	1	10	046	85.68
469E-417SR	4X1	1-1/8	1	8	046	85.68
469E-418SR <sup>1</sup>	4X1-1/4	1-3/4	1	8	046	85.68
469E-419SR	4X1-1/2	1-3/4	1	8	046	85.68
469E-420SR	4X2	2-1/4	1	8	046	85.68
469E-421SR <sup>1</sup>	4X2-1/2	3	1	4	046	87.38
469E-422SR	4X3	3	4	0	046	111.60
469E-523SR <sup>1</sup>	6X1/2	1-1/8	1	4	046	131.38
469E-524SR <sup>1</sup>	6X3/4	1-1/8	1	4	046	131.38
469E-525SR	6X1	1-1/8	1	4	046	131.38
469E-526SR <sup>1</sup>	6X1-1/4	2-1/4	1	4	046	131.38
469E-527SR <sup>1</sup>	6X1-1/2	2-1/4	1	4	046	131.38
469E-528SR	6X2	2-1/4	1	4	046	131.38
469E-529SR <sup>1</sup>	6X2-1/2	3	1	4	046	147.04
469E-530SR	6X3	3	1	4	046	159.04
469E-532SR	6X4	4	1	4	046	169.12
469E-573SR <sup>1</sup>	8X1/2	4	1	0	046	190.37
469E-574SR <sup>1</sup>	8X3/4	4	1	0	046	190.37
469E-575SR <sup>1</sup>	8X1	4	1	0	046	190.37
469E-576SR <sup>1</sup>	8X1-1/4	4	1	0	046	190.37
469E-577SR <sup>1</sup>	8X1-1/2	4	1	0	046	190.37
469E-578SR	8X2	4	1	0	046	190.37
469E-579SR <sup>1</sup>	8X2-1/2	4	1	0	046	209.50
469E-580SR <sup>1</sup>	8X3	4	1	0	046	219.97
469E-582SR	8X4	4	1	1	046	233.21
469E-585SR	8X6	6	1	0	046	258.84
469E-624SR	10X4	4	1	1	046	308.03
469E-626SR	10X6	6	1	1	046	354.12
469E-666SR	12X6	6	1	1	046	447.93

<sup>1</sup>Outlet-sized with Bushing

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------------	--------	----------	-----------	------------

**PVC White Clamp-On Saddle x SR Thread Double Outlet with EPDM O-ring Seal & SS Hardware**



2"-4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

469SE-247SR	2X1/2	3/4	1	10	046	61.91
469SE-248SR	2X3/4	7/8	1	10	046	61.91
469SE-249SR	2X1	1-1/8	1	10	046	61.91
469SE-250SR	2X1-1/4	1-1/2	1	10	046	61.91
469SE-251SR	2X1-1/2	1-1/2	1	10	046	61.91
469SE-291SR	2-1/2X1-1/2	1-3/4	1	10	046	82.46
469SE-333SR <sup>1</sup>	3X1/2	7/8	1	10	046	82.46
469SE-334SR	3X3/4	7/8	1	10	046	82.46
469SE-335SR	3X1	1-1/8	1	10	046	82.46
469SE-336SR <sup>1</sup>	3X1-1/4	2-1/4	1	10	046	82.46
469SE-337SR <sup>1</sup>	3X1-1/2	2-1/4	1	10	046	82.46
469SE-338SR	3X2	2-1/4	1	10	046	82.46
469SE-415SR <sup>1</sup>	4X1/2	1-1/8	1	10	046	106.38
469SE-416SR <sup>1</sup>	4X3/4	1-1/8	1	10	046	106.38
469SE-417SR	4X1	1-1/8	1	8	046	106.38
469SE-418SR <sup>1</sup>	4X1-1/4	1-3/4	1	8	046	106.38
469SE-419SR	4X1-1/2	1-3/4	1	8	046	106.38
469SE-420SR	4X2	2-1/4	1	8	046	106.38
469SE-421SR <sup>1</sup>	4X2-1/2	3	1	4	046	110.35
469SE-422SR	4X3	3	4	0	046	120.76
469SE-523SR <sup>1</sup>	6X1/2	1-1/8	1	4	046	166.24
469SE-524SR <sup>1</sup>	6X3/4	1-1/8	1	4	046	166.24
469SE-525SR	6X1	1-1/8	1	4	046	166.24
469SE-526SR <sup>1</sup>	6X1-1/4	2-1/4	1	4	046	166.24
469SE-527SR <sup>1</sup>	6X1-1/2	2-1/4	1	4	046	166.24
469SE-528SR	6X2	2-1/4	1	4	046	166.24
469SE-529SR <sup>1</sup>	6X2-1/2	3	1	4	046	177.82
469SE-530SR	6X3	3	1	4	046	187.76
469SE-532SR	6X4	4	1	4	046	198.89
469SE-573SR <sup>1</sup>	8X1/2	4	1	0	046	235.16
469SE-574SR <sup>1</sup>	8X3/4	4	1	0	046	235.16
469SE-575SR <sup>1</sup>	8X1	4	1	0	046	235.16
469SE-576SR <sup>1</sup>	8X1-1/4	4	1	0	046	235.16
469SE-577SR <sup>1</sup>	8X1-1/2	4	1	0	046	235.16
469SE-578SR <sup>1</sup>	8X2	4	1	0	046	235.16
469SE-579SR <sup>1</sup>	8X2-1/2	4	1	0	046	258.69
469SE-580SR <sup>1</sup>	8X3	4	1	0	046	271.61
469SE-582SR	8X4	4	1	1	046	283.03
469SE-585SR	8X6	6	1	0	046	319.48
469SE-624SR	10X4	4	1	1	046	380.11
469SE-626SR	10X6	6	1	1	046	437.12
469SE-664SR	12X4	4	1	1	046	475.54
469SE-666SR	12X6	6	1	1	046	552.36


<sup>1</sup>Outlet-sized with Bushing



# PVC/CPVC Clamp-On & Hot-Tap Saddles

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------------	--------	----------	-----------	------------

**PVC Gray Clamp-On Saddle x Soc Single Outlet with Viton® O-ring Seal & Zinc-Plated Hardware**




2"-4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

866V-247	2X1/2	3/4	1	10	086	32.30
866V-248	2X3/4	7/8	1	10	086	32.30
866V-249	2X1	1-1/8	1	10	086	32.30
866V-250	2X1-1/4	1-1/2	1	10	086	32.30
866V-251	2X1-1/2	1-1/2	1	10	086	32.30
866V-291	2-1/2X1-1/2	1-3/4	1	10	086	44.73
866V-333 <sup>1</sup>	3X1/2	7/8	1	10	086	44.73
866V-334	3X3/4	7/8	1	10	086	44.73
866V-335	3X1	1-1/8	1	10	086	44.73
866V-336 <sup>1</sup>	3X1-1/4	2-1/4	1	10	086	44.73
866V-337 <sup>1</sup>	3X1-1/2	2-1/4	1	10	086	44.73
866V-338	3X2	2-1/4	1	10	086	44.73
866V-415 <sup>1</sup>	4X1/2	1-1/8	1	10	086	53.62
866V-416 <sup>1</sup>	4X3/4	1-1/8	1	10	086	53.62
866V-417	4X1	1-1/8	1	8	086	53.62
866V-418 <sup>1</sup>	4X1-1/4	1-3/4	1	8	086	53.62
866V-419	4X1-1/2	1-3/4	1	8	086	53.62
866V-420	4X2	2-1/4	1	8	086	53.62
866V-421 <sup>1</sup>	4X2-1/2	3	1	4	086	58.48
866V-422	4X3	3	1	4	086	63.64
866V-523 <sup>1</sup>	6X1/2	1-1/8	1	4	086	89.33
866V-524 <sup>1</sup>	6X3/4	1-1/8	1	4	086	89.33
866V-525	6X1	1-1/8	1	4	086	89.33
866V-526 <sup>1</sup>	6X1-1/4	2-1/4	1	4	086	89.33
866V-527 <sup>1</sup>	6X1-1/2	2-1/4	1	4	086	89.33
866V-528	6X2	2-1/4	1	4	086	89.33
866V-529 <sup>1</sup>	6X2-1/2	3	1	4	086	112.39
866V-530	6X3	3	1	4	086	117.02
866V-532	6X4	4	1	4	086	123.24
866V-573 <sup>1</sup>	8X1/2	4	1	0	086	191.45
866V-574 <sup>1</sup>	8X3/4	4	1	0	086	191.45
866V-575 <sup>1</sup>	8X1	4	1	1	086	191.45
866V-576 <sup>1</sup>	8X1-1/4	4	1	0	086	191.45
866V-577 <sup>1</sup>	8X1-1/2	4	1	0	086	191.45
866V-578 <sup>1</sup>	8 X 2	4	1	1	086	191.45
866V-579 <sup>1</sup>	8X2-1/2	4	1	0	086	200.85
866V-580 <sup>1</sup>	8X3	4	1	0	086	210.97
866V-582	8X4	4	1	1	086	223.63
866V-585	8X6	6	1	0	086	248.22
866V-624	10X4	4	1	1	086	295.29
866V-626	10X6	6	1	1	086	339.56
866V-664	12X4	4	1	1	086	370.31
866V-666	12X6	6	1	1	086	429.46

<sup>1</sup>Outlet-sized with Bushing

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------------	--------	----------	-----------	------------

**PVC Gray Clamp-On Saddle x Soc Single Outlet with Viton® O-ring Seal & SS Hardware**



2"-4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

866SV-247	2X1/2	3/4	1	10	086	55.04
866SV-248	2X3/4	7/8	1	10	086	55.04
866SV-249	2X1	1-1/8	1	10	086	55.04
866SV-250	2X1-1/4	1-1/2	1	10	086	55.04
866SV-251	2X1-1/2	1-1/2	1	10	086	55.04
866SV-291	2-1/2X1-1/2	1-3/4	1	10	086	73.78
866SV-333 <sup>1</sup>	3X1/2	7/8	1	10	086	73.78
866SV-334	3X3/4	7/8	1	10	086	73.78
866SV-335	3X1	1-1/8	1	10	086	73.78
866SV-336 <sup>1</sup>	3X1-1/4	2-1/4	1	10	086	73.78
866SV-337 <sup>1</sup>	3X1-1/2	2-1/4	1	10	086	73.78
866SV-338	3X2	2-1/4	1	10	086	73.78
866SV-415 <sup>1</sup>	4X1/2	1-1/8	1	10	086	94.93
866SV-416 <sup>1</sup>	4X3/4	1-1/8	1	10	086	94.93
866SV-417	4X1	1-1/8	1	8	086	94.93
866SV-418 <sup>1</sup>	4X1-1/4	1-3/4	1	8	086	94.93
866SV-419	4X1-1/2	1-3/4	1	8	086	94.93
866SV-420	4X2	2-1/4	1	8	086	94.93
866SV-421 <sup>1</sup>	4X2-1/2	3	1	4	086	98.70
866SV-422	4X3	3	1	4	086	103.79
866SV-523 <sup>1</sup>	6X1/2	1-1/8	1	4	086	140.68
866SV-524 <sup>1</sup>	6X3/4	1-1/8	1	4	086	140.68
866SV-525	6X1	1-1/8	1	4	086	140.68
866SV-526 <sup>1</sup>	6X1-1/4	2-1/4	1	4	086	140.68
866SV-527 <sup>1</sup>	6X1-1/2	2-1/4	1	4	086	140.68
866SV-528	6X2	2-1/4	1	4	086	140.68
866SV-529 <sup>1</sup>	6X2-1/2	3	1	4	086	146.14
866SV-530	6X3	3	1	4	086	151.06
866SV-532	6X4	4	1	4	086	156.21
866SV-573 <sup>1</sup>	8X1/2	4	1	0	086	256.89
866SV-574 <sup>1</sup>	8X3/4	4	1	0	086	256.89
866SV-575 <sup>1</sup>	8 X 1	4	1	1	086	256.89
866SV-576 <sup>1</sup>	8X1-1/4	4	1	0	086	256.89
866SV-577 <sup>1</sup>	8X1-1/2	4	1	0	086	256.89
866SV-578 <sup>1</sup>	8 X 2	4	1	1	086	256.89
866SV-579 <sup>1</sup>	8X2-1/2	4	1	0	086	282.55
866SV-580 <sup>1</sup>	8X3	4	1	0	086	296.67
866SV-582	8X4	4	1	1	086	314.49
866SV-585	8X6	6	1	1	086	349.05
866SV-624	10X4	4	1	1	086	415.48
866SV-626	10X6	6	1	1	086	477.67
866SV-664	12X4	4	1	1	086	520.63
866SV-666	12X6	6	1	1	086	603.98


<sup>1</sup>Outlet-sized with Bushing

# PVC/CPVC Clamp-On & Hot-Tap Saddles



Part Number	Size	Hole Saw Dia	Std PK	Mstr Ctn	Disc Code	Price Each
-------------	------	--------------	--------	----------	-----------	------------

**PVC Gray Clamp-On Saddle x Soc Single Outlet with EPDM O-ring Seal & Zinc-Plated Hardware**




2"-4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

866-247	2X1/2	3/4	1	10	086	30.78
866-248	2X3/4	7/8	1	10	086	30.78
866-249	2X1	1-1/8	1	10	086	30.78
866-250	2X1-1/4	1-1/2	1	10	086	30.78
866-251	2X1-1/2	1-1/2	1	10	086	30.78
866-291	2-1/2X1-1/2	1-3/4	1	10	086	41.10
866-333 <sup>1</sup>	3X1/2	7/8	1	10	086	41.10
866-334	3X3/4	7/8	1	10	086	41.10
866-335	3X1	1-1/8	1	10	086	41.10
866-336 <sup>1</sup>	3X1-1/4	2-1/4	1	10	086	41.10
866-337 <sup>1</sup>	3X1-1/2	2-1/4	1	10	086	41.10
866-338	3X2	2-1/4	1	10	086	41.10
866-415 <sup>1</sup>	4X1/2	1-1/8	1	10	086	49.95
866-416 <sup>1</sup>	4X3/4	1-1/8	1	10	086	49.95
866-417	4X1	1-1/8	1	8	086	49.95
866-418 <sup>1</sup>	4X1-1/4	1-3/4	1	8	086	49.95
866-419	4X1-1/2	1-3/4	1	8	086	49.95
866-420	4X2	2-1/4	1	8	086	49.95
866-421 <sup>1</sup>	4X2-1/2	3	1	4	086	54.57
866-422	4X3	3	1	4	086	59.72
866-523 <sup>1</sup>	6X1/2	1-1/8	1	4	086	83.26
866-524 <sup>1</sup>	6X3/4	1-1/8	1	4	086	83.26
866-525	6X1	1-1/8	1	4	086	83.26
866-526 <sup>1</sup>	6X1-1/4	2-1/4	1	4	086	83.26
866-527 <sup>1</sup>	6X1-1/2	2-1/4	1	4	086	83.26
866-528	6X2	2-1/4	1	4	086	83.26
866-529 <sup>1</sup>	6X2-1/2	3	1	4	086	90.88
866-530	6X3	3	1	4	086	99.93
866-532	6X4	4	1	4	086	104.15
866-573 <sup>1</sup>	8X1/2	4	1	0	086	160.15
866-574 <sup>1</sup>	8X3/4	4	1	0	086	160.15
866-575 <sup>1</sup>	8X1	4	1	0	086	160.15
866-576 <sup>1</sup>	8X1-1/4	4	1	0	086	160.15
866-577 <sup>1</sup>	8X1-1/2	4	1	0	086	160.15
866-578 <sup>1</sup>	8 X 2	4	1	1	086	160.15
866-579 <sup>1</sup>	8X2-1/2	4	1	0	086	176.17
866-580 <sup>1</sup>	8 X 3	4	1	0	086	184.99
866-582	8X4	4	1	1	086	195.93
866-585	8X6	6	1	1	086	217.67
866-621 <sup>1</sup>	10X2	4	1	0	086	259.51
866-624	10X4	4	1	1	086	259.51
866-626	10X6	6	1	1	086	296.94
866-664	12X4	4	1	1	086	324.54
866-666	12X6	6	1	1	086	375.36

<sup>1</sup>Outlet-sized with Bushing

Part Number	Size	Hole Saw Dia	Std PK	Mstr Ctn	Disc Code	Price Each
-------------	------	--------------	--------	----------	-----------	------------

**PVC Gray Clamp-On Saddle x Soc Single Outlet with EPDM O-ring Seal & SS Hardware**



2"-4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

866S-247	2X1/2	3/4	1	10	086	49.31
866S-248	2X3/4	7/8	1	10	086	49.31
866S-249	2X1	1-1/8	1	10	086	49.31
866S-250	2X1-1/4	1-1/2	1	10	086	49.31
866S-251	2X1-1/2	1-1/2	1	10	086	49.31
866S-291	2-1/2X1-1/2	1-3/4	1	10	086	66.29
866S-333 <sup>1</sup>	3X1/2	7/8	1	10	086	66.29
866S-334	3X3/4	7/8	1	10	086	66.29
866S-335	3X1	1-1/8	1	10	086	66.29
866S-336 <sup>1</sup>	3X1-1/4	2-1/4	1	10	086	66.29
866S-337 <sup>1</sup>	3X1-1/2	2-1/4	1	10	086	66.29
866S-338	3X2	2-1/4	1	10	086	66.29
866S-415 <sup>1</sup>	4X1/2	1-1/8	1	10	086	85.34
866S-416 <sup>1</sup>	4X3/4	1-1/8	1	10	086	85.34
866S-417	4X1	1-1/8	1	8	086	85.34
866S-418 <sup>1</sup>	4X1-1/4	1-3/4	1	8	086	85.34
866S-419	4X1-1/2	1-3/4	1	8	086	85.34
866S-420	4X2	2-1/4	1	8	086	85.34
866S-421 <sup>1</sup>	4X2-1/2	3	1	4	086	88.35
866S-422	4X3		1	4	086	93.57
866S-523 <sup>1</sup>	6X1/2	1-1/8	1	4	086	128.43
866S-524 <sup>1</sup>	6X3/4	1-1/8	1	4	086	128.43
866S-525	6X1	1-1/8	1	4	086	128.43
866S-526 <sup>1</sup>	6X1-1/4	2-1/4	1	4	086	128.43
866S-527 <sup>1</sup>	6X1-1/2	2-1/4	1	4	086	128.43
866S-528	6X2	2-1/4	1	4	086	128.43
866S-529 <sup>1</sup>	6X2-1/2	3	1	4	086	134.53
866S-530	6X3	3	1	4	086	139.12
866S-532	6X4	4	1	4	086	144.32
866S-573 <sup>1</sup>	8X1/2	4	1	0	086	241.36
866S-574 <sup>1</sup>	8X3/4	4	1	0	086	241.36
866S-575	8X1	4	1	1	086	241.36
866S-576 <sup>1</sup>	8X1-1/4	4	1	0	086	241.36
866S-577 <sup>1</sup>	8X1-1/2	4	1	0	086	241.36
866S-578 <sup>1</sup>	8 X 2	4	1	1	086	241.36
866S-579 <sup>1</sup>	8X2-1/2	4	1	0	086	265.55
866S-580 <sup>1</sup>	8X3	4	1	0	086	278.87
866S-582	8X4	4	1	1	086	294.30
866S-585	8X6	6	1	1	086	328.13
866S-624	10X4	4	1	1	086	390.57
866S-626	10X6	6	1	1	086	449.06
866S-664	12X4	4	1	1	086	489.59
866S-666	12X6	6	1	1	086	567.87


<sup>1</sup>Outlet-sized with Bushing



# PVC/CPVC Clamp-On & Hot-Tap Saddles

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------------	--------	----------	-----------	------------

**PVC Gray Clamp-On Saddle x SR Thread Single Outlet with Viton® O-ring Seal & Zinc-Plated Hardware**




2"-4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

867V-247SR	2X1/2	3/4	1	10	086	36.12
867V-248SR	2X3/4	7/8	1	10	086	36.12
867V-249SR	2X1	1-1/8	1	10	086	36.12
867V-250SR	2X1-1/4	1-1/2	1	10	086	36.12
867V-251SR	2X1-1/2	1-1/2	1	10	086	36.12
867V-291SR	2-1/2X1-1/2	1-3/4	1	10	086	50.33
867V-333SR <sup>1</sup>	3X1/2	7/8	1	10	086	50.33
867V-334SR	3X3/4	7/8	1	10	086	50.33
867V-335SR	3X1	1-1/8	1	10	086	50.33
867V-336SR <sup>1</sup>	3X1-1/4	2-1/4	1	10	086	50.33
867V-337SR <sup>1</sup>	3X1-1/2	2-1/4	1	10	086	50.33
867V-338SR	3X2	2-1/4	1	10	086	50.33
867V-415SR <sup>1</sup>	4X1/2	1-1/8	1	10	086	62.90
867V-416SR <sup>1</sup>	4X3/4	1-1/8	1	10	086	62.90
867V-417SR	4X1	1-1/8	1	8	086	62.90
867V-418SR <sup>1</sup>	4X1-1/4	1-3/4	1	8	086	62.90
867V-419SR	4X1-1/2	1-3/4	1	8	086	62.90
867V-420SR	4X2	2-1/4	1	8	086	62.90
867V-421SR <sup>1</sup>	4X2-1/2	3	1	4	086	67.74
867V-422SR	4X3	3	1	4	086	71.71
867V-523SR <sup>1</sup>	6X1/2	1-1/8	1	4	086	104.83
867V-524SR <sup>1</sup>	6X3/4	1-1/8	1	4	086	104.83
867V-525SR	6X1	1-1/8	1	4	086	104.83
867V-526SR <sup>1</sup>	6X1-1/4	2-1/4	1	4	086	104.83
867V-527SR <sup>1</sup>	6X1-1/2	2-1/4	1	4	086	104.83
867V-528SR	6X2	2-1/4	1	4	086	104.83
867V-529SR <sup>1</sup>	6X2-1/2	3	1	4	086	134.41
867V-530SR	6X3	3	1	4	086	139.68
867V-532SR	6X4	4	1	4	086	145.72
867V-573SR <sup>1</sup>	8X1/2	4	1	0	086	211.30
867V-574SR <sup>1</sup>	8X3/4	4	1	0	086	211.30
867V-575SR <sup>1</sup>	8X1	4	1	0	086	211.30
867V-576SR <sup>1</sup>	8X1-1/4	4	1	0	086	211.30
867V-577SR <sup>1</sup>	8X1-1/2	4	1	0	086	211.30
867V-578SR <sup>1</sup>	8X2	4	1	0	086	211.30
867V-579SR <sup>1</sup>	8X2-1/2	4	1	0	086	232.38
867V-580SR <sup>1</sup>	8X3	4	1	0	086	244.04
867V-582SR	8X4	4	1	1	086	258.69
867V-585SR	8X6	4	1	0	086	287.94
867V-624SR	10X4	4	1	1	086	307.86
867V-626SR	10X6	6	1	1	086	353.97
867V-664SR	12X4	4	1	1	086	385.91
867V-666SR	12X6	6	1	1	086	447.59

<sup>1</sup>Outlet-sized with Bushing

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------------	--------	----------	-----------	------------

**PVC Gray Clamp-On Saddle x SR Thread Single Outlet with Viton® O-ring Seal & SS Hardware**



2"-4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

867SV-245SR <sup>1</sup>	2X1/4	1-1/8	1	10	086	66.87
867SV-247SR	2X1/2	3/4	1	10	086	61.41
867SV-248SR	2X3/4	7/8	1	10	086	61.41
867SV-249SR	2X1	1-1/8	1	10	086	61.41
867SV-250SR	2X1-1/4	1-1/2	1	10	086	61.41
867SV-251SR	2X1-1/2	1-1/2	1	10	086	61.41
867SV-291SR	2-1/2X1-1/2	1-3/4	1	10	086	82.10
867SV-331SR <sup>1</sup>	3X1/4	1-1/8	1	10	086	82.10
867SV-333SR <sup>1</sup>	3X1/2	7/8	1	10	086	82.10
867SV-334SR	3X3/4	7/8	1	10	086	82.10
867SV-335SR	3X1	1-1/8	1	10	086	82.10
867SV-336SR <sup>1</sup>	3X1-1/4	2-1/4	1	10	086	82.10
867SV-337SR <sup>1</sup>	3X1-1/2	2-1/4	1	10	086	82.10
867SV-338SR	3X2	2-1/4	1	10	086	82.10
867SV-413SR <sup>1</sup>	4X1/4	1-1/8	1	8	086	104.76
867SV-415SR <sup>1</sup>	4X1/2	1-1/8	1	10	086	103.66
867SV-416SR <sup>1</sup>	4X3/4	1-1/8	1	10	086	103.66
867SV-417SR	4X1	1-1/8	1	8	086	103.66
867SV-418SR <sup>1</sup>	4X1-1/4	1-3/4	1	8	086	103.66
867SV-419SR	4X1-1/2	1-3/4	1	8	086	103.66
867SV-420SR	4X2	2-1/4	1	8	086	103.66
867SV-421SR <sup>1</sup>	4X2-1/2	3	1	4	086	107.10
867SV-422SR	4X3	3	1	4	086	112.57
867SV-521SR <sup>1</sup>	6X1/4	1-1/8	1	8	086	155.57
867SV-523SR <sup>1</sup>	6X1/2	1-1/8	1	4	086	152.26
867SV-524SR <sup>1</sup>	6X3/4	1-1/8	1	4	086	152.26
867SV-525SR	6X1	1-1/8	1	4	086	152.26
867SV-526SR <sup>1</sup>	6X1-1/4	2-1/4	1	4	086	152.26
867SV-527SR <sup>1</sup>	6X1-1/2	2-1/4	1	4	086	152.26
867SV-528SR	6X2	2-1/4	1	4	086	152.26
867SV-529SR <sup>1</sup>	6X2-1/2	3	1	4	086	164.96
867SV-530SR	6X3	3	1	4	086	172.57
867SV-532SR	6X4	4	1	4	086	178.66
867SV-571SR <sup>1</sup>	8X1/4	4	1	0	086	283.03
867SV-573SR <sup>1</sup>	8X1/2	4	1	0	086	272.10
867SV-574SR <sup>1</sup>	8X3/4	4	1	0	086	272.10
867SV-575SR <sup>1</sup>	8X1	4	1	0	086	272.10
867SV-576SR <sup>1</sup>	8X1-1/4	4	1	0	086	272.10
867SV-577SR <sup>1</sup>	8X1-1/2	4	1	0	086	272.10
867SV-578SR <sup>1</sup>	8X2	4	1	0	086	272.10
867SV-579SR <sup>1</sup>	8X2-1/2	4	1	0	086	299.30
867SV-580SR <sup>1</sup>	8X3	4	1	0	086	314.26
867SV-582SR	8X4	4	1	1	086	333.12
867SV-585SR	8X6	6	1	0	086	365.06
867SV-624SR	10X4	4	1	1	086	396.27
867SV-626SR	10X6	6	1	1	086	455.95

# PVC/CPVC Clamp-On & Hot-Tap Saddles



Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------------	--------	----------	-----------	------------


## PVC Gray Clamp-On Saddle x SR Thread Single Outlet (continued)

with Viton® O-ring Seal & SS Hardware

867SV-664SR	12X4	4	1	1	086	496.95
867SV-666SR	12X6	6	1	1	086	576.38

<sup>1</sup>Outlet-sized with Bushing

## PVC Gray Clamp-On Saddle x SR Thread Single Outlet with EPDM O-ring Seal & Zinc-Plated Hardware



2"-4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

867-247SR	2X1/2	3/4	1	10	086	32.12
867-248SR	2X3/4	7/8	1	10	086	32.12
867-249SR	2X1	1-1/8	1	10	086	32.12
867-250SR	2X1-1/4	1-1/2	1	10	086	32.12
867-251SR	2X1-1/2	1-1/2	1	10	086	32.12
867-291SR	2-1/2X1-1/2	1-3/4	1	10	086	43.89
867-333SR <sup>1</sup>	3X1/2	7/8	1	10	086	43.89
867-334SR	3X3/4	7/8	1	10	086	43.89
867-335SR	3X1	1-1/8	1	10	086	43.89
867-336SR <sup>1</sup>	3X1-1/4	2-1/4	1	10	086	43.89
867-337SR <sup>1</sup>	3X1-1/2	2-1/4	1	10	086	43.89
867-338SR	3X2	2-1/4	1	10	086	43.89
867-415SR <sup>1</sup>	4X1/2	1-1/8	1	10	086	55.30
867-416SR <sup>1</sup>	4X3/4	1-1/8	1	10	086	55.30
867-417SR	4X1	1-1/8	1	8	086	55.30
867-418SR <sup>1</sup>	4X1-1/4	1-3/4	1	8	086	55.30
867-419SR <sup>1</sup>	4X1-1/2	1-3/4	1	8	086	55.30
867-420SR	4X2	2-1/4	1	8	086	55.30
867-421SR <sup>1</sup>	4X2-1/2	3	1	4	086	56.60
867-422SR	4X3	3	1	4	086	64.87
867-523SR <sup>1</sup>	6X1/2	1-1/8	1	4	086	92.14
867-524SR <sup>1</sup>	6X3/4	1-1/8	1	4	086	92.14
867-525SR	6X1	1-1/8	1	4	086	92.14
867-526SR <sup>1</sup>	6X1-1/4	2-1/4	1	4	086	92.14
867-527SR <sup>1</sup>	6X1-1/2	2-1/4	1	4	086	92.14
867-528SR	6X2	2-1/4	1	4	086	92.14
867-529SR <sup>1</sup>	6X2-1/2	3	1	4	086	114.46
867-530SR	6X3	3	1	4	086	123.22
867-532SR	6X4	4	1	4	086	129.03
867-573SR	8X1/2	4	1	0	086	195.03
867-574SR <sup>1</sup>	8X3/4	4	1	0	086	195.03
867-575SR	8X1	4	1	0	086	195.03
867-576SR <sup>1</sup>	8X1-1/4	4	1	0	086	195.03
867-577SR <sup>1</sup>	8X1-1/2	4	1	0	086	195.03
867-578SR <sup>1</sup>	8X2	4	1	0	086	195.03
867-579SR <sup>1</sup>	8X2-1/2	4	1	0	086	214.56
867-580SR <sup>1</sup>	8X3	4	1	0	086	225.19
867-582SR	8X4	4	1	1	086	238.76
867-585SR	8X6	6	1	0	086	274.98

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------------	--------	----------	-----------	------------


## PVC Gray Clamp-On Saddle x SR Thread Single Outlet (continued)

with EPDM O-ring Seal & Zinc-Plated Hardware

867-624SR	10X4	4	1	1	086	284.02
867-626SR	10X6	4	1	1	086	326.66
867-664SR	12X4	4	1	1	086	355.91
867-666SR	12X6	6	1	1	086	413.11

<sup>1</sup>Outlet-sized with Bushing

## PVC Gray Clamp-On Saddle x SR Thread Single Outlet with EPDM O-ring Seal & SS Hardware



2"-4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

867S-245SR <sup>1</sup>	2X1/4	1-1/8	1	10	086	61.41
867S-247SR	2X1/2	3/4	1	10	086	54.88
867S-248SR	2X3/4	7/8	1	10	086	54.88
867S-249SR	2X1	1-1/8	1	10	086	54.88
867S-250SR	2X1-1/4	1-1/2	1	10	086	54.88
867S-251SR	2X1-1/2	1-1/2	1	10	086	54.88
867S-291SR	2-1/2X1-1/2	1-3/4	1	10	086	73.79
867S-331SR <sup>1</sup>	3X1/4	1-1/8	1	10	086	81.62
867S-333SR <sup>1</sup>	3X1/2	7/8	1	10	086	73.79
867S-334SR	3X3/4	7/8	1	10	086	73.79
867S-335SR	3X1	1-1/8	1	10	086	73.79
867S-336SR <sup>1</sup>	3X1-1/4	2-1/4	1	10	086	73.79
867S-337SR <sup>1</sup>	3X1-1/2	2-1/4	1	10	086	73.79
867S-338SR	3X2	2-1/4	1	10	086	73.79
867S-413SR	4X1/4		1	8	086	96.04
867S-415SR <sup>1</sup>	4X1/2	1-1/8	1	10	086	92.90
867S-416SR <sup>1</sup>	4X3/4	1-1/8	1	10	086	92.90
867S-417SR	4X1	1-1/8	1	8	086	92.90
867S-418SR <sup>1</sup>	4X1-1/4	1-3/4	1	8	086	92.90
867S-419SR	4X1-1/2	1-3/4	1	8	086	92.90
867S-420SR	4X2	2-1/4	1	8	086	92.90
867S-421SR <sup>1</sup>	4X2-1/2	3	1	4	086	97.23
867S-422SR	4X3	3	1	4	086	104.80
867S-521SR <sup>1</sup>	6X1/4	1-1/8	1	8	086	147.36
867S-523SR <sup>1</sup>	6X1/2	1-1/8	1	4	086	134.30
867S-524SR <sup>1</sup>	6X3/4	1-1/8	1	4	086	134.30
867S-525SR	6X1	1-1/8	1	4	086	134.30
867S-526SR <sup>1</sup>	6X1-1/4	2-1/4	1	4	086	134.30
867S-527SR <sup>1</sup>	6X1-1/2	2-1/4	1	4	086	134.30
867S-528SR	6X2	2-1/4	1	4	086	134.30
867S-529SR <sup>1</sup>	6X2-1/2	3	1	4	086	153.31
867S-530SR	6X3	3	1	4	086	158.29
867S-532SR	6X4	4	1	4	086	164.87
867S-571SR <sup>1</sup>	8X1/4	4	1	0	086	290.97
867S-573SR <sup>1</sup>	8X1/2	4	1	1	086	249.03
867S-574SR <sup>1</sup>	8X3/4	4	1	1	086	249.03
867S-575SR <sup>1</sup>	8X1	4	1	0	086	249.03



# PVC/CPVC Clamp-On & Hot-Tap Saddles


Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------------	--------	----------	-----------	------------

### PVC Gray Clamp-On Saddle x SR Thread Single Outlet (continued) with EPDM O-ring Seal & SS Hardware

867S-576SR <sup>1</sup>	8X1-1/4	4	1	0	086	249.03
867S-577SR <sup>1</sup>	8X1-1/2	4	1	0	086	249.03
867S-578SR <sup>1</sup>	8X2	4	1	0	086	249.03
867S-579SR <sup>1</sup>	8X2-1/2	4	1	0	086	277.81
867S-580SR <sup>1</sup>	8X3	4	1	0	086	293.59
867S-582SR	8X4	4	1	1	086	310.17
867S-585SR	8X6	6	1	0	086	325.61
867S-624SR	10X4	4	1	1	086	382.34
867S-626SR	10X6	6	1	1	086	402.00
867S-664SR	12X4	4	1	1	086	438.28
867S-666SR	12X6	6	1	1	086	508.38

<sup>1</sup>Outlet-sized with Bushing

### PVC Gray Clamp-On Saddle x Soc Double Outlet with Viton® O-ring Seal & Zinc-Plated Hardware



2"-4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

868V-247	2X1/2	3/4	1	10	086	40.02
868V-248	2X3/4	7/8	1	10	086	40.02
868V-249	2X1	1-1/8	1	10	086	40.02
868V-250	2X1-1/4	1-1/2	1	10	086	40.02
868V-251	2X1-1/2	1-1/2	1	10	086	40.02
868V-291	2-1/2X1-1/2	1-3/4	1	10	086	51.27
868V-333 <sup>1</sup>	3X1/2	7/8	1	10	086	51.27
868V-334	3X3/4	7/8	1	10	086	51.27
868V-335	3X1	1-1/8	1	10	086	51.27
868V-336 <sup>1</sup>	3X1-1/4	2-1/4	1	10	086	51.27
868V-337 <sup>1</sup>	3X1-1/2	2-1/4	1	10	086	51.27
868V-338	3X2	2-1/4	1	10	086	51.27
868V-415 <sup>1</sup>	4X1/2	1-1/8	1	10	086	68.45
868V-416 <sup>1</sup>	4X3/4	1-1/8	1	10	086	68.45
868V-417	4X1	1-1/8	1	8	086	68.45
868V-418 <sup>1</sup>	4X1-1/4	1-3/4	1	8	086	68.45
868V-419	4X1-1/2	1-3/4	1	8	086	68.45
868V-420	4X2	2-1/4	1	8	086	68.45
868V-421 <sup>1</sup>	4X2-1/2	3	1	4	086	74.40
868V-422	4X3	3	1	4	086	80.21
868V-523 <sup>1</sup>	6X1/2	1-1/8	1	4	086	112.38
868V-524 <sup>1</sup>	6X3/4	1-1/8	1	4	086	112.38
868V-525	6X1	1-1/8	1	4	086	112.38
868V-526 <sup>1</sup>	6X1-1/4	2-1/4	1	4	086	112.38
868V-527 <sup>1</sup>	6X1-1/2	2-1/4	1	4	086	112.38
868V-528	6X2	2-1/4	1	4	086	112.38
868V-529 <sup>1</sup>	6X2-1/2	3	1	4	086	116.68
868V-530	6X3	3	1	4	086	123.06
868V-532	6X4	4	1	4	086	131.53
868V-573 <sup>1</sup>	8X1/2	4	1	0	086	236.31


Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------------	--------	----------	-----------	------------

### PVC Gray Clamp-On Saddle x Soc Double Outlet (continued) with Viton® O-ring Seal & Zinc-Plated Hardware

868V-574 <sup>1</sup>	8X3/4	4	1	0	086	236.31
868V-575 <sup>1</sup>	8X1	4	1	1	086	236.31
868V-576 <sup>1</sup>	8X1-1/4	4	1	0	086	236.31
868V-577 <sup>1</sup>	8X1-1/2	4	1	0	086	236.31
868V-578 <sup>1</sup>	8X2	4	1	0	086	236.31
868V-579 <sup>1</sup>	8X2-1/2	4	1	0	086	247.89
868V-580 <sup>1</sup>	8X3	4	1	0	086	260.48
868V-582	8X4	4	1	1	086	276.02
868V-585	8X6	6	1	1	086	306.39
868V-624	10X4	4	1	1	086	364.66
868V-626	10X6	6	1	1	086	384.83
868V-664	12X4	4	1	0	086	457.09
868V-666	12X6	6	1	1	086	530.12

<sup>1</sup>Outlet-sized with Bushing

### PVC Gray Clamp-On Saddle x Soc Double Outlet with Viton® O-ring Seal & SS Hardware



2"-4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

868SV-247	2X1/2	3/4	1	10	086	64.37
868SV-248	2X3/4	7/8	1	10	086	64.37
868SV-249	2X1	1-1/8	1	10	086	64.37
868SV-250	2X1-1/4	1-1/2	1	10	086	64.37
868SV-251	2X1-1/2	1-1/2	1	10	086	64.37
868SV-291	2-1/2X1-1/2	1-3/4	1	10	086	85.54
868SV-333 <sup>1</sup>	3X1/2	7/8	1	10	086	85.54
868SV-334	3X3/4	7/8	1	10	086	85.54
868SV-335	3X1	1-1/8	1	10	086	85.54
868SV-336 <sup>1</sup>	3X1-1/4	2-1/4	1	10	086	85.54
868SV-337 <sup>1</sup>	3X1-1/2	2-1/4	1	10	086	85.54
868SV-338	3X2	2-1/4	1	10	086	85.54
868SV-415 <sup>1</sup>	4X1/2	1-1/8	1	10	086	109.53
868SV-416 <sup>1</sup>	4X3/4	1-1/8	1	10	086	109.53
868SV-417	4X1	1-1/8	1	8	086	109.53
868SV-418 <sup>1</sup>	4X1-1/4	1-3/4	1	8	086	109.53
868SV-419	4X1-1/2	1-3/4	1	8	086	109.53
868SV-420	4X2	2-1/4	1	16	086	109.53
868SV-421 <sup>1</sup>	4X2-1/2	3	1	4	086	117.61
868SV-422	4X3	3	1	4	086	122.49
868SV-523 <sup>1</sup>	6X1/2	1-1/8	1	4	086	169.67
868SV-524 <sup>1</sup>	6X3/4	1-1/8	1	4	086	169.67
868SV-525	6X1	1-1/8	1	4	086	169.67
868SV-526 <sup>1</sup>	6X1-1/4	2-1/4	1	4	086	169.67
868SV-527 <sup>1</sup>	6X1-1/2	2-1/4	1	4	086	169.67
868SV-528	6X2	2-1/4	1	4	086	169.67
868SV-529 <sup>1</sup>	6X2-1/2	3	1	4	086	179.84
868SV-530	6X3	3	1	4	086	184.83



# PVC/CPVC Clamp-On & Hot-Tap Saddles



Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------------	--------	----------	-----------	------------


## PVC Gray Clamp-On Saddle x Soc Double Outlet (continued)

with Viton® O-ring Seal & SS Hardware

868SV-532	6X4	4	1	4	086	190.21
868SV-573 <sup>1</sup>	8X1/2	4	1	0	086	317.19
868SV-574 <sup>1</sup>	8X3/4	4	1	0	086	317.19
868SV-575 <sup>1</sup>	8X1	4	1	1	086	317.19
868SV-576 <sup>1</sup>	8X1-1/4	4	1	0	086	317.19
868SV-577 <sup>1</sup>	8X1-1/2	4	1	0	086	317.19
868SV-578 <sup>1</sup>	8X2	4	1	0	086	317.19
868SV-579 <sup>1</sup>	8X2-1/2	4	1	0	086	348.90
868SV-580 <sup>1</sup>	8X3	4	1	0	086	366.31
868SV-582	8X4	4	1	1	086	368.09
868SV-585	8X6	6	1	1	086	430.93
868SV-624	10X4	4	1	1	086	512.80
868SV-626	10X6	6	1	1	086	589.77
868SV-664	12X4	4	1	0	086	642.80
868SV-666	12X6	6	1	1	086	745.67

<sup>1</sup>Outlet-sized with Bushing

## PVC Gray Clamp-On Saddle x Soc Double Outlet with EPDM O-ring Seal & Zinc-Plated Hardware



2"-4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

868-247	2X1/2	3/4	1	10	086	36.63
868-248	2X3/4	7/8	1	10	086	36.63
868-249	2X1	1-1/8	1	10	086	36.63
868-250	2X1-1/4	1-1/2	1	10	086	36.63
868-251	2X1-1/2	1-1/2	1	10	086	36.63
868-291	2-1/2X1-1/2	1-3/4	1	10	086	50.34
868-333 <sup>1</sup>	3X1/2	7/8	1	10	086	50.34
868-334	3X3/4	7/8	1	10	086	50.34
868-335	3X1	1-1/8	1	10	086	50.34
868-336 <sup>1</sup>	3X1-1/4	2-1/4	1	10	086	50.34
868-337 <sup>1</sup>	3X1-1/2	2-1/4	1	10	086	50.34
868-338	3X2	2-1/4	1	10	086	50.34
868-415 <sup>1</sup>	4X1/2	1-1/8	1	10	086	63.51
868-416 <sup>1</sup>	4X3/4	1-1/8	1	10	086	63.51
868-417	4X1	1-1/8	1	8	086	63.51
868-418 <sup>1</sup>	4X1-1/4	1-3/4	1	8	086	63.51
868-419	4X1-1/2	1-3/4	1	8	086	63.51
868-420	4X2	2-1/4	1	8	086	63.51
868-421 <sup>1</sup>	4X2-1/2	3	1	4	086	68.20
868-422	4X3	3	1	4	086	72.17
868-523 <sup>1</sup>	6X1/2	1-1/8	1	4	086	106.09
868-524 <sup>1</sup>	6X3/4	1-1/8	1	4	086	106.09
868-525	6X1	1-1/8	1	4	086	106.09
868-526 <sup>1</sup>	6X1-1/4	2-1/4	1	4	086	106.09
868-527 <sup>1</sup>	6X1-1/2	2-1/4	1	4	086	106.09
868-528	6X2	2-1/4	1	4	086	106.09

Made in the U.S.A.

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------------	--------	----------	-----------	------------


## PVC Gray Clamp-On Saddle x Soc Double Outlet (continued)

with EPDM O-ring Seal & Zinc-Plated Hardware

868-529 <sup>1</sup>	6X2-1/2	3	1	4	086	112.12
868-530	6X3	3	1	4	086	118.49
868-532	6X4	4	1	4	086	123.23
868-573 <sup>1</sup>	8X1/2	4	1	0	086	198.39
868-574 <sup>1</sup>	8X3/4	4	1	0	086	198.39
868-575 <sup>1</sup>	8X1	4	1	1	086	198.39
868-576 <sup>1</sup>	8X1-1/4	4	1	0	086	198.39
868-577 <sup>1</sup>	8X1-1/2	4	1	0	086	198.39
868-578 <sup>1</sup>	8X2	4	1	1	086	198.39
868-579 <sup>1</sup>	8X2-1/2	4	1	0	086	217.51
868-580 <sup>1</sup>	8X3	4	1	0	086	228.29
868-582	8X4	4	1	1	086	241.84
868-585	8X6	6	1	0	086	268.65
868-624	10X4	4	1	1	086	319.64
868-626	10X6	6	1	1	086	367.69
868-664	12X4	4	1	0	086	400.68
868-666	12X6	6	1	1	086	464.76

<sup>1</sup>Outlet-sized with Bushing

## PVC Gray Clamp-On Saddle x Soc Double Outlet with EPDM O-ring Seal & SS Hardware



2"-4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

868S-247	2X1/2	3/4	1	10	086	55.84
868S-248	2X3/4	7/8	1	10	086	55.84
868S-249	2X1	1-1/8	1	10	086	55.84
868S-250	2X1-1/4	1-1/2	1	10	086	55.84
868S-251	2X1-1/2	1-1/2	1	10	086	55.84
868S-291	2-1/2X1-1/2	1-3/4	1	10	086	75.04
868S-333 <sup>1</sup>	3X1/2	7/8	1	10	086	75.04
868S-334	3X3/4	7/8	1	10	086	75.04
868S-335	3X1	1-1/8	1	10	086	75.04
868S-336 <sup>1</sup>	3X1-1/4	2-1/4	1	10	086	75.04
868S-337 <sup>1</sup>	3X1-1/2	2-1/4	1	10	086	75.04
868S-338	3X2	2-1/4	1	10	086	75.04
868S-415 <sup>1</sup>	4X1/2	1-1/8	1	10	086	96.63
868S-416 <sup>1</sup>	4X3/4	1-1/8	1	10	086	96.63
868S-417	4X1	1-1/8	1	8	086	96.63
868S-418 <sup>1</sup>	4X1-1/4	1-3/4	1	8	086	96.63
868S-419	4X1-1/2	1-3/4	1	8	086	96.63
868S-420	4X2	2-1/4	1	8	086	96.63
868S-421 <sup>1</sup>	4X2-1/2	3	1	4	086	104.86
868S-422	4X3	3	1	4	086	107.67
868S-523 <sup>1</sup>	6X1/2	1-1/8	1	4	086	161.04
868S-524 <sup>1</sup>	6X3/4	1-1/8	1	4	086	161.04
868S-525	6X1	1-1/8	1	4	086	161.04
868S-526 <sup>1</sup>	6X1-1/4	2-1/4	1	4	086	161.04

Page 16




# PVC/CPVC Clamp-On & Hot-Tap Saddles

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------------	--------	----------	-----------	------------

### PVC Gray Clamp-On Saddle x Soc Double Outlet (continued) with EPDM O-ring Seal & SS Hardware

868S-527 <sup>1</sup>	6X1-1/2	2-1/4	1	4	086	161.04
868S-528	6X2	2-1/4	1	4	086	161.04
868S-529 <sup>1</sup>	6X2-1/2	3	1	4	086	166.50
868S-530	6X3	3	1	4	086	173.26
868S-532	6X4	4	1	4	086	180.16
868S-573 <sup>1</sup>	8X1/2	4	1	0	086	297.90
868S-574 <sup>1</sup>	8X3/4	4	1	0	086	297.90
868S-575 <sup>1</sup>	8X1	4	1	1	086	297.90
868S-576 <sup>1</sup>	8X1-1/4	4	1	0	086	297.90
868S-577 <sup>1</sup>	8X1-1/2	4	1	0	086	297.90
868S-578 <sup>1</sup>	8X2	4	1	0	086	297.90
868S-579 <sup>1</sup>	8X2-1/2	4	1	0	086	327.82
868S-580 <sup>1</sup>	8X3	4	1	0	086	344.31
868S-582	8X4	4	1	1	086	363.28
868S-585	8X6	6	1	1	086	433.32
868S-624	10X4	4	1	1	086	482.09
868S-626	10X6	6	1	1	086	554.39
868S-664	12X4	4	1	1	086	604.32
868S-666	12X6	6	1	1	086	700.89

<sup>1</sup>Outlet-sized with Bushing



### PVC Gray Clamp-On Saddle x SR Thread Double Outlet with Viton® O-ring Seal & Zinc-Plated Hardware

2"-4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)


869V-247SR	2X1/2	3/4	1	10	086	44.54
869V-248SR	2X3/4	7/8	1	10	086	44.54
869V-249SR	2X1	1-1/8	1	10	086	44.54
869V-250SR	2X1-1/4	1-1/2	1	10	086	44.54
869V-251SR	2X1-1/2	1-1/2	1	10	086	44.54
869V-291SR	2-1/2X1-1/2	1-3/4	1	10	086	61.23
869V-333SR <sup>1</sup>	3X1/2	7/8	1	10	086	61.23
869V-334SR	3X3/4	7/8	1	10	086	61.23
869V-335SR	3X1	1-1/8	1	10	086	61.23
869V-336SR <sup>1</sup>	3X1-1/4	2-1/4	1	10	086	61.23
869V-337SR <sup>1</sup>	3X1-1/2	2-1/4	1	10	086	61.23
869V-338SR	3X2	2-1/4	1	10	086	61.23
869V-415SR <sup>1</sup>	4X1/2	1-1/8	1	10	086	76.04
869V-416SR <sup>1</sup>	4X3/4	1-1/8	1	10	086	76.04
869V-417SR	4X1	1-1/8	1	8	086	76.04
869V-418SR <sup>1</sup>	4X1-1/4	1-3/4	1	8	086	76.04
869V-419SR	4X1-1/2	1-3/4	1	8	086	76.04
869V-420SR	4X2	2-1/4	1	8	086	76.04
869V-421SR <sup>1</sup>	4X2-1/2	3	1	4	086	81.74
869V-422SR	4X3	3	1	4	086	86.36
869V-523SR <sup>1</sup>	6X1/2	1-1/8	1	4	086	128.78
869V-524SR <sup>1</sup>	6X3/4	1-1/8	1	4	086	128.78

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------------	--------	----------	-----------	------------

### PVC Gray Clamp-On Saddle x SR Thread Double Outlet (continued) with Viton® O-ring Seal & Zinc-Plated Hardware

869V-525SR	6X1	1-1/8	1	4	086	128.78
869V-526SR <sup>1</sup>	6X1-1/4	2-1/4	1	4	086	128.78
869V-527SR <sup>1</sup>	6X1-1/2	2-1/4	1	4	086	128.78
869V-528SR	6X2	2-1/4	1	4	086	128.78
869V-529SR <sup>1</sup>	6X2-1/2	3	1	4	086	155.56
869V-530SR	6X3	3	1	4	086	164.40
869V-532SR	6X4	4	1	4	086	172.69
869V-573SR <sup>1</sup>	8X1/2	4	1	0	086	260.80
869V-574SR <sup>1</sup>	8X3/4	4	1	0	086	260.80
869V-575SR <sup>1</sup>	8X1	4	1	0	086	260.80
869V-576SR <sup>1</sup>	8X1-1/4	4	1	0	086	260.80
869V-577SR <sup>1</sup>	8X1-1/2	4	1	0	086	260.80
869V-578SR <sup>1</sup>	8X2	4	1	0	086	260.80
869V-579SR <sup>1</sup>	8X2-1/2	4	1	0	086	286.96
869V-580SR <sup>1</sup>	8X3	4	1	0	086	301.34
869V-582SR	8X4	4	1	1	086	319.48
869V-585SR	8X6	6	1	0	086	371.88
869V-624SR	10X4	4	1	1	086	380.11
869V-626SR	10X6	6	1	1	086	437.12
869V-664SR	12X4	4	1	1	086	476.50
869V-666SR	12X6	6	1	1	086	554.46

<sup>1</sup>Outlet-sized with Bushing



### PVC Gray Clamp-On Saddle x SR Thread Double Outlet with Viton® O-ring Seal & SS Hardware

2"-4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

869SV-247SR	2X1/2	3/4	1	10	086	71.60
869SV-248SR	2X3/4	7/8	1	10	086	71.60
869SV-249SR	2X1	1-1/8	1	10	086	71.60
869SV-250SR	2X1-1/4	1-1/2	1	10	086	71.60
869SV-251SR	2X1-1/2	1-1/2	1	10	086	71.60
869SV-291SR	2-1/2X1-1/2	1-3/4	1	10	086	94.99
869SV-333SR <sup>1</sup>	3X1/2	7/8	1	10	086	94.99
869SV-335SR	3X1	1-1/8	1	10	086	94.99
869SV-334SR	3X3/4	7/8	1	10	086	94.99
869SV-336SR <sup>1</sup>	3X1-1/4	2-1/4	1	10	086	94.99
869SV-337SR <sup>1</sup>	3X1-1/2	2-1/4	1	10	086	94.99
869SV-338SR	3X2	2-1/4	1	10	086	94.99
869SV-415SR <sup>1</sup>	4X1/2	1-1/8	1	10	086	119.43
869SV-416SR <sup>1</sup>	4X3/4	1-1/8	1	10	086	119.43
869SV-417SR	4X1	1-1/8	1	8	086	119.43
869SV-418SR <sup>1</sup>	4X1-1/4	1-3/4	1	8	086	119.43
869SV-419SR	4X1-1/2	1-3/4	1	8	086	119.43
869SV-420SR	4X2	2-1/4	1	8	086	119.43
869SV-421SR <sup>1</sup>	4X2-1/2	3	1	4	086	125.78
869SV-422SR	4X3	3	1	4	086	132.20

# PVC/CPVC Clamp-On & Hot-Tap Saddles




Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------------	--------	----------	-----------	------------

## PVC Gray Clamp-On Saddle x SR Thread Double Outlet (continued) with Viton® O-ring Seal & SS Hardware

869SV-523SR <sup>1</sup>	6X1/2	1-1/8	1	4	086	198.98
869SV-524SR <sup>1</sup>	6X3/4	1-1/8	1	4	086	198.98
869SV-525SR	6X1	1-1/8	1	4	086	198.98
869SV-526SR <sup>1</sup>	6X1-1/4	2-1/4	1	4	086	198.98
869SV-527SR <sup>1</sup>	6X1-1/2	2-1/4	1	4	086	198.98
869SV-528SR	6X2	2-1/4	1	4	086	198.98
869SV-529SR <sup>1</sup>	6X2-1/2	3	1	4	086	213.04
869SV-530SR	6X3	3	1	4	086	226.60
869SV-532SR	6X4	4	1	4	086	232.49
869SV-573SR <sup>1</sup>	8X1/2	4	1	0	086	335.98
869SV-574SR <sup>1</sup>	8X3/4	4	1	0	086	335.98
869SV-575SR <sup>1</sup>	8X1	4	1	0	086	335.98
869SV-576SR <sup>1</sup>	8X1-1/4	4	1	0	086	335.98
869SV-577SR <sup>1</sup>	8X1-1/2	4	1	0	086	335.98
869SV-578SR <sup>1</sup>	8X2	4	1	0	086	335.98
869SV-579SR <sup>1</sup>	8X2-1/2	4	1	0	086	369.48
869SV-580SR <sup>1</sup>	8X3	4	1	0	086	387.95
869SV-582SR	8X4	6	1	0	086	449.15
869SV-624SR	10X4	4	1	1	086	489.43
869SV-626SR	10X6	4	1	1	086	562.88
869SV-664SR	12X4	4	1	1	086	613.45
869SV-666SR	12X6	6	1	1	086	711.68

<sup>1</sup>Outlet-sized with Bushing

## PVC Gray Clamp-On Saddle x SR Thread Double Outlet with EPDM O-ring Seal & Zinc-Plated Hardware



2"-4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

869-247SR	2X1/2	3/4	1	10	086	39.90
869-248SR	2X3/4	7/8	1	10	086	39.90
869-249SR	2X1	1-1/8	1	10	086	39.90
869-250SR	2X1-1/4	1-1/2	1	10	086	39.90
869-251SR	2X1-1/2	1-1/2	1	10	086	39.90
869-291SR	2-1/2X1-1/2	1-3/4	1	10	086	53.73
869-333SR <sup>1</sup>	3X1/2	7/8	1	10	086	53.73
869-334SR	3X3/4	7/8	1	10	086	53.73
869-335SR	3X1	1-1/8	1	10	086	53.73
869-336SR <sup>1</sup>	3X1-1/4	1-1/8	1	10	086	53.73
869-337SR <sup>1</sup>	3X1-1/2	2-1/4	1	10	086	53.73
869-338SR	3X2	2-1/4	1	10	086	53.73
869-415SR <sup>1</sup>	4X1/2	1-1/8	1	10	086	67.18
869-416SR <sup>1</sup>	4X3/4	1-1/8	1	10	086	67.18
869-417SR	4X1	1-1/8	1	8	086	67.18
869-418SR <sup>1</sup>	4X1-1/4	1-3/4	1	8	086	67.18
869-419SR	4X1-1/2	1-3/4	1	8	086	67.18
869-420SR	4X2	2-1/4	1	8	086	67.18

Made in the U.S.A.


Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------------	--------	----------	-----------	------------

## PVC Gray Clamp-On Saddle x SR Thread Double Outlet (continued) with EPDM O-ring Seal & Zinc-Plated Hardware

869-421SR <sup>1</sup>	4X2-1/2	3	1	4	086	73.47
869-422SR	4X3	3	1	4	086	77.99
869-523SR <sup>1</sup>	6X1/2	1-1/8	1	4	086	111.96
869-524SR <sup>1</sup>	6X3/4	1-1/8	1	4	086	111.96
869-525SR	6X1	1-1/8	1	4	086	111.96
869-526SR <sup>1</sup>	6X1-1/4	2-1/4	1	4	086	111.96
869-527SR <sup>1</sup>	6X1-1/2	2-1/4	1	4	086	111.96
869-528SR	6X2	2-1/4	1	4	086	111.96
869-529SR <sup>1</sup>	6X2-1/2	3	1	4	086	138.85
869-530SR	6X3	3	1	4	086	147.04
869-532SR	6X4	4	1	4	086	163.85
869-573SR <sup>1</sup>	8X1/2	4	1	0	086	240.71
869-574SR <sup>1</sup>	8X3/4	4	1	0	086	240.71
869-575SR <sup>1</sup>	8X1	4	1	0	086	240.71
869-576SR <sup>1</sup>	8X1-1/4	4	1	0	086	240.71
869-577SR <sup>1</sup>	8X1-1/2	4	1	0	086	240.71
869-578SR <sup>1</sup>	8X2	4	1	0	086	240.71
869-579SR <sup>1</sup>	8X2-1/2	4	1	0	086	264.90
869-580SR <sup>1</sup>	8X3	4	1	0	086	277.81
869-582SR	8X4	4	1	1	086	294.63
869-585SR	8X6	6	1	0	086	332.86
869-624SR	10X4	4	1	1	086	350.51
869-626SR	10X6	6	1	1	086	403.15
869-664SR	12X4	4	1	1	086	439.59
869-666SR	12X6	6	1	1	086	509.87

<sup>1</sup>Outlet-sized with Bushing

## PVC Gray Clamp-On Saddle x SR Thread Double Outlet with EPDM O-ring Seal & SS Hardware



2"-4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

869S-247SR	2X1/2	3/4	1	10	086	64.21
869S-248SR	2X3/4	7/8	1	10	086	64.21
869S-249SR	2X1	1-1/8	1	10	086	64.21
869S-250SR	2X1-1/4	1-1/2	1	10	086	64.21
869S-251SR	2X1-1/2	1-1/2	1	10	086	64.21
869S-291SR	2-1/2X1-1/2	1-3/4	1	10	086	85.60
869S-333SR <sup>1</sup>	3X1/2	7/8	1	10	086	85.60
869S-334SR	3X3/4	7/8	1	10	086	85.60
869S-335SR	3X1	1-1/8	1	10	086	85.60
869S-336SR <sup>1</sup>	3X1-1/4	2-1/4	1	10	086	85.60
869S-337SR <sup>1</sup>	3X1-1/2	2-1/4	1	10	086	85.60
869S-338SR	3X2	2-1/4	1	10	086	85.60
869S-415SR <sup>1</sup>	4X1/2	1-1/8	1	10	086	107.24
869S-416SR <sup>1</sup>	4X3/4	1-1/8	1	10	086	107.24
869S-417SR	4X1	1-1/8	1	8	086	107.24
869S-418SR <sup>1</sup>	4X1-1/4	1-3/4	1	8	086	107.24



# PVC/CPVC Clamp-On & Hot-Tap Saddles

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------------	--------	----------	-----------	------------

### PVC Gray Clamp-On Saddle x SR Thread

**Double Outlet (continued)**


**with EPDM O-ring Seal & SS Hardware**

869S-419SR	4X1-1/2	1-3/4	1	8	086	107.24
869S-420SR	4X2	2-1/4	1	8	086	107.24
869S-421SR <sup>1</sup>	4X2-1/2	3	1	4	086	114.56
869S-422SR	4X3	3	1	4	086	119.69
869S-523SR <sup>1</sup>	6X1/2	1-1/8	1	4	086	178.66
869S-524SR <sup>1</sup>	6X3/4	1-1/8	1	4	086	178.66
869S-525SR	6X1	1-1/8	1	4	086	178.66
869S-526SR <sup>1</sup>	6X1-1/4	2-1/4	1	4	086	178.66
869S-527SR <sup>1</sup>	6X1-1/2	2-1/4	1	4	086	178.66
869S-528SR	6X2	2-1/4	1	4	086	178.66
869S-529SR <sup>1</sup>	6X2-1/2	3	1	4	086	187.48
869S-530SR	6X3	3	1	4	086	195.18
869S-532SR	6X4	4	1	4	086	201.37
869S-573SR <sup>1</sup>	8X1/2	4	1	0	086	307.47
869S-574SR <sup>1</sup>	8X3/4	4	1	0	086	307.47
869S-575SR <sup>1</sup>	8X1	4	1	0	086	307.47
869S-576SR <sup>1</sup>	8X1-1/4	4	1	0	086	307.47
869S-577SR <sup>1</sup>	8X1-1/2	4	1	0	086	307.47
869S-578SR <sup>1</sup>	8X2	4	1	0	086	307.47
869S-579SR <sup>1</sup>	8X2-1/2	4	1	0	086	322.74
869S-580SR <sup>1</sup>	8X3	4	1	0	086	342.20
869S-582SR	8X4	4	1	1	086	362.79
869S-585SR	8X6	6	1	0	086	398.24
869S-624SR	10X4	4	1	1	086	350.51
869S-626SR	10X6	6	1	1	086	496.47
869S-664SR	12X4	4	1	1	086	541.23
869S-666SR	12X6	6	1	1	086	627.76

<sup>1</sup>Outlet-sized with Bushing

### CPVC Gray Clamp-On Saddle x Soc Single Outlet

**with Viton® O-ring Seal & Zinc-Plated Hardware**



2"-4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

866V-247C	2X1/2	3/4	1	10	096	53.86
866V-248C	2X3/4	7/8	1	10	096	53.86
866V-249C	2X1	1-1/8	1	10	096	53.86
866V-250C	2X1-1/4	1-1/2	1	10	096	53.86
866V-251C	2X1-1/2	1-1/2	1	10	096	53.86
866V-291C	2-1/2X1-1/2	1-3/4	1	10	096	74.84
866V-333C <sup>1</sup>	3X1/2	7/8	1	10	096	74.84
866V-334C	3X3/4	7/8	1	10	096	74.84
866V-335C	3X1	1-1/8	1	10	096	74.84
866V-336C <sup>1</sup>	3X1-1/4	2-1/4	1	10	096	74.84
866V-337C <sup>1</sup>	3X1-1/2	2-1/4	1	10	096	74.84
866V-338C	3X2	2-1/4	1	10	096	74.84
866V-415C <sup>1</sup>	4X1/2	1-1/8	1	10	096	89.95
866V-416C <sup>1</sup>	4X3/4	1-1/8	1	10	096	89.95

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------------	--------	----------	-----------	------------

### CPVC Gray Clamp-On Saddle x Soc Single Outlet (continued)

**Outlet (continued)**


**with Viton® O-ring Seal & Zinc-Plated Hardware**

866V-417C	4X1	1-1/8	1	8	096	89.95
866V-418C <sup>1</sup>	4X1-1/4	1-3/4	1	8	096	89.95
866V-419C	4X1-1/2	1-3/4	1	8	096	89.95
866V-420C	4X2	2-1/4	1	8	096	89.95
866V-421C <sup>1</sup>	4X2-1/2	3	1	4	096	96.57
866V-422C	4X3	3	1	4	096	105.29
866V-523C <sup>1</sup>	6X1/2	1-1/8	1	4	096	149.94
866V-524C <sup>1</sup>	6X3/4	1-1/8	1	4	096	149.94
866V-525C	6X1	1-1/8	1	4	096	149.94
866V-526C <sup>1</sup>	6X1-1/4	2-1/4	1	4	096	149.94
866V-527C <sup>1</sup>	6X1-1/2	2-1/4	1	4	096	149.94
866V-528C	6X2	2-1/4	1	4	096	149.94
866V-529C <sup>1</sup>	6X2-1/2	3	1	4	096	162.27
866V-530C	6X3	3	1	4	096	172.74
866V-532C	6X4	4	1	4	096	184.05
866V-573C <sup>1</sup>	8X1/2	4	1	0	096	319.80
866V-574C <sup>1</sup>	8X3/4	4	1	0	096	319.80
866V-575C <sup>1</sup>	8X1	4	1	1	096	319.80
866V-576C <sup>1</sup>	8X1-1/4	4	1	0	096	319.80
866V-577C <sup>1</sup>	8X1-1/2	4	1	0	096	319.80
866V-578C <sup>1</sup>	8X2	4	1	1	096	319.80
866V-579C <sup>1</sup>	8X2-1/2	4	1	0	096	351.83
866V-580C <sup>1</sup>	8X3	4	1	0	096	369.16
866V-582C	8X4	4	1	1	096	402.00
866V-585C	8X6	6	1	1	096	552.71
866V-624C	10X4	4	1	1	096	517.05
866V-626C	10X6	6	1	1	096	594.50
866V-664C	12X4	4	1	1	096	648.11
866V-666C	12X6	6	1	1	096	686.99

<sup>1</sup>Outlet-sized with Bushing

### CPVC Gray Clamp-On Saddle x Soc Single Outlet

**with Viton® O-ring Seal & SS Hardware**



2"-4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

866SV-247C	2X1/2	3/4	1	10	096	82.20
866SV-248C	2X3/4	7/8	1	10	096	82.20
866SV-249C	2X1	1-1/8	1	10	096	82.20
866SV-250C	2X1-1/4	1-1/2	1	10	096	82.20
866SV-251C	2X1-1/2	1-1/2	1	10	096	82.20
866SV-291C	2-1/2X1-1/2	1-3/4	1	10	096	110.11
866SV-333C <sup>1</sup>	3X1/2	7/8	1	10	096	110.11
866SV-334C	3X3/4	7/8	1	10	096	110.11
866SV-335C	3X1	1-1/8	1	10	096	110.11
866SV-336C <sup>1</sup>	3X1-1/4	2-1/4	1	10	096	110.11
866SV-337C <sup>1</sup>	3X1-1/2	2-1/4	1	10	096	110.11
866SV-338C	3X2	2-1/4	1	10	096	110.11

# PVC/CPVC Clamp-On & Hot-Tap Saddles




Part Number	Size	Hole Saw Dia	Std PK	Mstr Ctn	Disc Code	Price Each
-------------	------	--------------	--------	----------	-----------	------------

## CPVC Gray Clamp-On Saddle x Soc Single Outlet (continued) with Viton® O-ring Seal & SS Hardware

866SV-415C <sup>1</sup>	4X1/2	1-1/8	1	10	096	142.23
866SV-416C <sup>1</sup>	4X3/4	1-1/8	1	10	096	142.23
866SV-417C	4X1	1-1/8	1	8	096	142.23
866SV-418C <sup>1</sup>	4X1-1/4	1-3/4	1	8	096	142.23
866SV-419C	4X1-1/2	1-3/4	1	8	096	142.23
866SV-420C	4X2	2-1/4	1	8	096	142.23
866SV-421C <sup>1</sup>	4X2-1/2	3	1	4	096	150.54
866SV-422C	4X3	3	1	4	096	158.20
866SV-523C <sup>1</sup>	6X1/2	1-1/8	1	4	096	226.46
866SV-524C <sup>1</sup>	6X3/4	1-1/8	1	4	096	226.46
866SV-525C	6X1	1-1/8	1	4	096	226.46
866SV-526C <sup>1</sup>	6X1-1/4	2-1/4	1	4	096	226.46
866SV-527C <sup>1</sup>	6X1-1/2	2-1/4	1	4	096	226.46
866SV-528C	6X2	2-1/4	1	4	096	226.46
866SV-529C <sup>1</sup>	6X2-1/2	3	1	4	096	235.45
866SV-530C	6X3	3	1	4	096	243.62
866SV-532C	6X4	4	1	4	096	258.94
866SV-573C <sup>1</sup>	8X1/2	4	1	0	096	417.85
866SV-574C <sup>1</sup>	8X3/4	4	1	0	096	417.85
866SV-575C <sup>1</sup>	8 X 1	4	1	1	096	417.85
866SV-576C <sup>1</sup>	8X1-1/4	4	1	0	096	417.85
866SV-577C <sup>1</sup>	8X1-1/2	4	1	0	096	417.85
866SV-578C <sup>1</sup>	8 X 2	4	1	1	096	417.85
866SV-579C <sup>1</sup>	8X2-1/2	4	1	0	096	442.28
866SV-580C <sup>1</sup>	8X3	4	1	0	096	482.72
866SV-582C	8X4	4	1	1	096	511.66
866SV-585C	8X6	6	1	1	096	567.87
866SV-624C	10X4	4	1	1	096	675.72
866SV-626C	10X6	6	1	1	096	777.19
866SV-664C	12X4	4	1	1	096	846.99
866SV-666C	12X6	6	1	1	096	982.61

<sup>1</sup>Outlet-sized with Bushing

## CPVC Gray Clamp-On Saddle x Soc Single Outlet with EPDM O-ring Seal & Zinc-Plated Hardware



2"-4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

866-247C	2X1/2	3/4	1	10	096	51.18
866-248C	2X3/4	7/8	1	10	096	51.18
866-249C	2X1	1-1/8	1	10	096	51.18
866-250C	2X1-1/4	1-1/2	1	10	096	51.18
866-251C	2X1-1/2	1-1/2	1	10	096	51.18
866-291C	2-1/2X1-1/2	1-3/4	1	10	096	68.56
866-333C <sup>1</sup>	3X1/2	7/8	1	10	096	68.56
866-334C	3X3/4	7/8	1	10	096	68.56
866-335C	3X1	1-1/8	1	10	096	68.56
866-336C <sup>1</sup>	3X1-1/4	2-1/4	1	10	096	68.56


Part Number	Size	Hole Saw Dia	Std PK	Mstr Ctn	Disc Code	Price Each
-------------	------	--------------	--------	----------	-----------	------------

## CPVC Gray Clamp-On Saddle x Soc Single Outlet (continued) with EPDM O-ring Seal & Zinc-Plated Hardware

866-337C <sup>1</sup>	3X1-1/2	2-1/4	1	10	096	68.56
866-338C	3X2	2-1/4	1	10	096	68.56
866-415C <sup>1</sup>	4X1/2	1-1/8	1	10	096	83.36
866-416C <sup>1</sup>	4X3/4	1-1/8	1	10	096	83.36
866-417C	4X1	1-1/8	1	8	096	83.36
866-418C <sup>1</sup>	4X1-1/4	1-3/4	1	8	096	83.36
866-419C	4X1-1/2	1-3/4	1	8	096	83.36
866-420C	4X2	2-1/4	1	8	096	83.36
866-421C <sup>1</sup>	4X2-1/2	3	1	4	096	91.56
866-422C	4X3	3	1	4	096	102.06
866-523C <sup>1</sup>	6X1/2	1-1/8	1	4	096	139.12
866-524C <sup>1</sup>	6X3/4	1-1/8	1	4	096	139.12
866-525C	6X1	1-1/8	1	4	096	139.12
866-526C <sup>1</sup>	6X1-1/4	2-1/4	1	4	096	139.12
866-527C <sup>1</sup>	6X1-1/2	2-1/4	1	4	096	139.12
866-528C	6X2	2-1/4	1	4	096	139.12
866-529C <sup>1</sup>	6X2-1/2	3	1	4	096	151.23
866-530C	6X3	3	1	4	096	162.22
866-532C	6X4	4	1	4	096	173.37
866-573C <sup>1</sup>	8X1/2	4	1	0	096	305.91
866-574C <sup>1</sup>	8X3/4	4	1	0	096	305.91
866-575C <sup>1</sup>	8X1	4	1	1	096	305.91
866-576C <sup>1</sup>	8X1-1/4	4	1	0	096	305.91
866-577C <sup>1</sup>	8X1-1/2	4	1	0	096	305.91
866-578C <sup>1</sup>	8X2	4	1	1	096	305.91
866-579C <sup>1</sup>	8X2-1/2	4	1	0	096	336.48
866-580C <sup>1</sup>	8X3	4	1	0	096	353.39
866-582C	8X4	4	1	1	096	374.56
866-585C	8X6	6	1	1	096	415.73
866-624C	10X4	4	1	1	096	494.66
866-626C	10X6	4	1	1	096	568.93
866-664C	12X4	4	1	1	096	620.17
866-666C	12X6	6	1	1	096	719.35

<sup>1</sup>Outlet-sized with Bushing

## CPVC Gray Clamp-On Saddle x Soc Single Outlet with EPDM O-ring Seal & SS Hardware



2"-4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

866S-247C	2X1/2	3/4	1	10	096	79.68
866S-248C	2X3/4	7/8	1	10	096	79.68
866S-249C	2X1	1-1/8	1	10	096	79.68
866S-250C	2X1-1/4	1-1/2	1	10	096	79.68
866S-251C	2X1-1/2	1-1/2	1	10	096	79.68
866S-291C	2-1/2X1-1/2	1-3/4	1	10	096	106.22
866S-333C <sup>1</sup>	3X1/2	7/8	1	10	096	106.22
866S-334C	3X3/4	7/8	1	10	096	106.22



# PVC/CPVC Clamp-On & Hot-Tap Saddles


Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------------	--------	----------	-----------	------------

### CPVC Gray Clamp-On Saddle x Soc Single Outlet (continued) with EPDM O-ring Seal & SS Hardware

866S-335C	3X1	1-1/8	1	10	096	106.22
866S-336C <sup>1</sup>	3X1-1/4	2-1/4	1	10	096	106.22
866S-337C <sup>1</sup>	3X1-1/2	2-1/4	1	10	096	106.22
866S-338C	3X2	2-1/4	1	10	096	106.22
866S-415C <sup>1</sup>	4X1/2	1-1/8	1	10	096	135.89
866S-416C <sup>1</sup>	4X3/4	1-1/8	1	10	096	135.89
866S-417C	4X1	1-1/8	1	8	096	135.89
866S-418C <sup>1</sup>	4X1-1/4	1-3/4	1	8	096	135.89
866S-419C	4X1-1/2	1-3/4	1	8	096	135.89
866S-420C	4X2	2-1/4	1	8	096	135.89
866S-421C <sup>1</sup>	4X2-1/2	3	1	4	096	141.62
866S-422C	4X3	3	1	4	096	148.89
866S-523C <sup>1</sup>	6X1/2	1-1/8	1	4	096	214.13
866S-524C <sup>1</sup>	6X3/4	1-1/8	1	4	096	214.13
866S-525C	6X1	1-1/8	1	4	096	214.13
866S-526C <sup>1</sup>	6X1-1/4	2-1/4	1	4	096	214.13
866S-527C <sup>1</sup>	6X1-1/2	2-1/4	1	4	096	214.13
866S-528C	6X2	2-1/4	1	4	096	214.13
866S-529C <sup>1</sup>	6X2-1/2	3	1	4	096	226.65
866S-530C	6X3	3	1	4	096	240.40
866S-532C	6X4	4	1	4	096	251.48
866S-573C <sup>1</sup>	8X1/2	4	1	0	096	402.15
866S-574C <sup>1</sup>	8X3/4	4	1	0	096	402.15
866S-575C <sup>1</sup>	8X1	4	1	1	096	402.15
866S-576C <sup>1</sup>	8X1-1/4	4	1	0	096	402.15
866S-577C <sup>1</sup>	8X1-1/2	4	1	0	096	402.15
866S-578C <sup>1</sup>	8 X 2	4	1	1	096	402.15
866S-579C <sup>1</sup>	8X2-1/2	4	1	0	096	442.28
866S-580C <sup>1</sup>	8X3	4	1	0	096	464.43
866S-582C	8X4	4	1	1	096	492.30
866S-585C	8X6	6	1	1	096	546.29
866S-624C	10X4	4	1	1	096	650.06
866S-626C	10X6	6	1	1	096	747.62
866S-664C	12X4	4	1	1	096	814.80
866S-666C	12X6	6	1	1	096	945.20

<sup>1</sup>Outlet-sized with Bushing

### CPVC Gray Clamp-On Saddle x SR Thread Single Outlet with Viton® O-ring Seal & Zinc-Plated Hardware



2"-4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

867V-247CSR	2X1/2	3/4	1	10	096	61.66
867V-248CSR	2X3/4	7/8	1	10	096	61.66
867V-249CSR	2X1	1-1/8	1	10	096	61.66
867V-250CSR	2X1-1/4	1-1/2	1	10	096	61.66
867V-251CSR	2X1-1/2	1-1/2	1	10	096	61.66
867V-291CSR	2-1/2X1-1/2	1-3/4	1	10	096	86.04


Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------------	--------	----------	-----------	------------

### CPVC Gray Clamp-On Saddle x SR Thread Single Outlet (continued) with Viton® O-ring Seal & Zinc-Plated Hardware

867V-333CSR <sup>1</sup>	3X1/2	7/8	1	10	096	86.04
867V-334CSR	3X3/4	7/8	1	10	096	86.04
867V-335CSR	3X1	1-1/8	1	10	096	86.04
867V-336CSR <sup>1</sup>	3X1-1/4	2-1/4	1	10	096	86.04
867V-337CSR <sup>1</sup>	3X1-1/2	2-1/4	1	10	096	86.04
867V-338CSR	3X2	2-1/4	1	10	096	86.04
867V-415CSR <sup>1</sup>	4X1/2	1-1/8	1	10	096	107.30
867V-416CSR <sup>1</sup>	4X3/4	1-1/8	1	10	096	107.30
867V-417CSR	4X1	1-1/8	1	8	096	107.30
867V-418CSR <sup>1</sup>	4X1-1/4	1-3/4	1	8	096	107.30
867V-419CSR	4X1-1/2	1-3/4	1	8	096	107.30
867V-420CSR	4X2	2-1/4	1	8	096	107.30
867V-421CSR <sup>1</sup>	4X2-1/2	3	1	4	096	115.74
867V-422CSR	4X3	3	1	4	096	127.41
867V-523CSR <sup>1</sup>	6X1/2	1-1/8	1	4	096	179.28
867V-524CSR <sup>1</sup>	6X3/4	1-1/8	1	4	096	179.28
867V-525CSR	6X1	1-1/8	1	4	096	179.28
867V-526CSR <sup>1</sup>	6X1-1/4	2-1/4	1	4	096	179.28
867V-527CSR <sup>1</sup>	6X1-1/2	2-1/4	1	4	096	179.28
867V-528CSR	6X2	2-1/4	1	4	096	179.28
867V-529CSR <sup>1</sup>	6X2-1/2	3	1	4	096	191.98
867V-530CSR	6X3	3	1	4	096	198.89
867V-532CSR	6X4	4	1	4	096	213.04
867V-573CSR <sup>1</sup>	8X1/2	4	1	0	096	357.39
867V-574CSR <sup>1</sup>	8X3/4	4	1	0	096	357.39
867V-575CSR <sup>1</sup>	8X1	4	1	0	096	357.39
867V-576CSR <sup>1</sup>	8X1-1/4	4	1	0	096	357.39
867V-577CSR <sup>1</sup>	8X1-1/2	4	1	0	096	357.39
867V-578CSR <sup>1</sup>	8X2	4	1	0	096	357.39
867V-579CSR <sup>1</sup>	8X2-1/2	4	1	0	096	393.10
867V-580CSR <sup>1</sup>	8X3	4	1	0	096	412.79
867V-582CSR	8X4	4	1	1	096	439.19
867V-585CSR	8X6	6	1	0	096	452.85
867V-624CSR	10X4	4	1	1	096	522.52
867V-626CSR	10X6	6	1	1	096	600.87
867V-664CSR	12X4	4	1	1	096	653.66
867V-666CSR	12X6	6	1	1	096	759.88

<sup>1</sup>Outlet-sized with Bushing

### CPVC Gray Clamp-On Saddle x SR Thread Single Outlet with Viton® O-ring Seal & SS Hardware



2"-4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

867SV-245CSR <sup>1</sup>	2X1/4	1-1/8	1	10	096	107.24
867SV-247CSR	2X1/2	3/4	1	10	096	102.33
867SV-248CSR	2X3/4	7/8	1	10	096	102.33
867SV-249CSR	2X1	1-1/8	1	10	096	102.33

# PVC/CPVC Clamp-On & Hot-Tap Saddles



Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------------	--------	----------	-----------	------------


## CPVC Gray Clamp-On Saddle x SR Thread Single Outlet (continued) with Viton® O-ring Seal & SS Hardware

867SV-250CSR	2X1-1/4	1-1/2	1	10	096	102.33
867SV-251CSR	2X1-1/2	1-1/2	1	10	096	102.33
867SV-291CSR	2-1/2X1-1/2	1-3/4	1	10	096	137.47
867SV-331CSR <sup>1</sup>	3X1/4	1-1/8	1	10	096	145.33
867SV-333CSR <sup>1</sup>	3X1/2	7/8	1	10	096	137.47
867SV-334CSR	3X3/4	7/8	1	10	096	137.47
867SV-335CSR	3X1	1-1/8	1	10	096	137.47
867SV-336CSR <sup>1</sup>	3X1-1/4	2-1/4	1	10	096	137.47
867SV-337CSR <sup>1</sup>	3X1-1/2	2-1/4	1	10	096	137.47
867SV-338CSR	3X2	2-1/4	1	10	096	137.47
867SV-413CSR <sup>1</sup>	4X1/4	1-1/8	1	8	096	173.69
867SV-415CSR <sup>1</sup>	4X1/2	1-1/8	1	10	096	173.69
867SV-416CSR <sup>1</sup>	4X3/4	1-1/8	1	10	096	173.69
867SV-417CSR	4X1	1-1/8	1	8	096	173.69
867SV-418CSR <sup>1</sup>	4X1-1/4	1-3/4	1	8	096	173.69
867SV-419CSR	4X1-1/2	1-3/4	1	8	096	173.69
867SV-420CSR	4X2	2-1/4	1	8	096	173.69
867SV-421CSR <sup>1</sup>	4X2-1/2	3	1	4	096	180.70
867SV-422CSR	4X3	3	1	4	096	190.49
867SV-521CSR <sup>1</sup>	6X1/4	1-1/8	1	4	096	300.66
867SV-523CSR <sup>1</sup>	6X1/2	1-1/8	1	4	096	289.48
867SV-524CSR <sup>1</sup>	6X3/4	1-1/8	1	4	096	289.48
867SV-525CSR	6X1	1-1/8	1	4	096	289.48
867SV-526CSR <sup>1</sup>	6X1-1/4	2-1/4	1	4	096	289.48
867SV-527CSR <sup>1</sup>	6X1-1/2	2-1/4	1	4	096	289.48
867SV-528CSR	6X2	2-1/4	1	4	096	289.48
867SV-529CSR <sup>1</sup>	6X2-1/2	3	1	4	096	303.27
867SV-530CSR	6X3	3	1	4	096	315.49
867SV-532CSR	6X4	4	1	4	096	337.72
867SV-571CSR <sup>1</sup>	8X1/4	4	1	0	096	511.50
867SV-573CSR <sup>1</sup>	8X1/2	4	1	0	096	498.68
867SV-574CSR <sup>1</sup>	8X3/4	4	1	0	096	498.68
867SV-575CSR <sup>1</sup>	8X1	4	1	0	096	498.68
867SV-576CSR <sup>1</sup>	8X1-1/4	4	1	0	096	498.68
867SV-577CSR <sup>1</sup>	8X1-1/2	4	1	0	096	498.68
867SV-578CSR <sup>1</sup>	8X2	4	1	0	096	498.68
867SV-579CSR <sup>1</sup>	8X2-1/2	4	1	0	096	548.59
867SV-580CSR <sup>1</sup>	8X3	4	1	0	096	576.04
867SV-582CSR	8X4	4	1	1	096	610.67
867SV-585CSR	8X6	6	1	0	096	642.87
867SV-624CSR	10X4	4	1	1	096	726.71
867SV-626CSR	10X6	6	1	1	096	835.70
867SV-664CSR	12X4	4	1	1	096	910.88
867SV-666CSR	12X6	6	1	1	096	1056.63

<sup>1</sup>Outlet-sized with Bushing

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------------	--------	----------	-----------	------------

## CPVC Gray Clamp-On Saddle x SR Thread Single Outlet with EPDM O-ring Seal & Zinc-Plated Hardware



2"-4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

867-247CSR	2X1/2	3/4	1	10	096	53.53
867-248CSR	2X3/4	7/8	1	10	096	53.53
867-249CSR	2X1	1-1/8	1	10	096	53.53
867-250CSR	2X1-1/4	1-1/2	1	10	096	53.53
867-251CSR	2X1-1/2	1-1/2	1	10	096	53.53
867-291CSR	2-1/2X1-1/2	1-3/4	1	10	096	73.16
867-333CSR <sup>1</sup>	3X1/2	7/8	1	10	096	73.16
867-334CSR	3X3/4	7/8	1	10	096	73.16
867-335CSR	3X1	1-1/8	1	10	096	73.16
867-336CSR <sup>1</sup>	3X1-1/4	2-1/4	1	10	096	73.16
867-337CSR <sup>1</sup>	3X1-1/2	2-1/4	1	10	096	73.16
867-338CSR	3X2	2-1/4	1	10	096	73.16
867-415CSR <sup>1</sup>	4X1/2	1-1/8	1	10	096	92.14
867-416CSR <sup>1</sup>	4X3/4	1-1/8	1	10	096	92.14
867-417CSR	4X1	1-1/8	1	8	096	92.14
867-418CSR <sup>1</sup>	4X1-1/4	1-3/4	1	8	096	92.14
867-419CSR	4X1-1/2	1-3/4	1	8	096	92.14
867-420CSR	4X2	2-1/4	1	8	096	92.14
867-421CSR <sup>1</sup>	4X2-1/2	3	1	4	096	102.24
867-422CSR	4X3	3	1	4	096	110.35
867-523CSR <sup>1</sup>	6X1/2	1-1/8	1	4	096	153.54
867-524CSR <sup>1</sup>	6X3/4	1-1/8	1	4	096	153.54
867-525CSR	6X1	1-1/8	1	4	096	153.54
867-526CSR <sup>1</sup>	6X1-1/4	2-1/4	1	4	096	153.54
867-527CSR <sup>1</sup>	6X1-1/2	2-1/4	1	4	096	153.54
867-528CSR	6X2	2-1/4	1	4	096	153.54
867-529CSR <sup>1</sup>	6X2-1/2	3	1	4	096	162.47
867-530CSR	6X3	3	1	4	096	171.80
867-532CSR	6X4	4	1	4	096	186.83
867-573CSR <sup>1</sup>	8X1/2	4	1	0	096	324.46
867-574CSR	8X3/4	4	1	0	096	324.46
867-575CSR <sup>1</sup>	8X1	4	1	0	096	324.46
867-576CSR <sup>1</sup>	8X1-1/4	4	1	0	096	324.46
867-577CSR <sup>1</sup>	8X1-1/2	4	1	0	096	324.46
867-578CSR <sup>1</sup>	8X2	4	1	0	096	324.46
867-579CSR <sup>1</sup>	8X2-1/2	4	1	0	096	356.90
867-580CSR <sup>1</sup>	8X3	4	1	0	096	378.31
867-582CSR	8X4	4	1	1	096	401.10
867-585CSR	8X6	6	1	0	096	417.03
867-624CSR	10X4	4	1	1	096	477.34
867-626CSR	10X6	6	1	1	096	548.90
867-664CSR	12X4	4	1	1	096	598.34
867-666CSR	12X6	6	1	1	096	694.02


<sup>1</sup>Outlet-sized with Bushing



# PVC/CPVC Clamp-On & Hot-Tap Saddles

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------------	--------	----------	-----------	------------

### CPVC Gray Clamp-On Saddle x SR Thread Single Outlet with EPDM O-ring Seal & SS Hardware



2"-4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

867S-245CSR <sup>1</sup>	2X1/4	1-1/8	1	10	096	94.39
867S-247CSR	2X1/2	3/4	1	10	096	91.91
867S-248CSR	2X3/4	7/8	1	10	096	91.91
867S-249CSR	2X1	1-1/8	1	10	096	91.91
867S-250CSR	2X1-1/4	1-1/2	1	10	096	91.91
867S-251CSR	2X1-1/2	1-1/2	1	10	096	91.91
867S-291CSR	2-1/2X1-1/2	1-3/4	1	10	096	123.03
867S-331CSR <sup>1</sup>	3X1/4	1-1/8	1	10	096	126.94
867S-333CSR <sup>1</sup>	3X1/2	7/8	1	10	096	123.03
867S-334CSR	3X3/4	7/8	1	10	096	123.03
867S-335CSR	3X1	1-1/8	1	10	096	123.03
867S-336CSR <sup>1</sup>	3X1-1/4	2-1/4	1	10	096	123.03
867S-337CSR <sup>1</sup>	3X1-1/2	2-1/4	1	10	096	123.03
867S-338CSR	3X2	2-1/4	1	10	096	123.03
867S-413CSR <sup>1</sup>	4X1/4	1-1/8	1	8	096	159.56
867S-415CSR <sup>1</sup>	4X1/2	1-1/8	1	10	096	154.84
867S-416CSR <sup>1</sup>	4X3/4	1-1/8	1	10	096	154.84
867S-417CSR	4X1	1-1/8	1	8	096	154.84
867S-418CSR <sup>1</sup>	4X1-1/4	1-3/4	1	8	096	154.84
867S-419CSR	4X1-1/2	1-3/4	1	8	096	154.84
867S-420CSR	4X2	2-1/4	1	8	096	154.84
867S-421CSR <sup>1</sup>	4X2-1/2	3	1	4	096	164.19
867S-422CSR	4X3	3	1	4	096	171.90
867S-521CSR <sup>1</sup>	6X1/4	1-1/8	1	8	096	267.69
867S-523CSR <sup>1</sup>	6X1/2	1-1/8	1	4	096	258.07
867S-524CSR <sup>1</sup>	6X3/4	1-1/8	1	4	096	258.07
867S-525CSR	6X1	1-1/8	1	4	096	258.07
867S-526CSR <sup>1</sup>	6X1-1/4	2-1/4	1	4	096	258.07
867S-527CSR <sup>1</sup>	6X1-1/2	2-1/4	1	4	096	258.07
867S-528CSR	6X2	2-1/4	1	4	096	258.07
867S-529CSR <sup>1</sup>	6X2-1/2	3	1	4	096	268.38
867S-530CSR	6X3	3	1	4	096	277.38
867S-532CSR	6X4	4	1	4	096	289.61
867S-571CSR <sup>1</sup>	8X1/4	4	1	0	096	475.35
867S-573CSR	8X1/2	4	1	0	096	458.47
867S-574CSR <sup>1</sup>	8X3/4	4	1	0	096	458.47
867S-575CSR <sup>1</sup>	8X1	4	1	0	096	458.47
867S-576CSR <sup>1</sup>	8X1-1/4	4	1	0	096	458.47
867S-577CSR <sup>1</sup>	8X1-1/2	4	1	0	096	458.47
867S-578CSR <sup>1</sup>	8X2	4	1	0	096	458.47
867S-579CSR <sup>1</sup>	8X2-1/2	4	1	0	096	504.30
867S-580CSR <sup>1</sup>	8X3	4	1	0	096	529.47
867S-582CSR	8X4	4	1	1	096	561.23
867S-585CSR	8X6	6	1	0	096	588.71
867S-624CSR	10X4	4	1	1	096	667.87
867S-626CSR	10X6	6	0	0	096	768.06


Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------------	--------	----------	-----------	------------

### CPVC Gray Clamp-On Saddle x SR Thread Single Outlet (continued) with EPDM O-ring Seal & SS Hardware

867S-664CSR	12X4	4	1	1	096	837.18
867S-666CSR	12X6	6	1	1	096	971.16

<sup>1</sup>Outlet-sized with Bushing

### CPVC Gray Clamp-On Saddle x Soc Double Outlet with Viton® O-ring Seal & Zinc-Plated Hardware



2"-4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

868V-247C	2X1/2	3/4	1	10	096	73.26
868V-248C	2X3/4	7/8	1	10	096	73.26
868V-249C	2X1	1-1/8	1	10	096	73.26
868V-250C	2X1-1/4	1-1/2	1	10	096	73.26
868V-251C	2X1-1/2	1-1/2	1	10	096	73.26
868V-291C	2-1/2X1-1/2	1-3/4	1	10	096	89.59
868V-333C <sup>1</sup>	3X1/2	7/8	1	10	096	89.59
868V-334C	3X3/4	7/8	1	10	096	89.59
868V-335C	3X1	1-1/8	1	10	096	89.59
868V-336C <sup>1</sup>	3X1-1/4	2-1/4	1	10	096	89.59
868V-337C <sup>1</sup>	3X1-1/2	2-1/4	1	10	096	89.59
868V-338C <sup>1</sup>	3X2	2-1/4	1	10	096	89.59
868V-415C <sup>1</sup>	4X1/2	1-1/8	1	10	096	120.62
868V-416C <sup>1</sup>	4X3/4	1-1/8	1	10	096	120.62
868V-417C	4X1	1-1/8	1	8	096	120.62
868V-418C <sup>1</sup>	4X1-1/4	1-3/4	1	8	096	120.62
868V-419C	4X1-1/2	1-3/4	1	8	096	120.62
868V-420C	4X2	2-1/4	1	8	096	120.62
868V-421C <sup>1</sup>	4X2-1/2	3	1	4	096	126.03
868V-422C	4X3	3	4	0	096	137.54
868V-523C <sup>1</sup>	6X1/2	1-1/8	1	4	096	195.15
868V-524C <sup>1</sup>	6X3/4	1-1/8	1	4	096	195.15
868V-525C	6X1	1-1/8	1	4	096	195.15
868V-526C <sup>1</sup>	6X1-1/4	2-1/4	1	4	096	195.15
868V-527C <sup>1</sup>	6X1-1/2	2-1/4	1	4	096	195.15
868V-528C	6X2	2-1/4	1	4	096	195.15
868V-529C	6X2-1/2	3	1	4	096	226.02
868V-530C	6X3	3	1	4	096	238.31
868V-532C	6X4	4	1	4	096	248.62
868V-573C <sup>1</sup>	8X1/2	4	1	0	096	377.82
868V-574C <sup>1</sup>	8X3/4	4	1	0	096	377.82
868V-575C <sup>1</sup>	8X1	4	1	1	096	377.82
868V-576C <sup>1</sup>	8X1-1/4	4	1	0	096	377.82
868V-577C <sup>1</sup>	8X1-1/2	4	1	0	096	377.82
868V-578C <sup>1</sup>	8X2	4	1	0	096	377.82
868V-579C <sup>1</sup>	8X2-1/2	4	1	0	096	415.57
868V-580C <sup>1</sup>	8X3	4	1	0	096	436.32
868V-582C	8X4	4	1	1	096	462.46
868V-585C	8X6	6	1	1	096	513.37



# PVC/CPVC Clamp-On & Hot-Tap Saddles



Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------------	--------	----------	-----------	------------


## CPVC Gray Clamp-On Saddle x Soc Double Outlet (continued)

with Viton® O-ring Seal & Zinc-Plated Hardware

868V-624C	10X4	4	1	1	096	610.84
868V-626C	10X6	6	1	1	096	702.69
868V-664C	12X4	4	1	0	096	765.77
868V-666C	12X6	6	1	1	096	888.16

<sup>1</sup>Outlet-sized with Bushing

## CPVC Gray Clamp-On Saddle x Soc Double Outlet with Viton® O-ring Seal & SS Hardware



2"-4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

868SV-247C	2X1/2	3/4	1	10	096	111.80
868SV-248C	2X3/4	7/8	1	10	096	111.80
868SV-249C	2X1	1-1/8	1	10	096	111.80
868SV-250C	2X1-1/4	1-1/2	1	10	096	111.80
868SV-251C	2X1-1/2	1-1/2	1	10	096	111.80
868SV-291C	2-1/2X1-1/2	1-3/4	1	10	096	148.73
868SV-333C <sup>1</sup>	3X1/2	7/8	1	10	096	148.73
868SV-334C	3X3/4	7/8	1	10	096	148.73
868SV-335C	3X1	1-1/8	1	10	096	148.73
868SV-336C <sup>1</sup>	3X1-1/4	2-1/4	1	10	096	148.73
868SV-337C <sup>1</sup>	3X1-1/2	2-1/4	1	10	096	148.73
868SV-338C	3X2	2-1/4	1	10	096	148.73
868SV-415C <sup>1</sup>	4X1/2	1-1/8	1	10	096	189.01
868SV-416C <sup>1</sup>	4X3/4	1-1/8	1	10	096	189.01
868SV-417C	4X1	1-1/8	1	8	096	189.01
868SV-418C <sup>1</sup>	4X1-1/4	1-3/4	1	8	096	189.01
868SV-419C	4X1-1/2	1-3/4	1	8	096	189.01
868SV-420C	4X2	2-1/4	1	8	096	189.01
868SV-421C <sup>1</sup>	4X2-1/2	3	1	4	096	196.66
868SV-422C	4X3	3	4	0	096	209.50
868SV-523C <sup>1</sup>	6X1/2	1-1/8	1	4	096	314.39
868SV-524C <sup>1</sup>	6X3/4	1-1/8	1	4	096	314.39
868SV-525C	6X1	1-1/8	1	4	096	314.39
868SV-526C <sup>1</sup>	6X1-1/4	2-1/4	1	4	096	314.39
868SV-527C <sup>1</sup>	6X1-1/2	2-1/4	1	4	096	314.39
868SV-528C	6X2	2-1/4	1	4	096	314.39
868SV-529C <sup>1</sup>	6X2-1/2	3	1	4	096	324.06
868SV-530C	6X3	3	1	4	096	339.03
868SV-532C	6X4	4	1	4	096	347.09
868SV-573C <sup>1</sup>	8X1/2	4	1	0	096	530.68
868SV-574C <sup>1</sup>	8X3/4	4	1	0	096	530.68
868SV-575C <sup>1</sup>	8X1	4	1	1	096	530.68
868SV-576C <sup>1</sup>	8X1-1/4	4	1	0	096	530.68
868SV-577C <sup>1</sup>	8X1-1/2	4	1	0	096	530.68
868SV-578C <sup>1</sup>	8X2	4	1	0	096	530.68
868SV-579C <sup>1</sup>	8X2-1/2	4	1	0	096	583.55
868SV-580C <sup>1</sup>	8X3	4	1	0	096	612.88

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------------	--------	----------	-----------	------------


## CPVC Gray Clamp-On Saddle x Soc Double Outlet (continued)

with Viton® O-ring Seal & SS Hardware

868SV-582C	8X4	4	1	1	096	649.60
868SV-585C	8X6	6	1	1	096	721.15
868SV-624C	10X4	4	1	1	096	858.18
868SV-626C	10X6	6	1	1	096	987.02
868SV-664C	12X4	4	1	1	096	1075.60
868SV-666C	12X6	6	1	1	096	1247.83

<sup>1</sup>Outlet-sized with Bushing

## CPVC Gray Clamp-On Saddle x Soc Double Outlet with EPDM O-ring Seal & Zinc-Plated Hardware



2"-4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

868-247C	2X1/2	3/4	1	10	096	61.46
868-248C	2X3/4	7/8	1	10	096	61.46
868-249C	2X1	1-1/8	1	10	096	61.46
868-250C	2X1-1/4	1-1/2	1	10	096	61.46
868-251C	2X1-1/2	1-1/2	1	10	096	61.46
868-291C	2-1/2X1-1/2	1-3/4	1	10	096	84.38
868-333C <sup>1</sup>	3X1/2	7/8	1	10	096	84.38
868-334C	3X3/4	7/8	1	10	096	84.38
868-335C	3X1	1-1/8	1	10	096	84.38
868-336C <sup>1</sup>	3X1-1/4	2-1/4	1	10	096	84.38
868-337C <sup>1</sup>	3X1-1/2	2-1/4	1	10	096	84.38
868-338C	3X2	2-1/4	1	10	096	84.38
868-415C <sup>1</sup>	4X1/2	1-1/8	1	10	096	105.90
868-416C <sup>1</sup>	4X3/4	1-1/8	1	10	096	105.90
868-417C	4X1	1-1/8	1	8	096	105.90
868-418C <sup>1</sup>	4X1-1/4	1-3/4	1	8	096	105.90
868-419C	4X1-1/2	1-3/4	1	8	096	105.90
868-420C	4X2	2-1/4	1	8	096	105.90
868-421C <sup>1</sup>	4X2-1/2	3	1	4	096	111.51
868-422C	4X3	3	1	4	096	121.21
868-523C <sup>1</sup>	6X1/2	1-1/8	1	4	096	176.80
868-524C <sup>1</sup>	6X3/4	1-1/8	1	4	096	176.80
868-525C	6X1	1-1/8	1	4	096	176.80
868-526C <sup>1</sup>	6X1-1/4	2-1/4	1	4	096	176.80
868-527C <sup>1</sup>	6X1-1/2	2-1/4	1	4	096	176.80
868-528C	6X2	2-1/4	1	4	096	176.80
868-529C <sup>1</sup>	6X2-1/2	3	1	4	096	187.96
868-530C	6X3	3	1	4	096	198.70
868-532C	6X4	4	1	4	096	205.11
868-573C <sup>1</sup>	8X1/2	4	1	0	096	354.28
868-574C <sup>1</sup>	8X3/4	4	1	0	096	354.28
868-575C <sup>1</sup>	8X1	4	1	1	096	354.28
868-576C <sup>1</sup>	8X1-1/4	4	1	0	096	354.28
868-577C <sup>1</sup>	8X1-1/2	4	1	0	096	354.28
868-578C <sup>1</sup>	8X2	4	1	0	096	354.28




# PVC/CPVC Clamp-On & Hot-Tap Saddles

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------------	--------	----------	-----------	------------

### CPVC Gray Clamp-On Saddle x Soc Double Outlet (continued) with EPDM O-ring Seal & Zinc-Plated Hardware

868-579C <sup>1</sup>	8X2-1/2	4	1	0	096	389.66
868-580C <sup>1</sup>	8X3	4	1	0	096	409.19
868-582C	8X4	4	1	1	096	433.70
868-585C	8X6	6	1	1	096	481.41
868-624C	10X4	4	1	1	096	572.93
868-626C	10X6	6	1	1	096	658.81
868-664C	12X4	4	1	1	096	718.05
868-666C	12X6	6	1	1	096	833.09

<sup>1</sup>Outlet-sized with Bushing



### CPVC Gray Clamp-On Saddle x Soc Double Outlet with EPDM O-ring Seal & SS Hardware

2"-4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)


868S-247C	2X1/2	3/4	1	10	096	97.19
868S-248C	2X3/4	7/8	1	10	096	97.19
868S-249C	2X1	1-1/8	1	10	096	97.19
868S-250C	2X1-1/4	1-1/2	1	10	096	97.19
868S-251C	2X1-1/2	1-1/2	1	10	096	97.19
868S-291C	2-1/2X1-1/2	1-3/4	1	10	096	129.27
868S-333C <sup>1</sup>	3X1/2	7/8	1	10	096	129.27
868S-334C	3X3/4	7/8	1	10	096	129.27
868S-335C	3X1	1-1/8	1	10	096	129.27
868S-336C <sup>1</sup>	3X1-1/4	2-1/4	1	10	096	129.27
868S-337C <sup>1</sup>	3X1-1/2	2-1/4	1	10	096	129.27
868S-338C	3X2	2-1/4	1	10	096	129.27
868S-415C <sup>1</sup>	4X1/2	1-1/8	1	10	096	165.65
868S-416C <sup>1</sup>	4X3/4	1-1/8	1	10	096	165.65
868S-417C	4X1	1-1/8	1	8	096	165.65
868S-418C <sup>1</sup>	4X1-1/4	1-3/4	1	8	096	165.65
868S-419C	4X1-1/2	1-3/4	1	8	096	165.65
868S-420C	4X2	2-1/4	1	8	096	165.65
868S-421C <sup>1</sup>	4X2-1/2	3	1	4	096	173.37
868S-422C	4X3	3	4	0	096	181.31
868S-523C <sup>1</sup>	6X1/2	1-1/8	1	4	096	276.64
868S-524C <sup>1</sup>	6X3/4	1-1/8	1	4	096	276.64
868S-525C	6X1	1-1/8	1	4	096	276.64
868S-526C <sup>1</sup>	6X1-1/4	2-1/4	1	4	096	276.64
868S-527C <sup>1</sup>	6X1-1/2	2-1/4	1	4	096	276.64
868S-528C	6X2	2-1/4	1	4	096	276.64
868S-529C <sup>1</sup>	6X2-1/2	3	1	4	096	290.36
868S-530C	6X3	3	1	4	096	297.37
868S-532C	6X4	4	1	4	096	308.20
868S-573C <sup>1</sup>	8X1/2	4	1	0	096	482.24
868S-574C <sup>1</sup>	8X3/4	4	1	0	096	482.24
868S-575C <sup>1</sup>	8X1	4	1	1	096	482.24
868S-576C <sup>1</sup>	8X1-1/4	4	1	0	096	482.24

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------------	--------	----------	-----------	------------

### CPVC Gray Clamp-On Saddle x Soc Double Outlet (continued) with EPDM O-ring Seal & SS Hardware

868S-577C <sup>1</sup>	8X1-1/2	4	1	0	096	482.24
868S-578C <sup>1</sup>	8X2	4	1	0	096	482.24
868S-579C <sup>1</sup>	8X2-1/2	4	1	0	096	530.45
868S-580C <sup>1</sup>	8X3	4	1	0	096	556.99
868S-582C	8X4	4	1	1	096	590.41
868S-585C	8X6	6	1	1	096	655.48
868S-624C	10X4	4	1	1	096	779.98
868S-626C	10X6	6	1	1	096	896.99
868S-664C	12X4	4	1	1	096	977.71
868S-666C	12X6	6	1	1	096	1134.10

<sup>1</sup>Outlet-sized with Bushing



### CPVC Gray Clamp-On Saddle x SR Thread Double Outlet with Viton® O-ring Seal & Zinc-Plated Hardware

2"-4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

869V-247CSR	2X1/2	3/4	1	10	096	81.96
869V-248CSR	2X3/4	7/8	1	10	096	81.96
869V-249CSR	2X1	1-1/8	1	10	096	81.96
869V-250CSR	2X1-1/4	1-1/2	1	10	096	81.96
869V-251CSR	2X1-1/2	1-1/2	1	10	096	81.96
869V-291CSR	2-1/2X1-1/2	1-3/4	1	10	096	112.38
869V-333CSR <sup>1</sup>	3X1/2	7/8	1	10	096	112.38
869V-334CSR	3X3/4	7/8	1	10	096	112.38
869V-335CSR	3X1	1-1/8	1	10	096	112.38
869V-336CSR <sup>1</sup>	3X1-1/4	2-1/4	1	10	096	112.38
869V-337CSR <sup>1</sup>	3X1-1/2	2-1/4	1	10	096	112.38
869V-338CSR	3X2	2-1/4	1	10	096	112.38
869V-415CSR <sup>1</sup>	4X1/2	4-1/2	1	10	096	137.53
869V-416CSR <sup>1</sup>	4X3/4	1-1/8	1	10	096	137.53
869V-417CSR	4X1	1-1/8	1	8	096	137.53
869V-418CSR <sup>1</sup>	4X1-1/4	1-3/4	1	8	096	137.53
869V-419CSR	4X1-1/2	1-3/4	1	8	096	137.53
869V-420CSR	4X2	2-1/4	1	8	096	137.53
869V-421CSR <sup>1</sup>	4X2-1/2	3	1	4	096	147.71
869V-422CSR	4X3	3	4	0	096	155.56
869V-523CSR <sup>1</sup>	6X1/2	1-1/8	1	4	096	228.05
869V-524CSR <sup>1</sup>	6X3/4	1-1/8	1	4	096	228.05
869V-525CSR	6X1	1-1/8	1	4	096	228.05
869V-526CSR <sup>1</sup>	6X1-1/4	2-1/4	1	4	096	228.05
869V-527CSR <sup>1</sup>	6X1-1/2	2-1/4	1	4	096	228.05
869V-528CSR	6X2	2-1/4	1	4	096	228.05
869V-529CSR <sup>1</sup>	6X2-1/2	3	1	4	096	239.52
869V-530CSR	6X3	3	1	4	096	249.41
869V-532CSR	6X4	4	1	4	096	264.19
869V-573CSR <sup>1</sup>	8X1/2	4	1	0	096	419.99
869V-574CSR <sup>1</sup>	8X3/4	4	1	0	096	419.99

# PVC/CPVC Clamp-On & Hot-Tap Saddles



Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------------	--------	----------	-----------	------------

## CPVC Gray Clamp-On Saddle x SR Thread

Double Outlet (continued)


with Viton® O-ring Seal & Zinc-Plated Hardware

869V-575CSR <sup>1</sup>	8X1	4	1	0	096	419.99
869V-576CSR <sup>1</sup>	8X1-1/4	4	1	0	096	419.99
869V-577CSR <sup>1</sup>	8X1-1/2	4	1	0	096	419.99
869V-578CSR <sup>1</sup>	8X2	4	1	0	096	419.99
869V-579CSR <sup>1</sup>	8X2-1/2	4	1	0	096	461.98
869V-580CSR <sup>1</sup>	8X3	4	1	0	096	485.03
869V-582CSR	8X4	4	1	1	096	514.12
869V-585CSR	8X6	6	1	0	096	568.67
869V-624CSR	10X4	4	1	1	096	611.67
869V-626CSR	10X6	6	1	1	096	703.51
869V-664CSR	12X4	4	1	1	096	766.89
869V-666CSR	12X6	6	1	1	096	889.47

<sup>1</sup>Outlet-sized with Bushing

## CPVC Gray Clamp-On Saddle x SR Thread Double Outlet

with Viton® O-ring Seal & SS Hardware



2"-4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

869SV-247CSR	2X1/2	3/4	1	10	096	120.62
869SV-248CSR	2X3/4	7/8	1	10	096	120.62
869SV-249CSR	2X1	1-1/8	1	10	096	120.62
869SV-250CSR	2X1-1/4	1-1/2	1	10	096	120.62
869SV-251CSR	2X1-1/2	1-1/2	1	10	096	120.62
869SV-291CSR	2-1/2X1-1/2	1-1/2	1	10	096	152.86
869SV-333CSR <sup>1</sup>	3X1/2	7/8	1	10	096	152.86
869SV-334CSR	3X3/4	7/8	1	10	096	152.86
869SV-335CSR	3X1	1-1/8	1	10	096	152.86
869SV-336CSR <sup>1</sup>	3X1-1/4	2-1/4	1	10	096	152.86
869SV-337CSR <sup>1</sup>	3X1-1/2	2-1/4	1	10	096	152.86
869SV-338CSR	3X2	2-1/4	1	10	096	152.86
869SV-415CSR <sup>1</sup>	4X1/2	1-1/8	1	10	096	200.73
869SV-416CSR <sup>1</sup>	4X3/4	1-1/8	1	10	096	200.73
869SV-417CSR	4X1	1-1/8	1	8	096	200.73
869SV-418CSR <sup>1</sup>	4X1-1/4	1-3/4	1	8	096	200.73
869SV-419CSR	4X1-1/2	1-3/4	1	8	096	200.73
869SV-420CSR	4X2	2-1/4	1	8	096	200.73
869SV-421CSR <sup>1</sup>	4X2-1/2	3	1	4	096	210.74
869SV-422CSR	4X3	3	4	0	096	225.77
869SV-523CSR <sup>1</sup>	6X1/2	1-1/8	1	4	096	358.67
869SV-524CSR <sup>1</sup>	6X3/4	1-1/8	1	4	096	358.67
869SV-525CSR	6X1	1-1/8	1	4	096	358.67
869SV-526CSR <sup>1</sup>	6X1-1/4	2-1/4	1	4	096	358.67
869SV-527CSR <sup>1</sup>	6X1-1/2	2-1/4	1	4	096	358.67
869SV-528CSR	6X2	2-1/4	1	4	096	358.67
869SV-529CSR <sup>1</sup>	6X2-1/2	3	1	4	096	372.46
869SV-530CSR	6X3	3	1	4	096	384.27
869SV-532CSR	6X4	4	1	4	096	393.07

Made in the U.S.A.

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------------	--------	----------	-----------	------------

## CPVC Gray Clamp-On Saddle x SR Thread

Double Outlet (continued)


with Viton® O-ring Seal & SS Hardware

869SV-573CSR <sup>1</sup>	8X1/2	4	1	0	096	587.47
869SV-574CSR <sup>1</sup>	8X3/4	4	1	0	096	587.47
869SV-575CSR <sup>1</sup>	8X1	4	1	0	096	587.47
869SV-576CSR <sup>1</sup>	8X1-1/4	4	1	0	096	587.47
869SV-577CSR <sup>1</sup>	8X1-1/2	4	1	0	096	587.47
869SV-578CSR <sup>1</sup>	8X2	4	1	0	096	587.47
869SV-579CSR <sup>1</sup>	8X2-1/2	4	1	0	096	646.13
869SV-580CSR <sup>1</sup>	8X3	4	1	0	096	666.59
869SV-582CSR	8X4	4	1	1	096	719.19
869SV-585CSR	8X6	6	1	0	096	768.37
869SV-624CSR	10X4	4	1	1	096	855.82
869SV-626CSR	10X6	6	1	1	096	984.24
869SV-664CSR	12X4	4	1	1	096	1072.81
869SV-666CSR	12X6	6	1	1	096	1244.56

<sup>1</sup>Outlet-sized with Bushing

## CPVC Gray Clamp-On Saddle x SR Thread Double Outlet

with EPDM O-ring Seal & Zinc-Plated Hardware



2"-4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

869-247CSR	2X1/2	3/4	1	10	096	71.21
869-248CSR	2X3/4	7/8	1	10	096	71.21
869-249CSR	2X1	1-1/8	1	10	096	71.21
869-250CSR	2X1-1/4	1-1/2	1	10	096	71.21
869-251CSR	2X1-1/2	1-1/2	1	10	096	71.21
869-291CSR	2-1/2X1-1/2	1-3/4	1	10	096	96.16
869-333CSR <sup>1</sup>	3X1/2	7/8	1	10	096	96.16
869-334CSR	3X3/4	7/8	1	10	096	96.16
869-335CSR	3X1	1-1/8	1	10	096	96.16
869-336CSR <sup>1</sup>	3X1-1/4	1-1/8	1	10	096	96.16
869-337CSR <sup>1</sup>	3X1-1/2	2-1/4	1	10	096	96.16
869-338CSR	3X2	2-1/4	1	10	096	96.16
869-415CSR <sup>1</sup>	4X1/2	1-1/8	1	10	096	119.37
869-416CSR <sup>1</sup>	4X3/4	1-1/8	1	10	096	119.37
869-417CSR	4X1	1-1/8	1	8	096	119.37
869-418CSR <sup>1</sup>	4X1-1/4	1-3/4	1	8	096	119.37
869-419CSR	4X1-1/2	1-3/4	1	8	096	119.37
869-420CSR	4X2	2-1/4	1	8	096	119.37
869-421CSR <sup>1</sup>	4X2-1/2	3	1	4	096	132.01
869-422CSR	4X3	3	1	4	096	142.86
869-523CSR <sup>1</sup>	6X1/2	1-1/8	1	4	096	194.99
869-524CSR <sup>1</sup>	6X3/4	1-1/8	1	4	096	194.99
869-525CSR	6X1	1-1/8	1	4	096	194.99
869-526CSR <sup>1</sup>	6X1-1/4	2-1/4	1	4	096	194.99
869-527CSR <sup>1</sup>	6X1-1/2	2-1/4	1	4	096	194.99
869-528CSR	6X2	2-1/4	1	4	096	194.99
869-529CSR <sup>1</sup>	6X2-1/2	3	1	4	096	208.71




# PVC/CPVC Clamp-On & Hot-Tap Saddles

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------------	--------	----------	-----------	------------

### CPVC Gray Clamp-On Saddle x SR Thread Double Outlet (continued) with EPDM O-ring Seal & Zinc-Plated Hardware

869-530CSR	6X3	3	1	4	096	225.81
869-532CSR	6X4	4	1	4	096	239.47
869-573CSR <sup>1</sup>	8X1/2	4	1	0	096	377.50
869-574CSR <sup>1</sup>	8X3/4	4	1	0	096	377.50
869-575CSR <sup>1</sup>	8X1	4	1	0	096	377.50
869-576CSR <sup>1</sup>	8X1-1/4	4	1	0	096	377.50
869-577CSR <sup>1</sup>	8X1-1/2	4	1	0	096	377.50
869-578CSR <sup>1</sup>	8X2	4	1	0	096	377.50
869-579CSR <sup>1</sup>	8X2-1/2	4	1	0	096	415.32
869-580CSR <sup>1</sup>	8X3	4	1	0	096	436.17
869-582CSR	8X4	4	1	1	096	462.29
869-585CSR	8X6	6	1	0	096	499.52
869-624CSR	10X4	4	1	1	096	550.04
869-626CSR	10X6	6	1	1	096	632.66
869-664CSR	12X4	4	1	1	096	689.61
869-666CSR	12X6	6	1	1	096	799.93

<sup>1</sup>Outlet-sized with Bushing



### CPVC Gray Clamp-On Saddle x SR Thread Double Outlet with EPDM O-ring Seal & SS Hardware

2"-4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)


869S-247CSR	2X1/2	3/4	1	10	096	114.46
869S-248CSR	2X3/4	7/8	1	10	096	114.46
869S-249CSR	2X1	1-1/8	1	10	096	114.46
869S-250CSR	2X1-1/4	1-1/2	1	10	096	114.46
869S-251CSR	2X1-1/2	1-1/2	1	10	096	114.46
869S-291CSR	2-1/2X1-1/2	1-3/4	1	10	096	150.95
869S-333CSR <sup>1</sup>	3X1/2	7/8	1	10	096	150.95
869S-334CSR	3X3/4	7/8	1	10	096	150.95
869S-335CSR	3X1	1-1/8	1	10	096	150.95
869S-336CSR <sup>1</sup>	3X1-1/4	2-1/4	1	10	096	150.95
869S-337CSR <sup>1</sup>	3X1-1/2	2-1/4	1	10	096	150.95
869S-338CSR	3X2	2-1/4	1	10	096	150.95
869S-415CSR <sup>1</sup>	4X1/2	1-1/8	1	10	096	189.00
869S-416CSR <sup>1</sup>	4X3/4	1-1/8	1	10	096	189.00
869S-417CSR	4X1	1-1/8	1	8	096	189.00
869S-418CSR <sup>1</sup>	4X1-1/4	1-3/4	1	8	096	189.00
869S-419CSR	4X1-1/2	1-3/4	1	8	096	189.00
869S-420CSR	4X2	2-1/4	1	8	096	189.00
869S-421CSR <sup>1</sup>	4X2-1/2	3	1	4	096	203.03
869S-422CSR	4X3	3	4	0	096	217.63
869S-523CSR <sup>1</sup>	6X1/2	1-1/8	1	4	096	318.32
869S-524CSR <sup>1</sup>	6X3/4	1-1/8	1	4	096	318.32
869S-525CSR	6X1	1-1/8	1	4	096	318.32
869S-526CSR <sup>1</sup>	6X1-1/4	2-1/4	1	4	096	318.32
869S-527CSR <sup>1</sup>	6X1-1/2	2-1/4	1	4	096	318.32

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------------	--------	----------	-----------	------------

### CPVC Gray Clamp-On Saddle x SR Thread Double Outlet (continued) with EPDM O-ring Seal & SS Hardware

869S-528CSR	6X2	2-1/4	1	4	096	318.32
869S-529CSR <sup>1</sup>	6X2-1/2	3	1	4	096	325.47
869S-530CSR	6X3	3	1	4	096	339.85
869S-532CSR	6X4	4	1	4	096	349.34
869S-573CSR <sup>1</sup>	8X1/2	4	1	0	096	535.77
869S-574CSR <sup>1</sup>	8X3/4	4	1	0	096	535.77
869S-575CSR <sup>1</sup>	8X1	4	1	0	096	535.77
869S-576CSR <sup>1</sup>	8X1-1/4	4	1	0	096	535.77
869S-577CSR <sup>1</sup>	8X1-1/2	4	1	0	096	535.77
869S-578CSR <sup>1</sup>	8X2	4	1	0	096	535.77
869S-579CSR <sup>1</sup>	8X2-1/2	4	1	0	096	589.29
869S-580CSR <sup>1</sup>	8X3	4	1	0	096	618.69
869S-582CSR	8X4	4	1	1	096	655.86
869S-585CSR	8X6	6	1	0	096	688.76
869S-624CSR	10X4	4	1	1	096	780.48
869S-626CSR	10X6	6	1	1	096	897.48
869S-664CSR	12X4	4	1	1	096	978.36
869S-666CSR	12X6	6	1	1	096	1134.77

<sup>1</sup>Outlet-sized with Bushing




### PVC White Hot-Tap Saddle EPDM Saddle x Soc (Spigot) Zinc Plated Bolts

2"-4" 235, 6" 200, 8" 150 psi @ 73°F (23°C)

HT2-248W	2X3/4 (1)	1	5	049	48.63
HT2-251W	2X1-1/2 (2)	1	5	049	100.47
HT2-288W	2-1/2X3/4 (1)	1	5	049	51.97
HT2-291W	2-1/2X1-1/2 (2)	1	5	049	103.82
HT2-334W	3X3/4 (1)	1	5	049	59.52
HT2-337W	3X1-1/2 (2)	1	5	049	114.43
HT2-416W	4X3/4 (1)	1	0	049	68.74
HT2-419W	4X1-1/2 (2)	1	0	049	120.99
HT2-524W	6X3/4 (1)	1	0	049	77.27
HT2-527W	6X1-1/2 (2)	1	0	049	128.82
HT2-574W	8X3/4 (1)	1	0	049	85.51
HT2-577W	8X1-1/2 (2)	1	0	049	137.35

### PVC White Hot-Tap Saddles EPDM Saddle x Soc (Spigot) SS316 Bolts



2"-4" 235, 6" 200, 8" 150 psi @ 73°F (23°C)

HT2S-248W	2X3/4 (1)	1	5	049	75.72
HT2S-251W	2X1-1/2 (2)	1	5	049	156.34
HT2S-288W	2-1/2X3/4 (1)	1	5	049	80.89

# PVC/CPVC Clamp-On & Hot-Tap Saddles




Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

## PVC White Hot-Tap Saddles (continued)

### EPDM Saddle x Soc (Spigot) SS316 Bolts


HT2S-291W	2-1/2X1-1/2 (2)	1	5	049	161.51
HT2S-334W	3X3/4 (1)	1	5	049	92.65
HT2S-337W	3X1-1/2 (2)	1	5	049	178.15
HT2S-416W	4X3/4 (1)	1	5	049	107.03
HT2S-419W	4X1-1/2 (2)	1	1	049	188.34
HT2S-524W	6X3/4 (1)	1	5	049	120.17
HT2S-527W	6X1-1/2 (2)	1	1	049	200.35
HT2S-574W	8X3/4 (1)	1	0	049	132.45
HT2S-577W	8X1-1/2 (2)	1	0	049	212.93



## PVC Gray Hot-Tap Saddle EPDM Saddle x Soc (Spigot) Zinc Plated Bolts

2"-4" 235, 6" 200, 8" 150 psi @ 73°F (23°C)

HT2-248	2X3/4 (1)	1	5	049	48.63
HT2-251	2X1-1/2 (2)	1	5	049	100.47
HT2-288	2-1/2X3/4 (1)	1	5	049	51.97
HT2-291	2-1/2X1-1/2 (2)	1	5	049	103.82
HT2-334	3X3/4 (1)	1	5	049	59.52
HT2-337	3X1-1/2 (2)	1	5	049	114.43
HT2-416	4X3/4 (1)	1	5	049	68.74
HT2-419	4X1-1/2 (2)	1	0	049	120.99
HT2-524	6X3/4 (1)	1	5	049	77.27
HT2-527	6X1-1/2 (2)	1	0	049	128.82
HT2-574	8X3/4 (1)	1	0	049	85.51
HT2-577	8X1-1/2 (2)	1	0	049	137.35




## PVC Gray Hot-Tap Saddle EPDM Saddle x Soc (Spigot) SS316 Bolts

2"-4" 235, 6" 200, 8" 150 psi @ 73°F (23°C)

HT2S-248	2X3/4 (1)	1	5	049	75.72
HT2S-251	2X1-1/2 (2)	1	5	049	156.34
HT2S-288	2-1/2X3/4 (1)	1	5	049	80.89
HT2S-291	2-1/2X1-1/2 (2)	1	5	049	161.51
HT2S-334	3X3/4 (1)	1	5	049	92.65
HT2S-337	3X1-1/2 (2)	1	5	049	178.15
HT2S-416	4X3/4 (1)	1	5	049	107.03
HT2S-419	4X1-1/2 (2)	1	0	049	188.34
HT2S-524	6X3/4 (1)	1	5	049	120.17
HT2S-527	6X1-1/2 (2)	1	0	049	200.35
HT2S-574	8X3/4 (1)	1	0	049	132.45
HT2S-577	8X1-1/2 (2)	1	0	049	212.93

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------


## PVC Gray Hot-Tap Saddle Viton® Saddle x Soc (Spigot) Zinc Plated Bolts



2"-4" 235, 6" 200, 8" 150 psi @ 73°F (23°C)

HT3-248	2X3/4 (1)	1	5	049	52.82
HT3-251	2X1-1/2 (2)	1	5	049	108.99
HT3-288	2-1/2X3/4 (1)	1	5	049	56.45
HT3-291	2-1/2X1-1/2 (2)	1	5	049	112.62
HT3-334	3X3/4 (1)	1	5	049	64.54
HT3-337	3X1-1/2 (2)	1	5	049	124.35
HT3-416	4X3/4 (1)	1	5	049	74.61
HT3-419	4X1-1/2 (2)	1	0	049	129.71
HT3-524	6X3/4 (1)	1	5	049	83.84
HT3-527	6X1-1/2 (2)	1	0	049	139.44
HT3-574	8X3/4 (1)	1	0	049	93.19
HT3-577	8X1-1/2 (2)	1	0	049	165.14


## PVC Gray Hot-Tap Saddle Viton® Saddle x Soc (Spigot) SS316 Bolts



2"-4" 235, 6" 200, 8" 150 psi @ 73°F (23°C)

HT3S-248	2X3/4 (1)	1	5	049	82.15
HT3S-251	2X1-1/2 (2)	1	5	049	169.63
HT3S-288	2-1/2X3/4 (1)	1	5	049	88.02
HT3S-291	2-1/2X1-1/2 (2)	1	5	049	175.34
HT3S-334	3X3/4 (1)	1	5	049	100.47
HT3S-337	3X1-1/2 (2)	1	5	049	193.51
HT3S-416	4X3/4 (1)	1	5	049	115.97
HT3S-419	4X1-1/2 (2)	1	0	049	204.41
HT3S-524	6X3/4 (1)	1	5	049	130.50
HT3S-527	6X1-1/2 (2)	1	0	049	217.14
HT3S-574	8X3/4 (1)	1	0	049	144.33
HT3S-577	8X1-1/2 (2)	1	0	049	230.15

## PVC Gray Hot-Tap Saddle EPDM with Stainless Steel Cutter & Bolts



2"-4" 235, 6" 200, 8" 150 psi @ 73°F (23°C)

HTS2S-248	2X3/4 (1)	1	5	049	362.77
HTS2S-251	2X1-1/2 (2)	1	5	049	546.73
HTS2S-288	2-1/2X3/4 (1)	1	5	049	388.16
HTS2S-291	2-1/2X1-1/2 (2)	1	5	049	548.73
HTS2S-334	3X3/4 (1)	1	5	049	367.39
HTS2S-337	3X1-1/2 (2)	1	5	049	557.29
HTS2S-416	4X3/4 (1)	1	5	049	397.95




# PVC/CPVC Clamp-On & Hot-Tap Saddles

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

### PVC Gray Hot-Tap Saddle (continued) EPDM with Stainless Steel Cutter & Bolts

HTS2S-419	4X1-1/2 (2)	1	0	049	573.30
HTS2S-524	6X3/4 (1))	1	5	049	439.64
HTS2S-527	6X1-1/2 (2)	1	0	049	630.43
HTS2S-574	8X3/4 (1)	1	0	049	627.19
HTS2S-577	8X1-1/2 (2)	1	0	049	744.80


### PVC Gray Hot-Tap Saddle Viton® with Stainless Steel Cutter & Bolts



2"-4" 235, 6" 200, 8" 150 psi @ 73°F (23°C)

HTS3S-248	2X3/4 (1)	1	5	049	368.51
HTS3S-251	2X1-1/2 (2)	1	5	049	556.90
HTS3S-288	2-1/2X3/4 (1)	1	5	049	394.34
HTS3S-291	2-1/2X1-1/2 (2)	1	5	049	558.84
HTS3S-334	3X3/4 (1)	1	5	049	371.87
HTS3S-337	3X1-1/2 (2)	1	5	049	570.24
HTS3S-416	4X3/4 (1)	1	5	049	405.87
HTS3S-419	4X1-1/2 (2)	1	0	049	589.15
HTS3S-524	6X3/4 (1)	1	5	049	447.53
HTS3S-527	6X1-1/2 (2)	1	0	049	645.59
HTS3S-574	8X3/4 (1)	1	0	049	633.55
HTS3S-577	8X1-1/2(20)	1	0	049	758.85

### CPVC Gray Hot-Tap Saddle EPDM Saddle x Soc (Spigot) Zinc Plated Bolts




2"-4" 235, 6" 200, 8" 150 psi @ 73°F (23°C)

HT2-248C	2X3/4 (1)	1	5	050	80.89
HT2-251C	2X1-1/2 (2)	1	5	050	166.97
HT2-288C	2-1/2X3/4 (1)	1	5	050	86.35
HT2-291C	2-1/2X1-1/2 (2)	1	5	050	172.55
HT2-334C	3X3/4 (1)	1	5	050	98.93
HT2-337C	3X1-1/2 (2)	1	5	050	190.29
HT2-416C	4X3/4 (1)	1	5	050	114.30
HT2-419C	4X1-1/2 (2)	1	0	050	201.20
HT2-524C	6X3/4 (1)	1	5	050	128.54
HT2-527C	6X1-1/2 (2)	1	0	050	214.19
HT2-574C	8X3/4 (1)	1	5	050	118.39
HT2-577C	8X1-1/2 (2)	1	0	050	221.17

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------


### CPVC Gray Hot-Tap Saddle EPDM Saddle x Soc (Spigot) SS316 Bolts



2"-4" 235, 6" 200, 8" 150 psi @ 73°F (23°C)

HT2S-248C	2X3/4 (1)	1	5	050	125.74
HT2S-251C	2X1-1/2 (2)	1	5	050	259.88
HT2S-288C	2-1/2X3/4 (1)	1	5	050	134.41
HT2S-291C	2-1/2X1-1/2 (2)	1	5	050	268.68
HT2S-334C	3X3/4 (1)	1	5	050	154.12
HT2S-337C	3X1-1/2 (2)	1	5	050	296.21
HT2S-416C	4X3/4 (1)	1	5	050	178.01
HT2S-419C	4X1-1/2 (2)	1	0	050	313.26
HT2S-524C	6X3/4 (1)	1	5	050	199.80
HT2S-527C	6X1-1/2 (2)	1	0	050	333.37
HT2S-574C	8X3/4 (1)	1	0	050	216.01
HT2S-577C	8X1-1/2 (2)	1	0	050	360.48


### CPVC Gray Hot-Tap Saddle Viton® Saddle x Soc (Spigot) Zinc Plated Bolts



2"-4" 235, 6" 200, 8" 150 psi @ 73°F (23°C)

HT3-248C	2X3/4 (1)	1	5	050	87.89
HT3-251C	2X1-1/2 (2)	1	5	050	181.21
HT3-288C	2-1/2X3/4 (1)	1	5	050	93.90
HT3-291C	2-1/2X1-1/2 (2)	1	5	050	187.22
HT3-334C	3X3/4 (1)	1	5	050	107.30
HT3-337C	3X1-1/2 (2)	1	5	050	206.78
HT3-416C	4X3/4 (1)	1	5	050	193.10
HT3-419C	4X1-1/2 (2)	1	0	050	218.52
HT3-524C	6X3/4 (1)	1	5	050	139.57
HT3-527C	6X1-1/2 (2)	1	0	050	231.93
HT3-574C	8X3/4 (1)	1	0	050	150.89
HT3-577C	8X1-1/2 (2)	1	0	050	281.13

### CPVC Gray Hot-Tap Saddle Viton® Saddle x Soc (Spigot) SS316 Bolts



2"-4" 235, 6" 200, 8" 150 psi @ 73°F (23°C)

HT3S-248C	2X3/4 (1)	1	5	050	136.93
HT3S-251C	2X1-1/2 (2)	1	5	050	282.23
HT3S-288C	2-1/2X3/4 (1)	1	5	050	146.14
HT3S-291C	2-1/2X1-1/2 (2)	1	5	050	291.32
HT3S-334C	3X3/4 (1)	1	5	050	166.83
HT3S-337C	3X1-1/2 (2)	1	5	050	327.79
HT3S-416C	4X3/4 (1)	1	5	050	193.10

# PVC/CPVC Clamp-On & Hot-Tap Saddles




Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

## CPVC Gray Hot-Tap Saddle (continued)

### Viton® Saddle x Soc (Spigot) SS316 Bolts

HT3S-419C	4X1-1/2 (2)	1	0	050	340.22
HT3S-524C	6X3/4 (1)	1	5	050	217.27
HT3S-527C	6X1-1/2 (2)	1	0	050	361.03
HT3S-574C	8X3/4 (1)	1	0	050	234.87
HT3S-577C	8X1-1/2 (2)	1	5	050	390.31


## CPVC Gray Hot-Tap Saddle EPDM with Stainless Steel Cutter & Bolts



2"-4" 235, 6" 200, 8" 150 psi @ 73°F (23°C)

HTS2S-248C	2X3/4 (1)	1	5	050	386.89
HTS2S-251C	2X1-1/2 (2)	1	5	050	573.37
HTS2S-288C	2-1/2X3/4 (1)	1	5	050	413.97
HTS2S-291C	2-1/2X1-1/2 (2)	1	5	050	574.29
HTS2S-334C	3X3/4 (1)	1	5	050	394.84
HTS2S-337C	3X1-1/2 (2)	1	5	050	590.31
HTS2S-416C	4X3/4 (1)	1	5	050	420.41
HTS2S-419C	4X1-1/2 (2)	1	0	050	604.99
HTS2S-524C	6X3/4 (1)	1	5	050	490.06
HTS2S-527C	6X1-1/2 (2)	1	0	050	683.89
HTS2S-574C	8X3/4 (1)	1	0	050	679.82
HTS2S-577C	8X1-1/2 (2)	1	0	050	809.71

## CPVC Gray Hot-Tap Saddle Viton® with Stainless Steel Cutter & Bolts



2"-4" 235, 6" 200, 8" 150 psi @ 73°F (23°C)

HTS3S-248C	2X3/4 (1)	1	5	050	392.95
HTS3S-251C	2X1-1/2 (2)	1	5	050	582.10
HTS3S-288C	2-1/2X3/4 (1)	1	5	050	420.55
HTS3S-291C	2-1/2X1-1/2 (2)	1	5	050	584.39
HTS3S-334C	3X3/4 (1)	1	5	050	361.61
HTS3S-337C	3X1-1/2 (2)	1	5	050	600.56
HTS3S-416C	4X3/4 (1)	1	5	050	428.34
HTS3S-419C	4X1-1/2 (2)	1	0	050	620.17
HTS3S-524C	6X3/4 (1)	1	5	050	497.72
HTS3S-527C	6X1-1/2 (2)	1	1	050	699.05
HTS3S-574C	8X3/4 (1)	1	0	050	694.86
HTS3S-577C	8X1-1/2 (2)	1	0	050	816.96



## PVC/CPVC Clamp-On & Hot-Tap Saddles

### LIMITED LIFETIME WARRANTY

Except as otherwise mandated by law or herein provided, Spears® Manufacturing Company ("Company") warrants Standard Catalog Products ("Products") which have been directly manufactured by them to be free from defects in material and workmanship for as long as the original intended end user of the Products ("End User") retains ownership and possession of the Products and complies with this Warranty ("Warranty Period"). Each other person or entity acquiring or employing the Products, including buyers, contractors and installers ("Buyer") and End Users ("Buyer/End User") agrees that this Warranty shall be effective only during the Warranty Period so long as the Products are used solely for the normal purposes for which they are intended and in conformance with industry established standards, engineering, installation, operating, and maintenance specifications, recommendations and instructions including explicit instructions by the Company; the Products are properly installed, operated and used, and have not been modified; and all the other terms of this Warranty are complied with. Any violation thereof shall void this Warranty and relieve Company from all obligations arising from this Warranty and the Products.

Upon receipt or discovery of any Products that appear questionable or defective each Buyer/End User shall promptly inspect and return any such Product to the Company at 15853 Olden Street, Sylmar, California 91342, accompanied by a letter stating the nature of any problems. If the Products are determined by Company to be defective in materials or workmanship directly provided by Company, Company, at its sole option, may either repair or replace the defective Products, or reimburse applicable Buyer/End User for the cost of such Products. The applicable Buyer/End User shall bear all applicable shipping costs. THIS SHALL BE BUYERS/END USERS' SOLE REMEDY. EACH BUYER/END USER AGREES THAT COMPANY WILL NOT BE RESPONSIBLE FOR ANY OTHER OBLIGATIONS RELATING TO THE PRODUCTS, INCLUDING ANY OTHER MATERIALS OR LABOR COSTS, LOSS OF USE OR ANY OTHER ITEM OR FOR ANY DELAYS IN COMPLYING WITH THIS WARRANTY BEYOND COMPANY'S REASONABLE CONTROL.

COMPANY SHALL NOT BE LIABLE FOR, DOES NOT ASSUME, AND EXPRESSLY DISCLAIMS, ANY LIABILITY, RESPONSIBILITY AND DAMAGES; DUE TO ANY BUYER/END USER'S FAILURE TO COMPLY WITH THIS WARRANTY, INCLUDING IMPROPER INSTALLATION, USE OR OPERATION; USE WITH PRODUCTS FROM OTHER MANUFACTURERS THAT DO NOT MEET ASTM OR OTHER APPLICABLE PRODUCT STANDARDS; IMPROPER CONTROL OF SYSTEM HYDRAULICS, IMPROPER WINTERIZATION PROCEDURES, IMPROPER VOLTAGE SUPPLY, CONTACT WITH INCOMPATIBLE MATERIALS OR CHEMICALS, EXCAVATION/DIGGING, EXCESSIVE WEIGHT, AND VANDALISM; DUE TO REASONABLE WEAR AND TEAR AND DUE TO ANY ACTS OF NATURE, INCLUDING LIGHTNING, EARTHQUAKES, GROUND MOVEMENT, FROST HEAVE, OR FLOODS.

COMPANY EXTENDS ONLY THIS WARRANTY AND EXPLICITLY DISCLAIMS ALL OTHER WARRANTIES, WHETHER IMPLIED OR OTHERWISE EXPRESSED, WHETHER ORAL, STATUTORY OR OTHERWISE, INCLUDING ANY IMPLIED WARRANTIES OR AFFIRMATIONS FOR SUITABILITY, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. NO AFFIRMATION BY COMPANY OR ANY OF ITS REPRESENTATIVES, BY WORDS, CONDUCT OR OTHERWISE, SHALL CONSTITUTE A WARRANTY. THIS WARRANTY MAY NOT BE TRANSFERRED, EXTENDED, ALTERED OR OTHERWISE MODIFIED IN ANY MANNER, EXCEPT BY WRITTEN AGREEMENT SIGNED BY COMPANY.

BY ITS ACCEPTANCE OF THE PRODUCTS, EACH BUYER/END USER EXPRESSLY WAIVES ALL OTHER LIABILITY OR OBLIGATION OF ANY KIND OR CHARACTER OF COMPANY, INCLUDING LIABILITY PREDICATED UPON CONTRACT, TORT, STRICT LIABILITY OR OTHER LEGAL OR EQUITABLE GROUNDS, AND ALL, IF ANY, DAMAGES AND LOSSES AS A RESULT THEREOF, INCLUDING ALL, IF ANY, COMPENSATORY, GENERAL, SPECIAL, CONSEQUENTIAL, INCIDENTAL, OR PUNITIVE DAMAGES. WITH RESPECT TO SUCH WAIVERS, EACH BUYER/END USER EXPLICITLY WAIVES CALIFORNIA CIVIL CODE §1542 WHICH STATES "A GENERAL RELEASE DOES NOT EXTEND TO CLAIMS WHICH THE CREDITOR DOES NOT KNOW OR SUSPECT TO EXIST IN HIS FAVOR AT THE TIME OF EXECUTING THIS RELEASE, WHICH IF KNOWN BY HIM MUST HAVE MATERIALLY ADVERSELY AFFECTED HIS SETTLEMENT WITH DEBTOR" AND ALL OTHER SIMILAR STATUTORY, COMMON AND CASE LAW RIGHTS, DEFENSES AND LIMITATIONS.

Having previously independently inspected the Products, or a sample, as fully as desired, or having the opportunity to and having not done so, upon acceptance of delivery of the Products, and except as otherwise herein explicitly provided, each Buyer/End User by acceptance or use of the Products accepts them in their "AS IS" and "WITH ALL FAULTS" condition without any other warranty, expressed, implied or otherwise, and accepts and assumes the entire risk and cost of all servicing, remediation and consequences thereof. This Warranty shall be governed by California law and any unenforceable provisions severed without affecting the remaining provisions. As used herein, "including" includes "without limitation."



# PVC/CPVC Clamp-On & Hot-Tap Saddles



## SPEARS® QUALITY POLICY

It is the policy and objective of Spears® Manufacturing Company to produce a superior quality product suitable for its intended use, with regard to functionality, structural integrity, and conformance to established industry standards and practices. It is the commitment of this Company to do so in a manner which provides consistency of product quality, optimum availability, and superior customer service, while maintaining efficiency of operations and profitability necessary to perpetuate product improvement and customer satisfaction. Furthermore, it is recognized that the attainment of these objectives is the responsibility of all Company operations and personnel according to their respective functions.

## STANDARDS & SPECIFICATIONS

Standards provide greater assurance of product performance and consistency, and are available to assist design engineers in system specification. The most frequently referenced industry standards for plastic piping systems are ASTM Standard Specifications and Practices. Along with ASTM Standards, additional product specifications and certifications form the basis of product conformance to which Spears® products are manufactured.

ASTM D 1784

Rigid Poly (Vinyl Chloride) (PVC) Compounds and Chlorinated Poly (Vinyl Chloride) (PVC) Compounds.



National Sanitation Foundation (NSF) Standard 61 and/or 14 Plastic Fittings for Potable Water.

Material

Spears® Clamp-on and Hot-Tap Saddles are produced from PVC Type I, Cell Classification 12454; and from CPVC Type IV, Cell Classification 23447.

Standard hardware (mounting bolts, nuts, washers) is zinc plated steel with optional Stainless Steel as indicated.

Prices subject to change without notice. Possession of this price schedule shall not be construed as an offer to sell the products listed. Product drawings and/or photographs are representative and may not fully reflect product configurations.

## RECOMMENDATIONS FOR INSTALLERS & USERS

Plastic piping systems should be ENGINEERED, INSTALLED, and OPERATED in accordance with ESTABLISHED DESIGN AND ENGINEERING STANDARDS AND PROCEDURES for plastic piping systems. Suitability for the intended service application should be determined by the installer and/or user prior to installation of a plastic piping system. PRIOR TO ASSEMBLY, all piping system components should be inspected for damage or irregularities. Mating components should be checked to assure that tolerances and engagements are compatible. Do not use any components that appear irregular or do not fit properly. Contact the appropriate manufacturer of the component product in question to determine usability. Consult all applicable codes and regulations for compliance prior to installation.

**SOLVENT WELD CONNECTIONS** - Use a quality grade of primer and solvent cement formulated for the type of connection, with the CORRECT SIZE APPLICATOR. Read and follow all of the solvent cement MANUFACTURER'S APPLICATION AND CURE TIME INSTRUCTIONS THOROUGHLY.

**BEFORE APPLYING PRIMER AND CEMENT**, appropriate safety precautions should be taken. Primer and Cement should be stored in the shade between 40°F and 110°F. Eliminate all ignition sources. Avoid breathing of vapors. Use only with adequate ventilation; explosion-proof general mechanical ventilation or local exhaust is recommended to maintain vapor concentrations below recommended exposure limits. In confined or partially enclosed areas, a NIOSH-approved organic vapor cartridge respirator with full face-piece is recommended. Containers should be kept tightly closed when not in use, and covered as much as possible when in use. Avoid frequent contact with skin; wearing PVA coated protective gloves and impervious apron are recommended. Avoid any contact with eyes; splash-proof chemical goggles are recommended.

**THREADED CONNECTIONS** - Use a quality grade thread sealant. WARNING: SOME PIPE JOINT COMPOUNDS OR TEFLON® PASTES MAY CONTAIN SUBSTANCES THAT COULD CAUSE STRESS CRACKING TO PLASTIC. Spears® Manufacturing Company recommends the use of Spears® BLUE 75™ Thread Sealant which has been tested for compatibility with Spears® products. Please follow the sealant manufacturers' application/ installation instructions. Choice of an appropriate thread sealant other than those listed above is at the discretion of the installer. 1 to 2 turns beyond FINGER TIGHT is generally all that is required to make a sound plastic threaded connection. Unnecessary OVER TIGHTENING will cause DAMAGE TO BOTH PIPE AND FITTING.



## PVC/CPVC Clamp-On & Hot-Tap Saddles

### **IMPORTANT**

WATER HAMMER - Spears® Manufacturing Company, Inc., recommends that all PVC and CPVC plastic piping systems be designed and constructed to AVOID EXCESSIVE WATER HAMMER. Water hammer can cause damage, and failure to pipe, valves, and fittings within the piping system.

PLEASE NOTE - When temperatures rise above 73°F, the tensile strength of thermoplastics decreases, thereby derating the pipe or fitting Maximum Internal Pressure. When temperatures fall below 73°F, the tensile strength of thermoplastics increases, however, the impact strength decreases. Maximum operating temperatures for PVC piping systems should not exceed 140°F. Maximum operating temperatures for CPVC piping systems should not exceed 200°F.

CAUTION - Spears® Manufacturing Company DOES NOT RECOMMEND the use of thermoplastic piping products for systems to transport or store compressed air or gases, or the testing of thermoplastic piping systems with compressed air or gases in above and below ground locations. The use of Spears® products in compressed air or gas systems automatically voids Spears® warranty for such products, and their use against our recommendation is entirely the responsibility and liability of the installer. Spears® Manufacturing Company will not accept responsibility for damage or impairment of its products, or other consequential or incidental damages caused by misapplication, incorrect assembly, and/or exposure to harmful substances or conditions.

### **NOT FOR USE WITH COMPRESSED AIR OR GASES**

WARNING: DO NOT USE COMPRESSED AIR OR GAS TO TEST ANY PVC OR CPVC THERMOPLASTIC PIPING PRODUCT OR SYSTEM, AND DO NOT USE DEVICES PROPELLED BY COMPRESSED AIR OR GAS TO CLEAR SYSTEMS. THESE PRACTICES MAY RESULT IN EXPLOSIVE FRAGMENTATION OF SYSTEM PIPING AND COMPONENTS CAUSING SERIOUS OR FATAL BODILY INJURY.



## CONTENT

### CATALOG INFORMATION

HOW TO USE THIS CATALOG	1
COLUMN HEADER INFORMATION	1
PRODUCT CONFIGURATION	1
CONFIGURATION DESCRIPTIONS & PART INFORMATION	1

### PRODUCTS

PVC White Clamp-On Saddle x Soc Single Outlet with Buna-N O-ring Seal & Zinc-Plated Hardware	3
PVC White Clamp-On Saddle x Soc Single Outlet with Buna-N O-ring Seal & SS Hardware	3
PVC White Clamp-On Saddle x Soc Single Outlet with EPDM O-ring Seal & Zinc-Plated Hardware	4
PVC White Clamp-On Saddle x Soc Single Outlet with EPDM O-ring & Seal & SS Hardware	4
PVC White Clamp-On Saddle x SR Thread Single Outlet with Buna-N O-ring Seal & Zinc-Plated Hardware	5
PVC White Clamp-On Saddle x SR Thread Single Outlet with Buna-N O-ring Seal & SS Hardware	5
PVC White Clamp-On Saddle x SR Thread Single Outlet with EPDM O-ring Seal & Zinc-Plated Hardware	6
PVC White Clamp-On Saddle x SR Thread Single Outlet with EPDM O-ring Seal & SS Hardware	6
PVC White Clamp-On Saddle x Soc Double Outlet with Buna-N O-ring Seal & Zinc-Plated Hardware	7
PVC White Clamp-On Saddle x Soc Double Outlet with Buna-N O-ring Seal & SS Hardware	7
PVC White Clamp-On Saddle x Soc Double Outlet with EPDM O-ring Seal & Zinc-Plated Hardware	8
PVC White Clamp-On Saddle x Soc Double Outlet with EPDM O-ring Seal & SS Hardware	8
PVC White Clamp-On Saddle x SR Thread Double Outlet with Buna-N O-ring Seal & Zinc-Plated Hardware	9
PVC White Clamp-On Saddle x SR Thread Double Outlet with Buna-N O-ring Seal & SS Hardware	9
PVC White Clamp-On Saddle x SR Thread Double Outlet with EPDM O-ring Seal & Zinc-Plated Hardware	10
PVC White Clamp-On Saddle x SR Thread Double Outlet with EPDM O-ring Seal & SS Hardware	10
PVC Gray Clamp-On Saddle x Soc Single Outlet with Viton® O-ring Seal & Zinc-Plated Hardware	11
PVC Gray Clamp-On Saddle x Soc Single Outlet with Viton® O-ring Seal & SS Hardware	11
PVC Gray Clamp-On Saddle x Soc Single Outlet with EPDM O-ring Seal & Zinc-Plated Hardware	12
PVC Gray Clamp-On Saddle x Soc Single Outlet with EPDM O-ring Seal & SS Hardware	12
PVC Gray Clamp-On Saddle x SR Thread Single Outlet with Viton® O-ring Seal & Zinc-Plated Hardware	13
PVC Gray Clamp-On Saddle x SR Thread Single Outlet with Viton® O-ring Seal & SS Hardware	13
PVC Gray Clamp-On Saddle x SR Thread Single Outlet with EPDM O-ring Seal & Zinc-Plated Hardware	14
PVC Gray Clamp-On Saddle x SR Thread Single Outlet with EPDM O-ring Seal & SS Hardware	14
PVC Gray Clamp-On Saddle x Soc Double Outlet with Viton® O-ring Seal & Zinc-Plated Hardware	15
PVC Gray Clamp-On Saddle x Soc Double Outlet with Viton® O-ring Seal & SS Hardware	15
PVC Gray Clamp-On Saddle x Soc Double Outlet with EPDM O-ring Seal & Zinc-Plated Hardware	16



## PVC/CPVC Clamp-On & Hot-Tap Saddles

### CONTENT

PVC Gray Clamp-On Saddle x Soc Double Outlet with EPDM O-ring Seal & SS Hardware	16
PVC Gray Clamp-On Saddle x SR Thread Double Outlet with Viton® O-ring Seal & Zinc-Plated Hardware	17
PVC Gray Clamp-On Saddle x SR Thread Double Outlet with Viton® O-ring Seal & SS Hardware	17
PVC Gray Clamp-On Saddle x SR Thread Double Outlet with EPDM O-ring Seal & Zinc-Plated Hardware	18
PVC Gray Clamp-On Saddle x SR Thread Double Outlet with EPDM O-ring Seal & SS Hardware	18
CPVC Gray Clamp-On Saddle x Soc Single Outlet with Viton® O-ring Seal & Zinc-Plated Hardware	19
CPVC Gray Clamp-On Saddle x Soc Single Outlet with Viton® O-ring Seal & SS Hardware	19
CPVC Gray Clamp-On Saddle x Soc Single Outlet with EPDM O-ring Seal & Zinc-Plated Hardware	20
CPVC Gray Clamp-On Saddle x Soc Single Outlet with EPDM O-ring Seal & SS Hardware	20
CPVC Gray Clamp-On Saddle x SR Thread Single Outlet with Viton® O-ring Seal & Zinc-Plated Hardware	21
CPVC Gray Clamp-On Saddle x SR Thread Single Outlet with Viton® O-ring Seal & SS Hardware	21
CPVC Gray Clamp-On Saddle x SR Thread Single Outlet with EPDM O-ring Seal & Zinc-Plated Hardware	22
CPVC Gray Clamp-On Saddle x SR Thread Single Outlet with EPDM O-ring Seal & SS Hardware	23
CPVC Gray Clamp-On Saddle x Soc Double Outlet with Viton® O-ring Seal & Zinc-Plated Hardware	23
CPVC Gray Clamp-On Saddle x Soc Double Outlet with Viton® O-ring Seal & SS Hardware	24
CPVC Gray Clamp-On Saddle x Soc Double Outlet with EPDM O-ring Seal & Zinc-Plated Hardware	24
CPVC Gray Clamp-On Saddle x Soc Double Outlet with EPDM O-ring Seal & SS Hardware	25
CPVC Gray Clamp-On Saddle x SR Thread Double Outlet with Viton® O-ring Seal & Zinc-Plated Hardware	25
CPVC Gray Clamp-On Saddle x SR Thread Double Outlet with Viton® O-ring Seal & SS Hardware	26
CPVC Gray Clamp-On Saddle x SR Thread Double Outlet with EPDM O-ring Seal & Zinc-Plated Hardware	26
CPVC Gray Clamp-On Saddle x SR Thread Double Outlet with EPDM O-ring Seal & SS Hardware	27
PVC White Hot-Tap Saddle EPDM Saddle x Soc (Spigot) Zinc Plated Bolts	27
PVC White Hot-Tap Saddles EPDM Saddle x Soc (Spigot) SS316 Bolts	27
PVC Gray Hot-Tap Saddle EPDM Saddle x Soc (Spigot) Zinc Plated Bolts	28
PVC Gray Hot-Tap Saddle EPDM Saddle x Soc (Spigot) SS316 Bolts	28
PVC Gray Hot-Tap Saddle Viton® Saddle x Soc (Spigot) Zinc Plated Bolts	28
PVC Gray Hot-Tap Saddle Viton® Saddle x Soc (Spigot) SS316 Bolts	28
PVC Gray Hot-Tap Saddle EPDM with Stainless Steel Cutter & Bolts	28
PVC Gray Hot-Tap Saddle Viton® with Stainless Steel Cutter & Bolts	29
CPVC Gray Hot-Tap Saddle EPDM Saddle x Soc (Spigot) Zinc Plated Bolts	29
CPVC Gray Hot-Tap Saddle EPDM Saddle x Soc (Spigot) SS316 Bolts	29
CPVC Gray Hot-Tap Saddle Viton® Saddle x Soc (Spigot) Zinc Plated Bolts	29
CPVC Gray Hot-Tap Saddle Viton® Saddle x Soc (Spigot) SS316 Bolts	29
CPVC Gray Hot-Tap Saddle EPDM with Stainless Steel Cutter & Bolts	30

# PVC/CPVC Clamp-On & Hot-Tap Saddles



## CONTENT

CPVC Gray Hot-Tap Saddle Viton® with Stainless Steel Cutter & Bolts	30
<b>COMPANY INFORMATION</b>	
LIMITED LIFETIME WARRANTY	31
SPEARS® QUALITY POLICY	32
STANDARDS & SPECIFICATIONS	32
<b>INSTALLATION INFORMATION</b>	
RECOMMENDATIONS FOR INSTALLERS & USERS	32

# NOTES

# NOTES

# Watch for New Product Announcements from Spears® Innovation and Technology



## SPEARS® MANUFACTURING COMPANY

### CORPORATE OFFICE

15853 Olden Street, Sylmar, CA 91342  
PO Box 9203, Sylmar, CA 91392  
(818) 364-1611 • www.spearsmfg.com



### PACIFIC SOUTHWEST

15860 Olden Street  
Sylmar (Los Angeles), CA 91342  
P.O. Box 9203, Sylmar, CA 91392  
(818) 364-1611  
(800) 862-1499  
Fax (818) 367-3014

### NORTHWEST

4103 C St. NE Suite 200  
Auburn (Seattle), WA  
98002  
(253) 939-4433  
(800) 347-7327  
Fax (253) 939-7557

### ROCKY MOUNTAIN

4880 Florence Street  
Denver, CO  
80238  
(303) 371-9430  
(800) 777-4154  
Fax (303) 375-9546

### SOUTH CENTRAL

1000 Lakeside Parkway  
Flower Mound, TX  
75028  
(469) 528-3000  
(800) 441-1437  
Fax (469) 528-3001

### UTAH

5395 West 1520 South  
Salt Lake City, UT  
84104  
(303) 371-9430  
(800) 777-4154  
Fax (303) 375-9546

### NORTHEAST

590 Industrial Drive, Suite 100  
Lewisberry (Harrisburg), PA  
17339-9532  
(717) 938-8844  
(800) 233-0275  
Fax (717) 938-6547

### SOUTHEAST

4205 Newpoint Place, Suite 100  
Lawrenceville (Atlanta), GA  
30043  
(678) 985-1263  
(800) 662-6326  
Fax (678) 985-5642

### FLORIDA

9563 Parksouth Court  
Orlando, FL  
32837  
(407) 843-1960  
(800) 327-6390  
Fax (407) 425-3563

### MIDWEST

1 Gateway Court, Suite A  
Bolingbrook (Chicago), IL  
60440  
(630) 759-7529  
(800) 662-6330  
Fax (630) 759-7515

### INTERNATIONAL SALES

15853 Olden Street  
Sylmar (Los Angeles), CA  
91342  
(818) 364-1611  
Fax (818) 898-3774

## AUTHORIZED DISTRIBUTOR