

Schedule 40 Fittings & Accessories **Filters**

Specially designed for agricultural and irrigation applications. Suitable for any application where cool, filtered water is required. Standard units utilize an internal-to-external filter cartridge. See following page for reverse flow (external to internal) filters.






- 200 psi Working Pressure Non-Shock @ 73°F (23°C)
- Filter Body is made from NSF®-PW Approved PVC Material
- Optional Screen Meshes
- Compact Design, Easy to Clean Lightweight, Easy to Install
- Filter Screens are designed using a standard perforated Stainless Steel Screen
- Mesh Sizes include an inner Stainless Steel Cloth with Spring Support (external cloth on reverse flow filters)

 Pressure loss: 100 GPM – 3 psi 50 GPM – 1.25 psi
- May be bushed to required pipe size



- When more than 100 gpm is required, filters may be installed in parallel
- When installing filter, allow space for removing filter screen for cleaning
- Remove stainless steel filter screen before solvent welding filter to pipe manifold
- When filters are installed in the direct sun, it is suggested the filter body be coated with a water-base latex paint having a high reflectance
- Installation in a shaded area is preferred



-CAUTION-

- WATER HAMMER MAY CAUSE SEVERE DAMAGE TO THE FILTER ASSEMBLY.
- BACK FLUSHING IS NOT RECOMMENDED.
- QUALITY GRADE THREAD SEALANT IS RECOMMENDED FOR ALL THREADED PVC CONNECTIONS.


A Inlet

Mesh Size	Hole Size (in.)	Part Number Extension
1/16" Holes	.0625	-16
1/32" Holes	.0312	-32
50 Mesh	.0117	-50
76 Mesh	.0095	-76
100 Mesh	.0059	-100
150 Mesh	.0041	-150
200 Mesh	.0029	-200

Additional Mesh Sizes available on request.

Filter

Filter Dimensions & Weights



Filter Assembly with Stainless Steel Screen

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
100 GPM					
FL-16*	2-1/2 /3 x 4	1	0	020	555.11
FL-32*	2-1/2 /3 x 4	1	0	020	567.73
FL-50	2-1/2 /3 x 4	1	0	020	643.40
FL-76	2-1/2 /3 x 4	1	0	020	777.14
FL-100	2-1/2 /3 x 4	1	0	020	706.48
FL-150	2-1/2 /3 x 4	1	0	020	731.74
FL-200	2-1/2 /3 x 4	1	0	020	794.81

*Standard FL-16 and FL-32 can be utilized as Reverse Flow Filters by reversing installation from current inlet to outlet and current outlet to inlet.

NOTE: Filter Assemblies are furnished standard with a 1-1/4" IPS tapped cap (FL4a) for use with a valve, or may be plugged off (plug not furnished). Optional cap available with 1/4" IPS tapping for use with a pressure gauge — specify FL-5a when ordering

50 GPM

MFL-16*	2-1/2 /3 x 2	1	0	020	466.82
MFL-32*	2-1/2 /3 x 2	1	0	020	474.37
MFL-50	2-1/2 /3 x 2	1	0	020	489.48
MFL-76	2-1/2 /3 x 2	1	0	020	592.98
MFL-100	2-1/2 /3 x 2	1	0	020	517.27
MFL-150	2-1/2 /3 x 2	1	0	020	542.49
MFL-200	2-1/2 /3 x 2	1	0	020	605.57

*Standard FL-16 and FL-32 can be utilized as Reverse Flow Filters by reversing installation from current inlet to outlet and current outlet to inlet.

NOTE: Filter Assemblies are furnished standard with a 1-1/4" IPS tapped cap (FL4a) for use with a valve, or may be plugged off (plug not furnished). Optional cap available with 1/4" IPS tapping for use with a pressure gauge — specify FL-5a when ordering.

Filter Replacement Screens

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each			
100 GPM (24" Length)								
FL-16-1	1/16" Holes	3	0	020	222.04			
FL-32-1	1/32" Holes	3	0	020	242.22			
FL-50-1	50 Mesh	3	0	020	479.42			

Series	Socket	Spigot	Outlet	Length	Length	Weight	
FLR	2-1/2	3	4	28	24	8	
MFLR	2-1/2	3	4	16	12	4-3/4	

Filter Replacement Screens (continued)

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each	
100 GPM (24" Lengt	h)	I K	Cili	Code	Lacii	
100 Of W (24 Leftg)	.11)					
FL-76-1	76 Mesh	3	0	020	474.37	
FL-100-1	100 Mesh	3	0	020	373.45	
FL-150-1	150 Mesh	3	0	020	403.71	
FL-200-1	200 Mesh	3	0	020	499.60	
NOTE: When ordering replacement screens for FL and MFL Series Filters, please provide exact length of old screen within 1/64" to ensure proper fit of new screen in your filter body.						

50 GPM (12" Length)

MFL-16-1	1/16" Holes	3	0	020	222.04
MFL-32-1	1/32" Holes	3	0	020	232.14
MFL-50-1	50 Mesh	3	0	020	252.33
MFL-76-1	76 Mesh	3	0	020	358.29
MFL-100-1	100 Mesh	3	0	020	277.57
MFL-150-1	150 Mesh	3	0	020	307.85
MFL-200-1	200 Mesh	3	0	020	378.46

NOTE: When ordering replacement screens for FL and MFL Series Filters, please provide exact length of old screen within 1/64" to ensure proper fit of new screen in your filter body.

Filter Replacement Components

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each			
100 GPM Filter Body								
FL-11	2-1/2 /3 X 4	1	0	020	378.46			
50 GPM Filter Body								
MFL-11	2-1/2 /3 X 2	1	0	020	290.17			

Components for Old-Style Filters w/3" Bottom Cap

Size

		PK	Cili	Code	Eacn
Filter Cap w/Gask	et				
FL-4A	3X1-1/4	70	0	020	31.55
FL-5A	3X1/4	70	0	020	31.55

Std Mstr Disc

Price

Part Number

Schedule 40 Fittings & Accessories Filters & Reverse Flow Filters



Filters

Components for Old-Style Filters w/3" Bottom Cap

Part Number	Size	Std	Mstr	Disc	Price				
I all Nullibel	Size	Pk	Ctn	Code	Each				
Cap Gasket Only									
FCG-5	3	2	0	020	10.04				
Components for	New-Style Filter	rs w/	4" Bo	ttom	Сар				
Part Number	Size	Std	Mstr	Disc	Price				
Fait Nullibel	Size	Pk	Ctn	Code	Each				
Filter Cap w/O-rings									
FL-4B	4X1-1/4	25	0	020	57.97				

Components for New-Style Filters w/4" Bottom Cap

(continued)	•				•				
Part Number	Size	Std	Mstr	Disc	Price				
Part Number	Size	Pk	Ctn	Code	Each				
Filter Cap w/O-rings									
FL-5B	4X1/4	1	0	020	93.78				
Includes Cap with Cap O-	ring (1) and bottom Filter Bu	ıshing (O-ring (1	1)					
Cap O-Ring Only									
B-242		100	0	901	.83				
Filter Bushing O-Rin	Filter Bushing O-Rings								
B-335-60		100	0	901	3.66				
Each filter uses two (2) Filter Bushing O-rings for top and bottom screen seals									

Reverse Flow Filters





50 GPM

- Filter cartridge specially designed for external-to-internal filtration
 Traps sediment and debris on outside of filter (standard filters use
- internal-to-external flow)

 100 GPM and 50 GPM styles available

100 GPM Reverse Flow Filter Assembly with Stainless Steel Screen

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each	
Socket x Socket/Spi	got					
FLR-16*	4X2-1/2 /3	1	0	020	555.11	
FLR-32*	4X2-1/2 /3	1	0	020	567.73	
FLR-50	4X2-1/2 /3	1	0	020	643.40	
FLR-76	4X2-1/2 /3	1	0	020	777.14	
FLR-100	4X2-1/2 /3	1	0	020	706.48	
FLR-150	4X2-1/2 /3	1	0	020	731.74	
FLR-200	4X2-1/2 /3	1	0	020	794.81	
*Standard FL-16 and FL-32 can be utilized as Reverse Flow Filters by reversing installation from current inlet to outlet and current outlet to inlet.						

50 GPM Filter Assembly with Stainless Steel Screen

Dort Number	Ci	Std	Mstr	Disc	Price			
Part Number	Size	Pk	Ctn	Code	Each			
Socket x Socket/Spigot								
MFLR-16*	2X2-1/2 /3	1	0	020	466.82			
MFLR-32*	2X2-1/2 /3	1	0	020	474.37			
MFLR-50	2X2-1/2 /3	1	0	020	489.48			
MFLR-76	2X2-1/2 /3	1	0	020	592.98			
MFLR-100	2X2-1/2 /3	1	0	020	517.27			
MFLR-150	2X2-1/2 /3	1	0	020	542.49			
MFLR-200	2X2-1/2 /3	1	0	020	605.57			
*Standard MFL-16 and	*Standard MFL-16 and MFL-32 can be utilized as Reverse Flow Filters by reversing							

100 GPM Reverse Flow Filter Replacement Screens (24" Length)

installation from current inlet to outlet and current outlet to inlet.

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
FL-16-1	1/16" Holes	3	0	020	222.04
FL-32-1	1/32" Holes	3	0	020	242.22
FLR-50-1	50 Mesh	3	0	020	243.39
FLR-76-1	76 Mesh	3	0	020	474.37
FLR-100-1	100 Mesh	3	0	020	337.02
FLR-150-1	150 Mesh	3	0	020	383.52

100 GPM Reverse Flow Filter Replacement Screens (24" Length) (continued)

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
FLR-200-1	200 Mesh	3	0	020	474.62

50 GPM Reverse Flow Filter Replacement Screens (12" Length)

Part Number	Size	Std	Mstr	Disc	Price
rait Nullibei	Size	Pk	Ctn	Code	Each
MFL-16-1	1/16" Holes	3	0	020	222.04
MFL-32-1	1/32" Holes	3	0	020	232.14
MFLR-50-1	50 Mesh	3	0	020	256.21
MFLR-76-1	76 Mesh	3	0	020	358.29
MFLR-100-1	100 Mesh	3	0	020	263.67
MFLR-150-1	150 Mesh	3	0	020	292.44
MFLR-200-1	200 Mesh	3	0	020	359.53




Schedule 40 Fittings & Accessories Reverse Flow Filters


Mesh Size	Hole Size (in.)	Part Number Extension
1/16" Holes	.0625	-16
1/32" Holes	.0312	-32
50 Mesh	.0117	-50
76 Mesh	.0095	-76
100 Mesh	.0059	-100
150 Mesh	.0041	-150
200 Mesh	.0029	-200

Additional Mesh Sizes available on request. Example: FLR-<u>50</u> = 50 Mesh

Typical Reverse Flow Application



- When more than 100 gpm is required, filters may be installed in parallel
- When installing filter, allow space for removing filter screen for cleaning
- Remove stainless steel filter screen before solvent welding filter to pipe manifold
- When filters are installed in direct sunlight, it is suggested the filter body be coated with a water-base latex paint having a high reflectance
- Installation in a shaded area is preferred



Series	Α	B Ou	tlet	C	Screen	Filter	
Series	Inlet	Socket	Spigot	Overall Length	Length	Approx. Weight	
FLR	4	2-1/2	3	28	24	8	
MFLR	4	2-1/2	3	16	12	4-3/4	

Schedule 40 Fittings & Accessories

In-line Tee Style Filters and Reverse In-line Tee Style Filters



100 GPM and 50 GPM • PVC White • Buna O-ring Seal





- In-line Design Simplifies Installation.
 Allows Easy Parallel Filter Configuration for Increased Flow and Filtration.
 Removable Type 304 Stainless Steel Filter Cartridges in Assorted Perforations and Screen Mesh.
- Standard Flow Filter (Internal-to-External) Traps Sediment on Inside of Cartridge, Reverse Flow Filter (External-to-Internal) Traps Sediment on Outside of Cartridge. Convenient Bottom Drain with 1-1/4" NPT Stainless Steel Reinforced Plastic Thread and

- Plug. Optional Cap with 1/4" Outlet Available. 200 psi Working Pressure for Water @ 73°F (23°C). Manufactured from NSF® Certified PVC Material.

100 GPM PVC White Tee Filter

Part Number	Size	Std	Mstr	Disc	Price				
artivallibol	0120	Pk	Ctn	Code	Each				
Buna-N O-ring Seal with Stainless Steel Screen									
TF-16 [*]	2-1/2 /3 x 2-1/2 /3	1	0	020	555.11				
TF-32*	2-1/2 /3 x 2-1/2 /3	1	0	020	567.73				
TF-50	2-1/2 /3 x 2-1/2 /3	1	0	020	643.40				
TF-76	2-1/2 /3 x 2-1/2 /3	1	0	020	777.14				
TF-100	2-1/2 /3 x 2-1/2 /3	1	0	020	706.48				
TF-150	2-1/2 /3 x 2-1/2 /3	1	0	020	731.74				
TF-200	2-1/2 /3 x 2-1/2 /3	1	0	020	794.81				
EO COM DVC W	site Tee Filter								

50 GPM PVC White Tee Filter

OU OF IN 1 VO WINCE TOO I INCI								
Part Number	Size	Std	Mstr	Disc	Price			
I all Nullibel	Size	Pk	Ctn	Code	Each			
Buna-N O-ring Seal with Stainless Steel Screen								
MTF-16*	2-1/2 /3 x 2-1/2 /3	1	0	020	466.82			
MTF-32*	2-1/2 /3 x 2-1/2 /3	1	0	020	474.37			
MTF-50	2-1/2 /3 x 2-1/2 /3	1	0	020	489.48			
MTF-76	2-1/2 /3 x 2-1/2 /3	1	0	020	592.98			
MTF-100	2-1/2 /3 x 2-1/2 /3	1	0	020	517.27			
MTF-150	2-1/2 /3 x 2-1/2 /3	1	0	020	542.49			
MTF-200	2-1/2 /3 x 2-1/2 /3	1	0	020	605.57			

	Hole	Part
Mesh Size	Size	Number
	(in.)	Extension
1/16" Holes	.0625	-16
1/32" Holes	.0312	-32
50 Mesh	.0117	-50
76 Mesh	.0095	-76
100 Mesh	.0059	-100
150 Mesh	.0041	-150
200 Mesh	.0029	-200

Additional Mesh Sizes available on request. Example: TF-50 = 50 Mesh

100 GPM PVC White Reverse Tee Filter

Part Number	Size	Std	Mstr	Disc	Price				
rait Nullibel	Size	Pk	Ctn	Code	Each				
Buna-N O-ring Seal with Stainless Steel Screen									
TF-16*	2-1/2 /3 x 2-1/2 /3	1	0	020	555.11				
TF-32*	2-1/2 /3 x 2-1/2 /3	1	0	020	567.73				
TFR-50	2-1/2 /3 x 2-1/2 /3	1	0	020	643.40				
TFR-76	2-1/2 /3 x 2-1/2 /3	1	0	020	777.14				
TFR-100	2-1/2 /3 x 2-1/2 /3	1	0	020	706.48				
TFR-150	2-1/2 /3 x 2-1/2 /3	1	0	020	731.74				
TFR-200	2-1/2 /3 x 2-1/2 /3	1	0	020	794.81				
EA ADM DVA MI	TO DO TO	mark.							

50 GPM PVC White Reverse Tee Filter

Part Number	er Size	Std	Mstr	Disc	Price			
rait ivuilibei		Pk	Ctn	Code	Each			
Buna-N O-ring Seal with Stainless Steel Screen								
MTF-16*	2-1/2 /3 x 2-1/2 /3	1	0	020	466.82			
MTF-32*	2-1/2 /3 x 2-1/2 /3	1	0	020	474.37			
MTFR-50	2-1/2 /3 x 2-1/2 /3	1	0	020	489.48			
MTFR-76	2-1/2 /3 x 2-1/2 /3	1	0	020	592.98			
MTFR-100	2-1/2 /3 x 2-1/2 /3	1	0	020	517.27			

50 GPM PVC White Reverse Tee Filter (continued)

Part Number	Size	Std Pk		Disc Code	Price Each			
Buna-N O-ring Seal with Stainless Steel Screen								
MTFR-150	2-1/2 /3 x 2-1/2 /3	1	0	020	542.49			
MTFR-200	2-1/2 /3 x 2-1/2 /3	1	0	020	605.57			

*Standard TF-16, TF-32, MTF-16 & MTF-32 can be utilized as Reverse Flow Filters by reversing installation from current inlet to outlet and current outlet to inlet.

100 GPM Filter Replacement Screens for TF Filters (24" Length)

Part Number	Size	Std	Mstr	Disc	Price
		Pk	Ctn	Code	Each
FL-16-1	1/16" Holes	3	0	020	222.04
FL-32-1	1/32" Holes	3	0	020	242.22
FL-50-1	50 Mesh	3	0	020	479.42
FL-76-1	76 Mesh	3	0	020	474.37
FL-100-1	100 Mesh	3	0	020	373.45
FL-150-1	150 Mesh	3	0	020	403.71
FL-200-1	200 Mesh	3	0	020	499.60
NOTE: When ordering replacement screens for TE and MTE Series Filters, places provide					

exact length of old screen within 1/64" to insure proper fit of new screen in your filter body.

50 GPM Filter Replacement Screens for MTF Filters (12" Length)

Part Number	Size	Std	Mstr	Disc	Price
		Pk	Ctn	Code	Each
MFL-16-1	1/16" Holes	3	0	020	222.04
MFL-32-1	1/32" Holes	3	0	020	232.14
MFL-50-1	50 Mesh	3	0	020	252.33
MFL-76-1	76 Mesh	3	0	020	358.29
MFL-100-1	100 Mesh	3	0	020	277.57
MFL-150-1	150 Mesh	3	0	020	307.85
MFL-200-1	200 Mesh	3	0	020	378.46
NOTE ME			- 0 :		

NOTE: When ordering replacement screens for TF and MTF Series Filters, please provide exact length of old screen within 1/64" to insure proper fit of new screen in your filter body.

100 GPM Reverse Flow Filter Replacement Screens for TFR Filters (24" Length)

Part Number Size	Std	Mstr	Disc	Price	
	Size	Pk	Ctn	Code	Each
FL-16-1	1/16" Holes	3	0	020	222.04
FL-32-1	1/32" Holes	3	0	020	242.22
FLR-50-1	50 Mesh	3	0	020	243.39
FLR-76-1	76 Mesh	3	0	020	474.37
FLR-100-1	100 Mesh	3	0	020	337.02
FLR-150-1	150 Mesh	3	0	020	383.52
FLR-200-1	200 Mesh	3	0	020	474.62

50 GPM Reverse Flow Filter Replacement Screens for MTFR Filters (12" Length)

Part Number	Size	Std Pk		Disc Code	Price Each
MFL-16-1	1/16" Holes	3	0	020	222.04
MFL-32-1	1/32" Holes	3	0	020	232.14



Schedule 40 Fittings & Accessories In-line Tee Style Filters and Reverse In-line Tee Style Filters


50 GPM Reverse Flow Filter Replacement Screens for MTFR Filters (12" Length) (continued)

Part Number	Size	Std	Mstr	Disc	Price
Part Number	Size	Pk	Ctn	Code	Each
MFLR-50-1	50 Mesh	3	0	020	256.21
MFLR-76-1	76 Mesh	3	0	020	358.29
MFLR-100-1	100 Mesh	3	0	020	263.67
MFLR-150-1	150 Mesh	3	0	020	292.44
MFLR-200-1	200 Mesh	3	0	020	359.53




IN-LINE TECHNICAL INFORMATION

Dimensions




Filter includes drain plug for 1-1/4" NPT outlet. Optional valve for blow-out or filter cap with 1/4" NPT outlet can be purchased separately.

Parallel Filter Installation



- When more than 100 gpm is required, filters may be installed in parallel.
- When installing filter, allow space for removing filter screen for cleaning.
- Remove stainless steel filter screen before solvent welding filter to pipe manifold to avoid cement contact with screen.
- When filters are installed in the direct sun, it is suggested the filter body be coated with a water-base latex paint having a high reflectance.
- Installation in a shaded area is preferred.

Pressure Loss






Schedule 40 Fittings & Accessories Hose Filters



7 GPM Steel



NOTE: It is recommended to connect the inlet of the Hose Filter to the system with a swivel adapter such as Spears® AP Series, to facilitate servicing of the filter element (refer to Hose Fittings).

	Hole	Part
Mesh Size	Size	Number
	(in.)	Extension
20 Mesh	.0331	-20
30 Mesh	.0232	-30
50 Mesh	.0117	-50
80 Mesh	.0070	-80
100 Mesh	.0059	-100
150 Mesh	.0041	-150
200 Mesh	0029	-200

Additional Mesh Sizes available on request. Example: HF-50 = 50 Mesh

7 GPM Hose Filter Assembly

7 GPM Hose Filt	ter Assembly				
Part Number	Size	Std Pk	Mstr	Disc	Price
	Caraan	PK	Ctn	Code	Each
with Stainless Steel HF-20	3/4	10	60	020	18.71
HF-30	3/4	10	60	020	18.71
HF-50	3/4	10	60	020	18.71
HF-80	3/4	10	60	020	18.71
HF-100	3/4	10	60	020	19.43
HF-150	3/4	10	60	020	19.67
HF-200	3/4	10	60	020	20.20
with Plastic/Nylon S	-				
HF-150N	3/4	10	60	020	19.67
Hose Filter Rep	lacement Screen				
		Std	Mstr	Disc	Price
Part Number	Size	Pk	Ctn	Code	Each
Stainless Steel Scre	en				
HF-20-1W	5	25	150	020	6.84
HF-30-1W	5	25	150	020	6.84
HF-50-1W	5	25	150	020	6.84
HF-80-1W	5	25	150	020	6.84
HF-100-1W	5	25	150	020	10.11
HF-150-1W	5	25	150	020	10.11
HF-200-1W	5	25	150	020	10.11
Plastic/Nylon Scree	n				
HF-150-1NW	4-3/4	25	150	020	10.11
7 GPM Hose File	ter Body Compo	nents	3		
Part Number	Size	Std	Mstr	Disc	Price
		Pk	Ctn	Code	Each
Hose Filter Body w/					
HF	3/4	10	60	020	14.07
Hose Washer					
W-100	3/4	50	1500	020	.04
Screen Washer					
S-W		600	0	901	.21