

## Thermoplastic Valves Diaphragm Valves



Socket/Threaded Style



Flanged Style

Pressure Rating @ 73°F (23°C), Water  
 1/2" - 2" 235 psi  
 1/2" - 4" Flanged  
 & Valves w/PTFE 150 psi  
 Diaphragms  
 6" 100 psi  
 8" 75 psi

Maximum Service Temperature  
 PVC = 140°F (60°C)  
 CPVC = 200°F (93°C)  
 PP = 180°F (82°C)

Temperature/Pressure De-ratings Apply  
 No Lubricants in Media Contact Area  
 See Diaphragm Valve Repair Kits Section  
 for Additional Options and Features

Contact Spears® for Pricing on  
 Additional Specialty Diaphragms

- Hypalon®
- Hypalon® backed PTFE
- PTFE Encapsulated O-rings  
 (for True Union Style Valves)



Spigot Style



PP Thread Style

### PVC - Socket Ends (True Union Style Uses End Connector O-ring Seals)

Size	EPDM Seals & Diaphragm	FKM Seals & Diaphragm	EPDM Seals & EPDM Backed PTFE Diaphragm	FKM Seals & EPDM Backed PTFE Diaphragm	FKM Seals & FKM Backed PTFE Diaphragm	Std Pk	Mstr Pk	Disc Code
1/2	2729-005	2739-005	2729T-005	2739T-005	2739VT-005	1	12	270
	<b>138.17</b>	<b>153.52</b>	<b>220.23</b>	<b>244.36</b>	<b>301.41</b>			
3/4	2729-007	2739-007	2729T-007	2739T-007	2739VT-007	1	8	270
	<b>156.82</b>	<b>174.26</b>	<b>235.19</b>	<b>263.92</b>	<b>325.84</b>			
1	2729-010	2739-010	2729T-010	2739T-010	2739VT-010	1	8	270
	<b>193.27</b>	<b>212.38</b>	<b>339.29</b>	<b>351.71</b>	<b>415.07</b>			
1-1/4	2729-012	2739-012	2729T-012	2739T-012	2739VT-012	1	4	270
	<b>289.32</b>	<b>344.00</b>	<b>466.44</b>	<b>494.42</b>	<b>559.41</b>			
1-1/2	2729-015	2739-015	2729T-015	2739T-015	2739VT-015	1	4	270
	<b>304.11</b>	<b>351.93</b>	<b>497.96</b>	<b>522.87</b>	<b>579.77</b>			
2	2729-020	2739-020	2729T-020	2739T-020	2739VT-020	1	0	270
	<b>359.78</b>	<b>426.36</b>	<b>567.82</b>	<b>596.35</b>	<b>727.21</b>			

### PVC - SR Threaded Ends (True Union Style Uses End Connector O-ring Seals)

Size	EPDM Seals & Diaphragm	FKM Seals & Diaphragm	EPDM Seals & EPDM Backed PTFE Diaphragm	FKM Seals & EPDM Backed PTFE Diaphragm	FKM Seals & FKM Backed PTFE Diaphragm	Std Pk	Mstr Pk	Disc Code
1/2	2721-005SR	2731-005SR	2721T-005SR	2731T-005SR	2731VT-005SR	1	12	270
	<b>138.17</b>	<b>153.52</b>	<b>220.23</b>	<b>244.36</b>	<b>301.41</b>			
3/4	2721-007SR	2731-007SR	2721T-007SR	2731T-007SR	2731VT-007SR	1	8	270
	<b>156.82</b>	<b>174.26</b>	<b>235.19</b>	<b>263.92</b>	<b>325.84</b>			
1	2721-010SR	2731-010SR	2721T-010SR	2731T-010SR	2731VT-010SR	1	8	270
	<b>193.27</b>	<b>212.38</b>	<b>339.29</b>	<b>351.71</b>	<b>415.07</b>			
1-1/4	2721-012SR	2731-012SR	2721T-012SR	2731T-012SR	2731VT-012SR	1	4	270
	<b>289.32</b>	<b>344.00</b>	<b>466.44</b>	<b>494.42</b>	<b>559.41</b>			
1-1/2	2721-015SR	2731-015SR	2721T-015SR	2731T-015SR	2731VT-015SR	1	4	270
	<b>304.11</b>	<b>351.93</b>	<b>497.96</b>	<b>522.87</b>	<b>579.77</b>			
2	2721-020SR	2731-020SR	2721T-020SR	2731T-020SR	2731VT-020SR	1	0	270
	<b>359.78</b>	<b>426.36</b>	<b>567.82</b>	<b>596.35</b>	<b>727.21</b>			

### PVC - Spigot Ends

Size	EPDM Diaphragm	FKM Diaphragm	EPDM Backed PTFE Diaphragm	FKM Backed PTFE Diaphragm	Std Pk	Mstr Pk	Disc Code
1/2	2727-005	2737-005	2797T-005	2797VT-005	1	12	270
	<b>134.69</b>	<b>149.64</b>	<b>212.65</b>	<b>246.13</b>			
3/4	2727-007	2737-007	2797T-007	2797VT-007	1	8	270
	<b>151.76</b>	<b>167.95</b>	<b>226.91</b>	<b>270.23</b>			
1	2727-010	2737-010	2797T-010	2797VT-010	1	8	270
	<b>188.36</b>	<b>205.13</b>	<b>331.25</b>	<b>385.63</b>			
1-1/4	2727-012	2737-012	2797T-012	2797VT-012	1	4	270
	<b>280.05</b>	<b>337.34</b>	<b>455.60</b>	<b>506.20</b>			
1-1/2	2727-015	2737-015	2797T-015	2797VT-015	1	4	270
	<b>296.52</b>	<b>343.13</b>	<b>485.58</b>	<b>554.63</b>			
2	2727-020	2737-020	2797T-020	2797VT-020	1	0	270
	<b>348.61</b>	<b>411.64</b>	<b>550.78</b>	<b>677.99</b>			



## Thermoplastic Valves Diaphragm Valves

### PVC - Flanged Ends

Size	EPDM Diaphragm	FKM Diaphragm	EPDM Backed PTFE Diaphragm	FKM Backed PTFE Diaphragm	Std Pk	Mstr Pk	Disc Code
1/2	2723-005	2733-005	2793T-005	2793VT-005	4	0	270
	<b>220.62</b>	<b>238.83</b>	<b>301.41</b>	<b>330.85</b>			
3/4	2723-007	2733-007	2793T-007	2793VT-007	4	0	270
	<b>247.91</b>	<b>254.18</b>	<b>325.84</b>	<b>367.59</b>			
1	2723-010	2733-010	2793T-010	2793VT-010	4	0	270
	<b>278.91</b>	<b>311.92</b>	<b>415.07</b>	<b>465.51</b>			
1-1/4	2723-012	2733-012	2793T-012	2793VT-012	1	4	270
	<b>378.85</b>	<b>419.41</b>	<b>559.41</b>	<b>617.51</b>			
1-1/2	2723-015	2733-015	2793T-015	2793VT-015	1	4	270
	<b>383.39</b>	<b>428.03</b>	<b>579.77</b>	<b>644.24</b>			
2	2723-020	2733-020	2793T-020	2793VT-020	1	0	270
	<b>455.72</b>	<b>487.52</b>	<b>650.22</b>	<b>743.36</b>			
2-1/2	2723-025	2733-025	2793T-025	2793VT-025	1	0	271
	<b>636.56</b>	<b>727.61</b>	<b>1005.45</b>	<b>1151.62</b>			
3	2723-030	2733-030	2793T-030	2793VT-030	1	0	271
	<b>851.09</b>	<b>945.73</b>	<b>1318.47</b>	<b>1458.88</b>			
4	2723-040	2733-040	2793T-040	2793VT-040	1	0	271
	<b>1178.95</b>	<b>1285.62</b>	<b>1827.12</b>	<b>2030.06</b>			
6	2723-060	2733-060	2793T-060	2793VT-060	1	0	271
	<b>2848.21</b>	<b>3334.72</b>	<b>4731.41</b>	<b>5199.41</b>			
8	2723-080	2733-080	2793T-080	2793VT-080	1	0	271
	<b>5694.80</b>	<b>6000.89</b>	<b>7022.07</b>	<b>7888.94</b>			

### CPVC - Socket Ends (True Union Style Uses End Connector O-ring Seals)

Size	EPDM Seals & Diaphragm	FKM Seals & Diaphragm	EPDM Seals & EPDM Backed PTFE Diaphragm	FKM Seals & EPDM Backed PTFE Diaphragm	FKM Seals & FKM Backed PTFE Diaphragm	Std Pk	Mstr Pk	Disc Code
1/2	2729-005C	2739-005C	2729T-005C	2739T-005C	2739VT-005C	1	12	272
	<b>244.62</b>	<b>313.51</b>	<b>351.63</b>	<b>378.55</b>	<b>418.69</b>			
3/4	2729-007C	2739-007C	2729T-007C	2739T-007C	2739VT-007C	1	8	272
	<b>272.25</b>	<b>334.25</b>	<b>388.35</b>	<b>405.93</b>	<b>448.98</b>			
1	2729-010C	2739-010C	2729T-010C	2739T-010C	2739VT-010C	1	8	272
	<b>314.22</b>	<b>406.44</b>	<b>472.16</b>	<b>492.53</b>	<b>540.93</b>			
1-1/4	2729-012C	2739-012C	2729T-012C	2739T-012C	2739VT-012C	1	4	272
	<b>471.96</b>	<b>561.55</b>	<b>651.60</b>	<b>674.64</b>	<b>733.86</b>			
1-1/2	2729-015C	2739-015C	2729T-015C	2739T-015C	2739VT-015C	1	4	272
	<b>485.93</b>	<b>568.46</b>	<b>661.72</b>	<b>699.96</b>	<b>756.38</b>			
2	2729-020C	2739-020C	2729T-020C	2739T-020C	2739VT-020C	1	0	272
	<b>517.58</b>	<b>648.78</b>	<b>727.66</b>	<b>806.34</b>	<b>891.86</b>			

### CPVC - SR Threaded Ends (True Union Style Uses End Connector O-ring Seals)

Size	EPDM Seals & Diaphragm	FKM Seals & Diaphragm	EPDM Seals & EPDM Backed PTFE Diaphragm	FKM Seals & EPDM Backed PTFE Diaphragm	FKM Seals & FKM Backed PTFE Diaphragm	Std Pk	Mstr Pk	Disc Code
1/2	2721-005CSR	2731-005CSR	2721T-005CSR	2731T-005CSR	2731VT-005CSR	1	12	272
	<b>244.62</b>	<b>313.51</b>	<b>351.63</b>	<b>378.55</b>	<b>418.69</b>			
3/4	2721-007CSR	2731-007CSR	2721T-007CSR	2731T-007CSR	2731VT-007CSR	1	8	272
	<b>272.25</b>	<b>334.25</b>	<b>388.35</b>	<b>405.93</b>	<b>448.98</b>			
1	2721-010CSR	2731-010CSR	2721T-010CSR	2731T-010CSR	2731VT-010CSR	1	8	272
	<b>314.22</b>	<b>406.44</b>	<b>472.16</b>	<b>492.53</b>	<b>540.93</b>			
1-1/4	2721-012CSR	2731-012CSR	2721T-012CSR	2731T-012CSR	2731VT-012CSR	1	4	272
	<b>471.96</b>	<b>561.55</b>	<b>651.60</b>	<b>674.64</b>	<b>733.86</b>			
1-1/2	2721-015CSR	2731-015CSR	2721T-015CSR	2731T-015CSR	2731VT-015CSR	1	4	272
	<b>485.93</b>	<b>568.46</b>	<b>661.72</b>	<b>699.96</b>	<b>756.38</b>			
2	2721-020CSR	2731-020CSR	2721T-020CSR	2731T-020CSR	2731VT-020CSR	1	0	272
	<b>517.58</b>	<b>648.78</b>	<b>727.66</b>	<b>806.34</b>	<b>891.86</b>			

### CPVC - Spigot Ends

Size	EPDM Diaphragm	FKM Diaphragm	EPDM Backed PTFE Diaphragm	FKM Backed PTFE Diaphragm	Std Pk	Mstr Pk	Disc Code
1/2	2727-005C	2737-005C	2797T-005C	2797VT-005C	1	12	272
	<b>238.46</b>	<b>303.65</b>	<b>341.72</b>	<b>381.72</b>			
3/4	2727-007C	2737-007C	2797T-007C	2797VT-007C	1	8	272
	<b>264.71</b>	<b>323.88</b>	<b>376.61</b>	<b>416.62</b>			
1	2727-010C	2737-010C	2797T-010C	2797VT-010C	1	8	272
	<b>307.49</b>	<b>395.07</b>	<b>460.20</b>	<b>507.17</b>			
1-1/4	2727-012C	2737-012C	2797T-012C	2797VT-012C	1	4	272
	<b>460.04</b>	<b>546.16</b>	<b>634.12</b>	<b>702.56</b>			
1-1/2	2727-015C	2737-015C	2797T-015C	2797VT-015C	1	4	272
	<b>470.28</b>	<b>551.86</b>	<b>645.07</b>	<b>713.87</b>			
2	2727-020C	2737-020C	2797T-020C	2797VT-020C	1	0	272
	<b>504.53</b>	<b>632.13</b>	<b>709.15</b>	<b>783.86</b>			

## Thermoplastic Valves Diaphragm Valves



### CPVC - Flanged Ends

Size	EPDM Diaphragm	FKM Diaphragm	EPDM Backed PTFE Diaphragm	FKM Backed PTFE Diaphragm	Std Pk	Mstr Pk	Disc Code
<b>1/2</b>	2723-005C <b>295.77</b>	2733-005C <b>326.63</b>	2793T-005C <b>426.35</b>	2793VT-005C <b>472.87</b>	4	0	272
<b>3/4</b>	2723-007C <b>330.71</b>	2733-007C <b>365.27</b>	2793T-007C <b>455.83</b>	2793VT-007C <b>504.24</b>	4	0	272
<b>1</b>	2723-010C <b>407.22</b>	2733-010C <b>455.39</b>	2793T-010C <b>560.14</b>	2793VT-010C <b>621.29</b>	4	0	272
<b>1-1/4</b>	2723-012C <b>520.28</b>	2733-012C <b>596.04</b>	2793T-012C <b>707.06</b>	2793VT-012C <b>781.59</b>	1	4	272
<b>1-1/2</b>	2723-015C <b>527.19</b>	2733-015C <b>610.71</b>	2793T-015C <b>844.60</b>	2793VT-015C <b>930.33</b>	1	4	272
<b>2</b>	2723-020C <b>590.43</b>	2733-020C <b>662.17</b>	2793T-020C <b>938.46</b>	2793VT-020C <b>1042.25</b>	1	0	272
<b>2-1/2</b>	2723-025C <b>1072.56</b>	2733-025C <b>1197.84</b>	2793T-025C <b>1852.20</b>	2793VT-025C <b>2190.55</b>	1	0	273
<b>3</b>	2723-030C <b>1618.78</b>	2733-030C <b>1798.63</b>	2793T-030C <b>2436.57</b>	2793VT-030C <b>2694.60</b>	1	0	273
<b>4</b>	2723-040C <b>2223.06</b>	2733-040C <b>2469.55</b>	2793T-040C <b>3238.77</b>	2793VT-040C <b>3455.46</b>	1	0	273
<b>6</b>	2723-060C <b>4069.32</b>	2733-060C <b>5834.95</b>	2793T-060C <b>7122.09</b>	2793VT-060C <b>9280.51</b>	1	0	273
<b>8</b>	2723-080C <b>8133.81</b>	2733-080C <b>10503.55</b>	2793T-080C <b>10621.16</b>	2793VT-080C <b>11800.37</b>	1	0	273

### PP - SR Threaded Ends (True Union Style Uses End Connector O-ring Seals)

Size	EPDM Seals & Diaphragm	FKM Seals & Diaphragm	EPDM Seals & EPDM Backed PTFE Diaphragm	FKM Seals & EPDM Backed PTFE Diaphragm	FKM Seals & FKM Backed PTFE Diaphragm	Std Pk	Mstr Pk	Disc Code
<b>1/2</b>	2721-005PSR <b>141.92</b>	2731-005PSR <b>157.88</b>	2721T-005PSR <b>226.87</b>	2731T-005PSR <b>238.82</b>	2731VT-005PSR <b>270.09</b>	1	12	280
<b>3/4</b>	2721-007PSR <b>161.63</b>	2731-007PSR <b>179.32</b>	2721T-007PSR <b>237.53</b>	2731T-007PSR <b>252.03</b>	2731VT-007PSR <b>295.88</b>	1	8	280
<b>1</b>	2721-010PSR <b>199.94</b>	2731-010PSR <b>220.29</b>	2721T-010PSR <b>346.26</b>	2731T-010PSR <b>364.27</b>	2731VT-010PSR <b>384.35</b>	1	8	280
<b>1-1/4</b>	2721-012PSR <b>303.65</b>	2731-012PSR <b>338.13</b>	2721T-012PSR <b>474.08</b>	2731T-012PSR <b>497.04</b>	2731VT-012PSR <b>551.59</b>	1	4	280
<b>1-1/2</b>	2721-015PSR <b>317.62</b>	2731-015PSR <b>352.59</b>	2721T-015PSR <b>505.57</b>	2731T-015PSR <b>530.11</b>	2731VT-015PSR <b>570.94</b>	1	4	280
<b>2</b>	2721-020PSR <b>369.41</b>	2731-020PSR <b>410.53</b>	2721T-020PSR <b>576.81</b>	2731T-020PSR <b>605.21</b>	2731VT-020PSR <b>657.75</b>	1	0	280

### PP - Flanged Ends

Size	EPDM Diaphragm	FKM Diaphragm	EPDM Backed PTFE Diaphragm	FKM Backed PTFE Diaphragm	Std Pk	Mstr Pk	Disc Code
<b>2-1/2</b>	2723-025P <b>680.55</b>	2733-025P <b>752.06</b>	2793T-025P <b>1070.76</b>	2793VT-025P <b>1195.80</b>	1	0	281
<b>3</b>	2723-030P <b>973.09</b>	2733-030P <b>1075.14</b>	2793T-030P <b>1480.80</b>	2793VT-030P <b>1651.21</b>	1	0	281
<b>4</b>	2723-040P <b>1400.18</b>	2733-040P <b>1541.54</b>	2793T-040P <b>1973.94</b>	2793VT-040P <b>2189.40</b>	1	0	281
<b>6</b>	2723-060P <b>3465.21</b>	2733-060P <b>3850.23</b>	2793T-060P <b>4947.32</b>	2793VT-060P <b>5592.09</b>	1	0	281
<b>8</b>	2723-080P <b>8626.77</b>	2733-080P <b>7766.52</b>	2793T-080P <b>8980.86</b>	2793VT-080P <b>15133.51</b>	1	0	281



## Thermoplastic Valves Tee-Style "Zero Dead-Leg" Diaphragm Valves



Valves are produced to order in Diaphragm Valve sizes 1/2" - 2" and virtually any user specified Mainline Socket Tee size available.  
 Tee-Style Valve material options include PVC, CPVC, or Low Extractable PVC.  
 Valve End Connection options include Spigot, Socket & Thread, or patented Special Reinforced (SR) Female Plastic Thread.  
 Diaphragm Options include EPDM, FKM, PTFE with bonded EPDM backing, or PTFE with bonded FKM backing.

Pressure Rating @ 73°F (23°C), Water  
 Valve Sizes 1/2" - 2" (20mm - 63mm)  
 235 psi with Elastomer Diaphragms  
 150 psi with PTFE Diaphragms

Maximum Service Temperature  
 PVC = 140°F (60°C)  
 CPVC = 200°F (93°C)  
 Temperature/Pressure De-ratings Apply

**CONTACT SPEARS® FOR SELECTION ASSISTANCE & PRICING**

### Quick View Selection Chart

The following Base Part Numbers must be completed according to desired configuration size. Contact Spears® for the appropriate Tee size x Valve size code designations to replace the "xxx" in each.

Diaphragm Material	PVC Base Part Number			Pressure Rating @ 73°F (23°C)
	Spigot	Socket & Threaded	SR Threaded	
EPDM	2727ZD-xxx	2729ZD-xxx	2721ZD-xxxSR	1/2" – 2" 235 psi
FKM	2737ZD-xxx	2739ZD-xxx	2731ZD-xxxSR	
PTFE, EPDM Backing	2797TZD-xxx	2729TZD-xxx	2721TZD-xxxSR	1/2" – 2" 150 psi
PTFE FKM Backing	2797VTZD-xxx	2739VTZD-xxx	2731VTZD-xxxSR	

Diaphragm Material	CPVC Base Part Number			Pressure Rating @ 73°F (23°C)
	Spigot	Socket & Threaded	SR Threaded	
EPDM	2727ZD-xxxC	2729ZD-xxxC	2721ZD-xxxCSR	1/2" – 2" 235 psi
FKM	2737ZD-xxxC	2739ZD-xxxC	2731ZD-xxxCSR	
PTFE, EPDM Backing	2797TZD-xxxC	2729TZD-xxxC	2721TZD-xxxCSR	1/2" – 2" 150 psi
PTFE FKM Backing	2797VTZD-xxxC	2739VTZD-xxxC	2731VTZD-xxxCSR	

Diaphragm Material	Low Extractable PVC Base Part Number			Pressure Rating @ 73°F (23°C)
	Spigot	Socket & Threaded	SR Threaded	
EPDM	2727ZD-xxxBL	2729ZD-xxxBL	2721ZD-xxxSRBL	1/2" – 2" 235 psi
FKM	2737ZD-xxxBL	2739ZD-xxxBL	2731ZD-xxxSRBL	
PTFE, EPDM Backing	2797TZD-xxxBL	2729TZD-xxxBL	2721TZD-xxxSRBL	1/2" – 2" 150 psi
PTFE FKM Backing	2797VTZD-xxxBL	2739VTZD-xxxBL	2731VTZD-xxxSRBL	

**Note:** Low Extractable PVC Valves are typically used with elastomer backed PTFE Diaphragms to maintain purity in most applications. Tee-Style Zero Dead-Leg Diaphragm Valves are a non-stock configuration. All orders are non-cancelable, non-returnable.

## Thermoplastic Valves Diaphragm Valve Repair Kits



### True Union Style Diaphragm Valve Repair Kits

Size	EPDM	FKM	Std Pk	Mstr Pk	Disc Code
<b>O-rings &amp; Elastomer Diaphragm</b>					
1/2	DV-ERK-005 48.20	DV-VRK-005 105.40	1	10	299
3/4	DV-ERK-007 54.73	DV-VRK-007 114.24	1	10	299
1	DV-ERK-010 68.46	DV-VRK-010 126.84	1	10	299
1-1/4 OR 1-1/2	DV-ERK-015 94.45	DV-VRK-015 214.43	1	10	299
2	DV-ERK-020 112.41	DV-VRK-020 255.15	1	10	299

### O-rings & EPDM Backed PTFE Diaphragm

1/2	DV-TERK-005 128.29	DV-TVVK-005 133.76	1	10	299
3/4	DV-TERK-007 143.19	DV-TVVK-007 148.60	1	10	299
1	DV-TERK-010 172.77	DV-TVVK-010 174.85	1	10	299
1-1/4 OR 1-1/2	DV-TERK-015 236.68	DV-TVVK-015 239.53	1	10	299
2	DV-TERK-020 276.03	DV-TVVK-020 283.85	1	10	299

### O-rings & FKM Backed PTFE Diaphragm

1/2	DV-VTERK-005 147.72	DV-VTVRK-005 164.99	1	10	299
3/4	DV-VTERK-007 154.84	DV-VTVRK-007 174.87	1	10	299
1	DV-VTERK-010 190.40	DV-VTVRK-010 211.69	1	10	299
1-1/4 OR 1-1/2	DV-VTERK-015 332.40	DV-VTVRK-015 344.31	1	5	299
2	DV-VTERK-020 337.97	DV-VTVRK-020 488.32	1	5	299

True Union Diaphragm Repair Kits include:

- 1-Diaphragm
- 2-End Connector O-rings

Contact Spears® for Pricing on Additional Specialty Diaphragms

- Hypalon®
- Hypalon® backed PTFE
- PTFE Encapsulated O-rings (for True Union Style Valves)

### Diaphragm Only - Elastomer

Size	EPDM	FKM	Std Pk	Mstr Pk	Disc Code
1/2	27-39-00541A 38.47	27-39-00542A 82.61	1	0	901
3/4	27-39-00741A 62.71	27-39-00742A 102.11	1	0	901
1	27-39-01041A 55.51	27-39-01042A 129.20	1	0	901
1-1/4 OR 1-1/2	27-39-01541 62.41	27-39-01542 168.26	1	0	901
2	27-39-02041 90.07	27-39-02042 207.06	1	0	901
3	27-39-03041 185.43	27-39-03042 528.11	1	0	901
4	27-39-04041 211.92	27-39-04042 900.20	1	0	901
6	27-39-06041 457.25	27-39-06042 2842.76	1	0	901
8	27-39-08041 744.68	27-39-08042 5141.15	1	0	901

### Diaphragm Only - PTFE with Elastomer Backing

Size	PTFE/EPDM	PTFE/FKM	Std Pk	Mstr Pk	Disc Code
1/2	27-39-00565A 111.42	27-39-00566A 128.42	100	0	299
3/4	27-39-00765A 124.64	27-39-00766A 133.83	25	0	299
1	27-39-01065A 139.02	27-39-01066A 165.27	25	0	299

### Diaphragm Only - PTFE with Elastomer Backing (continued)

Size	PTFE/EPDM	PTFE/FKM	Std Pk	Mstr Pk	Disc Code
1-1/4 OR 1-1/2	27-39-01565 206.74	27-39-01566 336.64	100	0	299
2	27-39-02065 240.78	27-39-02066 379.28	100	0	299
3	27-39-03065 660.63	27-39-03066 819.35	15	0	299
4	27-39-04065 1283.15	27-39-04066 1409.06	10	0	299
6	27-39-06065 2835.58	27-39-06066 3152.88	1	5	299
8	27-39-08065 5140.74	27-39-08066 5662.62	1	0	299