



## Thermoplastic Valves Y-Pattern Valves



Socket Style



True Union Style

Pressure Rating @ 73°F (23°C), Water  
 1/2" - 2"      150 psi  
 3" - 4"      90 psi  
 Maximum Service Temperature  
 PVC      = 140°F (60°C)  
 CPVC     = 200°F (93°C)  
 Temperature/Pressure De-ratings Apply

### PVC - Socket Ends

Size	EPDM	FKM	Std Pk	Mstr Pk	Disc Code
1/2	1722-005	1732-005	1	12	620
	<b>83.76</b>	<b>88.61</b>			
3/4	1722-007	1732-007	1	8	620
	<b>98.27</b>	<b>104.72</b>			
1	1722-010	1732-010	1	8	620
	<b>117.59</b>	<b>125.64</b>			
1-1/4	1722-012	1732-012	1	4	620
	<b>143.38</b>	<b>157.88</b>			
1-1/2	1722-015	1732-015	1	0	620
	<b>191.71</b>	<b>202.98</b>			
2	1722-020	1732-020	2	0	620
	<b>272.25</b>	<b>289.99</b>			
3	1722-030	1732-030	1	0	620
	<b>586.39</b>	<b>637.95</b>			
4	1722-040	1732-040	1	0	620
	<b>995.58</b>	<b>1084.20</b>			

### PVC Clear - Socket Ends

Size	EPDM	FKM	Std Pk	Mstr Pk	Disc Code
1/2	1722-005CL	1732-005CL	1	12	621
	<b>83.76</b>	<b>88.61</b>			
3/4	1722-007CL	1732-007CL	1	8	621
	<b>98.27</b>	<b>104.72</b>			
1	1722-010CL	1732-010CL	1	8	621
	<b>117.59</b>	<b>125.64</b>			
1-1/4	1722-012CL	1732-012CL	1	4	621
	<b>143.38</b>	<b>157.88</b>			
1-1/2	1722-015CL	1732-015CL	1	0	621
	<b>191.71</b>	<b>202.98</b>			
2	1722-020CL	1732-020CL	2	0	621
	<b>272.25</b>	<b>289.99</b>			
3	1722-030CL	1732-030CL	1	0	621
	<b>586.39</b>	<b>637.95</b>			
4	1722-040CL	1732-040CL	1	0	621
	<b>995.58</b>	<b>1084.20</b>			

### PVC - SR Threaded Ends

Size	EPDM	FKM	Std Pk	Mstr Pk	Disc Code
1/2	1721-005SR	1731-005SR	1	8	620
	<b>86.99</b>	<b>91.83</b>			
3/4	1721-007SR	1731-007SR	1	8	620
	<b>103.09</b>	<b>109.55</b>			
1	1721-010SR	1731-010SR	1	8	620
	<b>124.05</b>	<b>132.11</b>			
1-1/4	1721-012SR	1731-012SR	1	0	620
	<b>169.14</b>	<b>178.81</b>			
1-1/2	1721-015SR	1731-015SR	1	0	620
	<b>207.80</b>	<b>217.48</b>			
2	1721-020SR	1731-020SR	1	0	620
	<b>293.20</b>	<b>307.71</b>			
3	1721-030SR	1731-030SR	1	0	620
	<b>629.88</b>	<b>681.44</b>			
4	1721-040SR	1731-040SR	1	0	620
	<b>1040.69</b>	<b>1129.28</b>			

### PVC Clear - SR Threaded Ends

Size	EPDM	FKM	Std Pk	Mstr Pk	Disc Code
1/2	1721-005CLSR	1731-005CLSR	1	8	621
	<b>86.99</b>	<b>91.83</b>			
3/4	1721-007CLSR	1731-007CLSR	1	8	621
	<b>103.09</b>	<b>109.55</b>			
1	1721-010CLSR	1731-010CLSR	1	8	621
	<b>124.05</b>	<b>132.11</b>			
1-1/4	1721-012CLSR	1731-012CLSR	1	0	621
	<b>169.14</b>	<b>178.81</b>			
1-1/2	1721-015CLSR	1731-015CLSR	1	0	621
	<b>207.80</b>	<b>217.48</b>			
2	1721-020CLSR	1731-020CLSR	1	0	621
	<b>293.20</b>	<b>307.71</b>			
3	1721-030CLSR	1731-030CLSR	1	0	621
	<b>629.88</b>	<b>681.44</b>			
4	1721-040CLSR	1731-040CLSR	1	0	621
	<b>1040.69</b>	<b>1129.28</b>			

### PVC - Flanged Ends

Size	EPDM	FKM	Std Pk	Mstr Pk	Disc Code
1/2	1723-005	1733-005	1	8	620
	<b>117.59</b>	<b>122.43</b>			
3/4	1723-007	1733-007	1	4	620
	<b>135.32</b>	<b>141.77</b>			
1	1723-010	1733-010	1	4	620
	<b>159.47</b>	<b>165.93</b>			
1-1/4	1723-012	1733-012	1	0	620
	<b>186.86</b>	<b>199.76</b>			
1-1/2	1723-015	1733-015	1	0	620
	<b>235.20</b>	<b>246.49</b>			
2	1723-020	1733-020	1	0	620
	<b>330.23</b>	<b>346.36</b>			
3	1723-030	1733-030	1	0	620
	<b>644.40</b>	<b>695.95</b>			
4	1723-040	1733-040	1	0	620
	<b>1279.09</b>	<b>1356.44</b>			

### PVC Clear - Flanged Ends

Size	EPDM	FKM	Std Pk	Mstr Pk	Disc Code
1/2	1723-005CL	1733-005CL	1	8	621
	<b>117.59</b>	<b>122.43</b>			
3/4	1723-007CL	1733-007CL	1	8	621
	<b>135.32</b>	<b>141.77</b>			
1	1723-010CL	1733-010CL	1	4	621
	<b>159.47</b>	<b>165.93</b>			
1-1/4	1723-012CL	1733-012CL	1	0	621
	<b>186.86</b>	<b>199.76</b>			
1-1/2	1723-015CL	1733-015CL	1	0	621
	<b>235.20</b>	<b>246.49</b>			
2	1723-020CL	1733-020CL	1	0	621
	<b>330.23</b>	<b>346.36</b>			
3	1723-030CL	1733-030CL	1	0	621
	<b>644.40</b>	<b>695.95</b>			
4	1723-040CL	1733-040CL	1	0	621
	<b>1279.09</b>	<b>1356.44</b>			

**Thermoplastic Valves  
Y-Pattern Valves**



**CPVC - Socket Ends**

Size	EPDM	FKM	Std Pk	Mstr Pk	Disc Code
<b>1/2</b>	1722-005C 117.59	1732-005C 124.05	1	12	622
<b>3/4</b>	1722-007C 138.55	1732-007C 148.21	1	8	622
<b>1</b>	1722-010C 165.93	1732-010C 177.22	1	8	622
<b>1-1/4</b>	1722-012C 204.59	1732-012C 217.48	1	4	622
<b>1-1/2</b>	1722-015C 270.65	1732-015C 286.74	1	0	622
<b>2</b>	1722-020C 383.40	1732-020C 409.18	2	0	622
<b>3</b>	1722-030C 821.60	1732-030C 892.48	1	0	622
<b>4</b>	1722-040C 1393.48	1732-040C 1517.53	1	0	622

**CPVC - SR Threaded Ends**

Size	EPDM	FKM	Std Pk	Mstr Pk	Disc Code
<b>1/2</b>	1721-005CSR 120.82	1731-005CSR 128.89	1	8	622
<b>3/4</b>	1721-007CSR 143.38	1731-007CSR 153.04	1	8	622
<b>1</b>	1721-010CSR 173.98	1731-010CSR 177.22	1	8	622
<b>1-1/4</b>	1721-012CSR 212.65	1731-012CSR 228.77	1	0	622
<b>1-1/2</b>	1721-015CSR 291.58	1731-015CSR 307.71	1	0	622
<b>2</b>	1721-020CSR 407.57	1731-020CSR 430.15	1	0	622
<b>3</b>	1721-030CSR 881.20	1731-030CSR 953.68	1	0	622
<b>4</b>	1721-040CSR 1388.65	1731-040CSR 1580.38	1	0	622

**CPVC - Flanged Ends**

Size	EPDM	FKM	Std Pk	Mstr Pk	Disc Code
<b>1/2</b>	1723-005C 193.32	1733-005C 199.76	1	8	622
<b>3/4</b>	1723-007C 220.71	1733-007C 230.36	1	8	622
<b>1</b>	1723-010C 267.41	1733-010C 278.69	1	4	622
<b>1-1/4</b>	1723-012C 320.58	1733-012C 331.87	1	0	622
<b>1-1/2</b>	1723-015C 433.36	1733-015C 449.46	1	0	622
<b>2</b>	1723-020C 552.57	1733-020C 578.35	1	0	622
<b>3</b>	1723-030C 1063.25	1733-030C 1135.74	1	0	622
<b>4</b>	1723-040C 1725.34	1733-040C 1834.91	1	0	622

**PVC - True Union Socket Ends**

Size	EPDM	FKM	Std Pk	Mstr Pk	Disc Code
<b>1/2</b>	172A-005 99.87	173A-005 104.72	1	8	620
<b>3/4</b>	172A-007 115.98	173A-007 122.43	1	8	620
<b>1</b>	172A-010 138.55	173A-010 148.21	1	4	620
<b>1-1/4</b>	172A-012 169.14	173A-012 185.27	2	0	620
<b>1-1/2</b>	172A-015 225.54	173A-015 238.42	2	0	620
<b>2</b>	172A-020 318.98	173A-020 341.54	1	0	620
<b>3</b>	172A-030 689.49	173A-030 749.12	1	0	620
<b>4</b>	172A-040 1171.18	173A-040 1274.31	1	0	620

**PVC - True Union Threaded Ends**

Size	EPDM	FKM	Std Pk	Mstr Pk	Disc Code
<b>1/2</b>	172B-005 99.87	173B-005 104.72	1	8	620
<b>3/4</b>	172B-007 115.98	173B-007 122.43	1	8	620
<b>1</b>	172B-010 138.55	173B-010 148.21	1	4	620
<b>1-1/4</b>	172B-012 169.14	173B-012 185.27	2	0	620
<b>1-1/2</b>	172B-015 225.54	173B-015 238.42	1	0	620
<b>2</b>	172B-020 318.98	173B-020 341.54	1	0	620
<b>3</b>	172B-030 689.49	173B-030 749.12	1	0	620
<b>4</b>	172B-040 1171.18	173B-040 1274.31	1	0	620

**PVC - True Union SR Threaded Ends**

Size	EPDM	FKM	Std Pk	Mstr Pk	Disc Code
<b>1/2</b>	172B-005SR 103.09	173B-005SR 107.93	1	8	620
<b>3/4</b>	172B-007SR 120.82	173B-007SR 128.89	1	8	620
<b>1</b>	172B-010SR 146.60	173B-010SR 154.66	1	4	620
<b>1-1/4</b>	172B-012SR 199.77	173B-012SR 211.03	1	0	620
<b>1-1/2</b>	172B-015SR 244.86	173B-015SR 256.15	1	0	620
<b>2</b>	172B-020SR 344.75	173B-020SR 362.47	1	0	620
<b>3</b>	172B-030SR 741.03	173B-030SR 802.25	1	0	620
<b>4</b>	172B-040SR 1224.34	173B-040SR 1329.06	1	0	620

**PVC Clear - True Union Socket Ends**

Size	EPDM	FKM	Std Pk	Mstr Pk	Disc Code
<b>1/2</b>	172A-005CL 99.87	173A-005CL 104.72	1	8	621
<b>3/4</b>	172A-007CL 115.98	173A-007CL 122.43	1	8	621
<b>1</b>	172A-010CL 138.55	173A-010CL 148.21	1	4	621
<b>1-1/4</b>	172A-012CL 169.14	173A-012CL 185.27	2	0	621
<b>1-1/2</b>	172A-015CL 225.54	173A-015CL 238.42	2	0	621
<b>2</b>	172A-020CL 318.98	173A-020CL 341.54	1	0	621
<b>3</b>	172A-030CL 689.49	173A-030CL 749.12	1	0	621
<b>4</b>	172A-040CL 1171.18	173A-040CL 1274.31	1	0	621

**PVC Clear - True Union Threaded Ends**

Size	EPDM	FKM	Std Pk	Mstr Pk	Disc Code
<b>1/2</b>	172B-005CL 99.87	173B-005CL 104.72	1	8	621
<b>3/4</b>	172B-007CL 115.98	173B-007CL 122.43	1	8	621
<b>1</b>	172B-010CL 138.55	173B-010CL 148.21	1	4	621
<b>1-1/4</b>	172B-012CL 169.14	173B-012CL 185.27	2	0	621
<b>1-1/2</b>	172B-015CL 225.54	173B-015CL 238.42	1	0	621
<b>2</b>	172B-020CL 318.98	173B-020CL 341.54	1	0	621
<b>3</b>	172B-030CL 689.49	173B-030CL 749.12	1	0	621
<b>4</b>	172B-040CL 1171.18	173B-040CL 1274.31	1	0	621



## Thermoplastic Valves Y-Pattern Valves

### PVC Clear - True Union SR Threaded Ends

Size	EPDM	FKM	Std Pk	Mstr Pk	Disc Code
<b>1/2</b>	172B-005CLSR <b>103.09</b>	173B-005CLSR <b>107.93</b>	1	8	621
<b>3/4</b>	172B-007CLSR <b>120.82</b>	173B-007CLSR <b>128.89</b>	1	8	621
<b>1</b>	172B-010CLSR <b>146.60</b>	173B-010CLSR <b>154.66</b>	1	4	621
<b>1-1/4</b>	172B-012CLSR <b>199.76</b>	173B-012CLSR <b>211.03</b>	2	0	621
<b>1-1/2</b>	172B-015CLSR <b>244.86</b>	173B-015CLSR <b>256.15</b>	1	0	621
<b>2</b>	172B-020CLSR <b>344.75</b>	173B-020CLSR <b>362.47</b>	1	0	621
<b>3</b>	172B-030CLSR <b>741.03</b>	173B-030CLSR <b>802.25</b>	1	0	621
<b>4</b>	172B-040CLSR <b>1224.34</b>	173B-040CLSR <b>1329.06</b>	1	0	621

### CPVC - True Union Socket Ends

Size	EPDM	FKM	Std Pk	Mstr Pk	Disc Code
<b>1/2</b>	172A-005C <b>138.55</b>	173A-005C <b>146.60</b>	1	8	622
<b>3/4</b>	172A-007C <b>162.71</b>	173A-007C <b>173.98</b>	1	8	622
<b>1</b>	172A-010C <b>194.93</b>	173A-010C <b>207.80</b>	1	4	622
<b>1-1/4</b>	172A-012C <b>240.03</b>	173A-012C <b>256.15</b>	2	0	622
<b>1-1/2</b>	172A-015C <b>318.98</b>	173A-015C <b>336.69</b>	2	0	622
<b>2</b>	172A-020C <b>451.07</b>	173A-020C <b>481.68</b>	1	0	622
<b>3</b>	172A-030C <b>966.60</b>	173A-030C <b>1050.37</b>	1	0	622
<b>4</b>	172A-040C <b>1638.37</b>	173A-040C <b>1784.97</b>	1	0	622

### CPVC - True Union Threaded Ends

Size	EPDM	FKM	Std Pk	Mstr Pk	Disc Code
<b>1/2</b>	172B-005C <b>138.55</b>	173B-005C <b>146.60</b>	1	8	622
<b>3/4</b>	172B-007C <b>162.71</b>	173B-007C <b>173.98</b>	1	8	622
<b>1</b>	172B-010C <b>194.93</b>	173B-010C <b>207.80</b>	1	4	622
<b>1-1/4</b>	172B-012C <b>240.03</b>	173B-012C <b>256.15</b>	2	0	622
<b>1-1/2</b>	172B-015C <b>318.98</b>	173B-015C <b>336.69</b>	2	0	622
<b>2</b>	172B-020C <b>451.07</b>	173B-020C <b>481.68</b>	1	0	622
<b>3</b>	172B-030C <b>966.60</b>	173B-030C <b>1050.37</b>	1	0	622
<b>4</b>	172B-040C <b>1638.37</b>	173B-040C <b>1784.97</b>	1	0	622

### CPVC - True Union SR Threaded Ends

Size	EPDM	FKM	Std Pk	Mstr Pk	Disc Code
<b>1/2</b>	172B-005CSR <b>141.77</b>	173B-005CSR <b>151.43</b>	1	8	622
<b>3/4</b>	172B-007CSR <b>169.14</b>	173B-007CSR <b>180.43</b>	1	8	622
<b>1</b>	172B-010CSR <b>204.59</b>	173B-010CSR <b>207.80</b>	1	4	622
<b>1-1/4</b>	172B-012CSR <b>249.71</b>	173B-012CSR <b>269.02</b>	1	0	622
<b>1-1/2</b>	172B-015CSR <b>343.13</b>	173B-015CSR <b>362.47</b>	1	0	622
<b>2</b>	172B-020CSR <b>480.06</b>	173B-020CSR <b>505.83</b>	1	0	622
<b>3</b>	172B-030CSR <b>1035.85</b>	173B-030CSR <b>1121.25</b>	1	0	622
<b>4</b>	172B-040CSR <b>1633.53</b>	173B-040CSR <b>1859.06</b>	1	0	622

## Thermoplastic Valves Y-Pattern Valve Repair Kits



Internal Repair Kit includes 1-Stem O-ring, 1-Seal Carrier O-ring, along with a factory assembled (required) internal component replacement unit consisting of Stem assembled with Seat & Seal Carrier components. Install in valve using existing valve Bonnet, Bonnet Nut, and Handle/Nut. True Union style valve kits include an additional 2-End Connector O-rings.

### PVC Y-Pattern Valve Internal Repair Kits

Size	Standard EPDM	Standard FKM	True Union EPDM	True Union FKM	Std Pk	Mstr Pk	Disc Code
<b>1/2</b>	YV-ERK-005 <b>26.00</b>	YV-VRK-005 <b>27.60</b>	YV-UERK-005 <b>27.37</b>	YV-UVRK-005 <b>29.05</b>	1	10	299
<b>3/4</b>	YV-ERK-007 <b>35.06</b>	YV-VRK-007 <b>37.52</b>	YV-UERK-007 <b>36.91</b>	YV-UVRK-007 <b>39.48</b>	1	10	299
<b>1</b>	YV-ERK-010 <b>45.99</b>	YV-VRK-010 <b>48.35</b>	YV-UERK-010 <b>48.40</b>	YV-UVRK-010 <b>50.87</b>	1	10	299
<b>1-1/4</b>	YV-ERK-012 <b>69.95</b>	YV-VRK-012 <b>75.02</b>	YV-UERK-012 <b>73.62</b>	YV-UVRK-012 <b>78.97</b>	1	10	299
<b>1-1/2</b>	YV-ERK-015 <b>132.56</b>	YV-VRK-015 <b>139.71</b>	YV-UERK-015 <b>147.86</b>	YV-UVRK-015 <b>147.87</b>	1	10	299
<b>2</b>	YV-ERK-020 <b>162.05</b>	YV-VRK-020 <b>170.22</b>	YV-UERK-020 <b>170.57</b>	YV-UVRK-020 <b>179.17</b>	1	4	299
<b>3</b>	YV-ERK-030 <b>226.75</b>	YV-VRK-030 <b>238.82</b>	YV-UERK-030 <b>238.71</b>	YV-UVRK-030 <b>251.39</b>	1	10	299
<b>4</b>	YV-ERK-040 <b>388.17</b>	YV-VRK-040 <b>409.80</b>	YV-UERK-040 <b>408.58</b>	YV-UVRK-040 <b>431.36</b>	1	10	299

### CPVC Y-Pattern Valve Internal Repair Kits

Size	Standard EPDM	Standard FKM	True Union EPDM	True Union FKM	Std Pk	Mstr Pk	Disc Code
<b>1/2</b>	YV-ERK-005C <b>33.27</b>	YV-VRK-005C <b>35.33</b>	YV-UERK-005C <b>35.03</b>	YV-UVRK-005C <b>37.18</b>	1	10	299
<b>3/4</b>	YV-ERK-007C <b>44.89</b>	YV-VRK-007C <b>48.01</b>	YV-UERK-007C <b>47.24</b>	YV-UVRK-007C <b>50.55</b>	1	10	299
<b>1</b>	YV-ERK-010C <b>58.87</b>	YV-VRK-010C <b>61.86</b>	YV-UERK-010C <b>61.97</b>	YV-UVRK-010C <b>65.09</b>	1	10	299
<b>1-1/4</b>	YV-ERK-012C <b>89.55</b>	YV-VRK-012C <b>96.03</b>	YV-UERK-012C <b>92.60</b>	YV-UVRK-012C <b>101.11</b>	1	10	299
<b>1-1/2</b>	YV-ERK-015C <b>169.67</b>	YV-VRK-015C <b>178.78</b>	YV-UERK-015C <b>178.61</b>	YV-UVRK-015C <b>188.21</b>	1	10	299
<b>2</b>	YV-ERK-020C <b>207.43</b>	YV-VRK-020C <b>217.87</b>	YV-UERK-020C <b>218.36</b>	YV-UVRK-020C <b>229.34</b>	1	4	299
<b>3</b>	YV-ERK-030C <b>290.23</b>	YV-VRK-030C <b>305.68</b>	YV-UERK-030C <b>305.54</b>	YV-UVRK-030C <b>321.76</b>	1	10	299
<b>4</b>	YV-ERK-040C <b>496.86</b>	YV-VRK-040C <b>524.54</b>	YV-UERK-040C <b>523.01</b>	YV-UVRK-040C <b>552.15</b>	1	10	299